

- Print Summary
- Print Expanded
- Copy JSON
- Save as HTML
- Save as JSON
- Open in Viewer
- Toggle Dark Theme



## Performance

### Metrics

▲ First Contentful Paint	6.6 s	▲ First Meaningful Paint	6.6 s
▲ Speed Index	60.4 s	▲ First CPU Idle	22.3 s
▲ Time to Interactive	26.7 s	▲ Max Potential First Input Delay	3,020 ms

View Trace

Values are estimated and may vary. The performance score is based only on these metrics.



**Opportunities** — These suggestions can help your page load faster. They don't directly affect the Performance score.


Opportunity

Estimated Savings

▲ Eliminate render-blocking resources

4.69 s

Resources are blocking the first paint of your page. Consider delivering critical JS/CSS inline and deferring all non-critical JS/styles. [Learn more](#).



There are a number of WordPress plugins that can help you [inline critical assets](#) or [defer less important resources](#). Beware that optimizations provided by these plugins may break features of your theme or plugins, so you will likely need to make code changes.

☒ Show 3rd-party resources (1)

URL	Size	Potential Savings
-----	------	-------------------

URL	Size	Potential Savings
...mm05u3zf/abyv6.css (neetadvisor.com)	91 KB	3,150 ms
...css/font-awesome.css?ver=5.4 (netdna.bootstrapcdn.com)	11 KB	2,850 ms
...2ynarjvw/abyv6.css (neetadvisor.com)	1 KB	1,170 ms
...bupwpgp/abyv6.css (neetadvisor.com)	8 KB	1,470 ms
...g2sq7wqd/abyv6.css (neetadvisor.com)	12 KB	1,620 ms
...rp8belu/abyv6.css (neetadvisor.com)	237 KB	4,920 ms
...7c2d4d3p/abyv5.css (neetadvisor.com)	55 KB	2,970 ms
...kmas0x3q/abyv5.css (neetadvisor.com)	8 KB	300 ms
...89o02yh4/abyv6.js (neetadvisor.com)	118 KB	2,400 ms
...6mqo211u/abyv6.js (neetadvisor.com)	1 KB	150 ms
...efgsghlw/abyv6.js (neetadvisor.com)	28 KB	900 ms

#### ▲ Remove unused CSS 2.25 s ^

Remove dead rules from stylesheets and defer the loading of CSS not used for above-the-fold content to reduce unnecessary bytes consumed by network activity. [Learn more.](#)



Consider reducing, or switching, the number of [WordPress plugins](#) loading unused CSS in your page. To identify plugins that are adding extraneous CSS, try running [code coverage](#) in Chrome DevTools. You can identify the theme/plugin responsible from the URL of the stylesheet. Look out for plugins that have many stylesheets in the list which have a lot of red in code coverage. A plugin should only enqueue a stylesheet if it is actually used on the page.

☒ Show 3rd-party resources (1)

URL	Size	Potential Savings
...rp8belu/abyv6.css (neetadvisor.com)	237 KB	233 KB
...mm05u3zf/abyv6.css (neetadvisor.com)	91 KB	86 KB
...7c2d4d3p/abyv5.css (neetadvisor.com)	55 KB	54 KB
...q4zt20ad/abyv5.css (neetadvisor.com)	13 KB	13 KB
...css/font-awesome.css?ver=5.4 (netdna.bootstrapcdn.com)	11 KB	11 KB








#### Defer offscreen images 0.3 s ^

Consider lazy-loading offscreen and hidden images after all critical resources have finished loading to lower time to interactive. [Learn more.](#)



Install a [lazy-load WordPress plugin](#) that provides the ability to defer any offscreen images, or switch to a theme that provides that functionality. Also consider using [the AMP plugin](#).

☐ Show 3rd-party resources (0)

URL	Size	Potential Savings
 ...10/neet-advisor-man-540x726.png (neetadvisor.com)	121 KB	121 KB
 ...images/background.png (neetadvisor.com)	74 KB	74 KB
 ...04/pre-loader-neet.gif (neetadvisor.com)	68 KB	68 KB
 ...10/4-new.jpg (neetadvisor.com)	52 KB	52 KB
 ...10/doc-new-min.png (neetadvisor.com)	36 KB	36 KB
 ...10/5-white-bg.jpg (neetadvisor.com)	36 KB	36 KB
 ...10/Engeneering-182x300.png (neetadvisor.com)	34 KB	34 KB
...12/pen-with-shadow-front.png (neetadvisor.com)	6 KB	6 KB

▲ Reduce server response times (TTFB) 0.04 s ^

Time To First Byte identifies the time at which your server sends a response. [Learn more](#).



Themes, plugins, and server specifications all contribute to server response time. Consider finding a more optimized theme, carefully selecting an optimization plugin, and/or upgrading your server.

**Diagnostics** — More information about the performance of your application. These numbers don't [directly affect](#) the Performance score.

▲ Minimize main-thread work — 49.8 s ^

Consider reducing the time spent parsing, compiling and executing JS. You may find delivering smaller JS payloads helps with this. [Learn more](#)

Category	Time Spent
Style & Layout	17,379 ms
Script Evaluation	15,559 ms
Rendering	9,743 ms
Other	5,447 ms
Parse HTML & CSS	958 ms
Garbage Collection	361 ms
Script Parsing & Compilation	351 ms

▲ Ensure text remains visible during webfont load ^

Leverage the font-display CSS feature to ensure text is user-visible while webfonts are loading. [Learn more.](#)

☒ Show 3rd-party resources (4)

URL	Potential Savings
...webfonts/fa-solid-900.woff2 (neetadvisor.com)	810 ms
...webfonts/fa-brands-400.woff2 (neetadvisor.com)	2,160 ms
...fonts/fontawesome-webfont.woff2?v=4.7.0 (neetadvisor.com)	2,380 ms
...v9/pxiByp8kv....woff2 (fonts.gstatic.com)	500 ms
...v9/pxiByp8kv....woff2 (fonts.gstatic.com)	220 ms
...v9/pxiByp8kv....woff2 (fonts.gstatic.com)	140 ms
...v20/KFOmCnqEu....woff2 (fonts.gstatic.com)	180 ms
...fonts/fontawesome-webfont.woff2?v=4.7.0 (neetadvisor.com)	2,390 ms

▲ Reduce JavaScript execution time — 15.3 s ^

Consider reducing the time spent parsing, compiling, and executing JS. You may find delivering smaller JS payloads helps with this. [Learn more.](#)

☒ Show 3rd-party resources (2)

URL	Total CPU Time	Script Evaluation	Script Parse
Other	29,495 ms	543 ms	3 ms
...89o02yh4/abyv6.js (neetadvisor.com)	12,268 ms	9,128 ms	36 ms
...js/revolution.tools.min.js?ver=6.0 (neetadvisor.com)	5,830 ms	4,604 ms	11 ms
...imagesloaded/imagesloaded.pkgd.min.js?ver=6.0.5 (neetadvisor.com)	736 ms	162 ms	8 ms
...js/smush-lazy-load.min.js?ver=3.6.1 (neetadvisor.com)	546 ms	536 ms	5 ms
/gtag/js?id=UA-154...-1 (www.googletagmanager.com)	146 ms	136 ms	10 ms
/analytics.js (www.google-analytics.com)	111 ms	99 ms	6 ms

▲ Serve static assets with an efficient cache policy — 113 resources found ^

A long cache lifetime can speed up repeat visits to your page. [Learn more.](#)



Read about [Browser Caching in WordPress.](#)

☒ Show 3rd-party resources (1)

URL	Cache TTL	Size
/analytics.js (www.google-analytics.com)	2 h	19 KB
...09/6xKydsBYK....woff (neetadvisor.com)	4 h	94 KB
...09/6xKydsBYK....woff (neetadvisor.com)	4 h	93 KB

URL	Cache TTL	Size
...fonts/fontawesome-webfont.woff2?v=4.7.0 (neetadvisor.com)	4 h	87 KB
...09/6xK3dSBYK....woff (neetadvisor.com)	4 h	87 KB
...fonts/fontawesome-webfont.woff2?v=4.7.0 (neetadvisor.com)	4 h	77 KB
...10/pxiByp8kv....woff (neetadvisor.com)	4 h	76 KB
...10/pxiByp8kv....woff (neetadvisor.com)	4 h	67 KB
...10/pxiByp8kv....woff (neetadvisor.com)	4 h	65 KB
...webfonts/fa-brands-400.woff2 (neetadvisor.com)	4 h	59 KB
...webfonts/fa-solid-900.woff2 (neetadvisor.com)	4 h	47 KB
...09/6xK1dSBYK....woff (neetadvisor.com)	4 h	46 KB
...cloudflare-static/email-decode.min.js (neetadvisor.com)	2 d	2 KB
...rp8belu/abyv6.css (neetadvisor.com)	7 d	237 KB
...11/compressed.png (neetadvisor.com)	7 d	161 KB
...10/neet-advisor-man-540x726.png (neetadvisor.com)	7 d	121 KB
...89o02yh4/abyv6.js (neetadvisor.com)	7 d	118 KB
...mm05u3zf/abyv6.css (neetadvisor.com)	7 d	91 KB
...js/rs6.min.js?ver=6.0.7 (neetadvisor.com)	7 d	78 KB
...images/background.png (neetadvisor.com)	7 d	74 KB
...04/pre-loader-neet.gif (neetadvisor.com)	7 d	68 KB
...7c2d4d3p/abyv5.css (neetadvisor.com)	7 d	55 KB
...js/revolution.tools.min.js?ver=6.0 (neetadvisor.com)	7 d	54 KB
...10/4-new.jpg (neetadvisor.com)	7 d	52 KB
...01/slider-background_db91343....png (neetadvisor.com)	7 d	44 KB
...js/swiper.min.js?ver=5.4 (neetadvisor.com)	7 d	43 KB
...js/swiper.min.js?ver=5.4 (neetadvisor.com)	7 d	38 KB
...10/doc-new-min.png (neetadvisor.com)	7 d	36 KB
...10/5-white-bg.jpg (neetadvisor.com)	7 d	36 KB
...images/icon-box-set-bg.png (neetadvisor.com)	7 d	34 KB
...10/Engeneering-182x300.png (neetadvisor.com)	7 d	34 KB
...js/jquery.nicescroll.js?ver=5.4 (neetadvisor.com)	7 d	30 KB
...10/seminar8-270x170.jpg (neetadvisor.com)	7 d	29 KB
...10/unnamed-8-270x170.jpg (neetadvisor.com)	7 d	29 KB
...efgsghlw/abyv6.js (neetadvisor.com)	7 d	28 KB
...js/jquery.caroufredsel.js?ver=5.4 (neetadvisor.com)	7 d	26 KB

URL	Cache TTL	Size
...js/lightbox.min.js?ver=5.4 (neetadvisor.com)	7 d	24 KB
...js/isotope.pkgd.min.js?ver=5.4 (neetadvisor.com)	7 d	21 KB
...01/slider-background-2_49f3fe9....jpg (neetadvisor.com)	7 d	20 KB
...js/slick.min.js?ver=5.4 (neetadvisor.com)	7 d	20 KB
...js/jquery.fullPage.min.js?ver=5.4 (neetadvisor.com)	7 d	19 KB
...images/pentagon.png (neetadvisor.com)	7 d	19 KB
...dist/isotope.pkgd.min.js?ver=6.0.5 (neetadvisor.com)	7 d	19 KB
...js/isotope.pkgd.min.js?ver=5.4 (neetadvisor.com)	7 d	19 KB
...js/jquery.plugins.js?ver=5.4 (neetadvisor.com)	7 d	19 KB
...min-js/ultimate_bg.min.js?ver=5.4 (neetadvisor.com)	7 d	17 KB
...10/seminar3-290x170.jpg (neetadvisor.com)	7 d	17 KB
...10/seminar2-290x170.jpg (neetadvisor.com)	7 d	16 KB
...10/seminar1-290x170.jpg (neetadvisor.com)	7 d	16 KB
...10/seminar6-320x170.jpg (neetadvisor.com)	7 d	16 KB
...10/seminar4-320x170.jpg (neetadvisor.com)	7 d	15 KB
...10/seminar5-320x170.jpg (neetadvisor.com)	7 d	14 KB
...magnific/jquery.magnific-popup.min.js?ver=5.4 (neetadvisor.com)	7 d	14 KB
...q4zt20ad/abyv5.css (neetadvisor.com)	7 d	13 KB
...js/jquery.bxslider.js?ver=5.4 (neetadvisor.com)	7 d	12 KB
...g2sq7wqd/abyv6.css (neetadvisor.com)	7 d	12 KB
...js/jquery.prettyPhoto.min.js?ver=6.0.5 (neetadvisor.com)	7 d	12 KB
...dist/js_composer_front.min.js?ver=6.0.5 (neetadvisor.com)	7 d	11 KB
...10/seminar7-270x170.jpg (neetadvisor.com)	7 d	11 KB
...scripts/jquery.finalTilesGallery.js?ver=3.4.16 (neetadvisor.com)	7 d	10 KB
...min-js/custom.min.js?ver=3.19.0 (neetadvisor.com)	7 d	9 KB
...bupwpgp/abyv6.css (neetadvisor.com)	7 d	8 KB
...min-css/ajax-loader.gif (neetadvisor.com)	7 d	8 KB
...js/frontend.js?ver=5.4 (neetadvisor.com)	7 d	8 KB
...images/slider-bottom-pattern.png (neetadvisor.com)	7 d	8 KB
...js/smush-lazy-load.min.js?ver=3.6.1 (neetadvisor.com)	7 d	8 KB
...images/testimonial-clip-icon.png (neetadvisor.com)	7 d	8 KB
...js/jarallax.js?ver=5.4 (neetadvisor.com)	7 d	8 KB
...js/custom.js?ver=5.4 (neetadvisor.com)	7 d	8 KB

URL	Cache TTL	Size
...kmas0x3q/abyv5.css (neetadvisor.com)	7 d	8 KB
...images/curvy-top.png (neetadvisor.com)	7 d	7 KB
...2e03ybr5/abyv5.css (neetadvisor.com)	7 d	6 KB
...js/jquery.multiscroll.min.js?ver=5.4 (neetadvisor.com)	7 d	6 KB
...12/pen-with-shadow-front.png (neetadvisor.com)	7 d	6 KB
...js/shortcodes.js?ver=5.4 (neetadvisor.com)	7 d	6 KB
...images/right-painting.png (neetadvisor.com)	7 d	6 KB
...min-js/jparallax.min.js?ver=5.4 (neetadvisor.com)	7 d	5 KB
...vc_waypoints/vc-waypoints.min.js?ver=6.0.5 (neetadvisor.com)	7 d	5 KB
...js/custom-waypoints.js?ver=5.4 (neetadvisor.com)	7 d	5 KB
...js/jquery.waypoints.min.js?ver=5.4 (neetadvisor.com)	7 d	5 KB
...imagesloaded/imagesloaded.pkgd.min.js?ver=6.0.5 (neetadvisor.com)	7 d	5 KB
...js/jquery.visualNav.min.js?ver=5.4 (neetadvisor.com)	7 d	4 KB
...js/jquery.tabs.min.js?ver=5.4 (neetadvisor.com)	7 d	3 KB
...js/whatsappme.min.js?ver=3.2.2 (neetadvisor.com)	7 d	3 KB
...js/jquery.touchswipe.js?ver=5.4 (neetadvisor.com)	7 d	3 KB
...01/NEET-ADVISOR-LOGO.png (neetadvisor.com)	7 d	3 KB
...js/theia-sticky-sidebar.min.js?ver=5.4 (neetadvisor.com)	7 d	3 KB
...js/matchHeight.js?ver=5.4 (neetadvisor.com)	7 d	3 KB
...js/jquery.sticky.js?ver=5.4 (neetadvisor.com)	7 d	3 KB
...js/jquery.tipTip.minified.js?ver=5.4 (neetadvisor.com)	7 d	2 KB
...js/jquery.placeholder.js?ver=5.4 (neetadvisor.com)	7 d	2 KB
...images/awards-decor.png (neetadvisor.com)	7 d	2 KB
...js/jquery.simple-sidebar.js?ver=5.4 (neetadvisor.com)	7 d	2 KB
...images/testimonial-quote-icon.png (neetadvisor.com)	7 d	2 KB
...js/jquery.fitvids.js?ver=5.4 (neetadvisor.com)	7 d	2 KB
...js/ResizeSensor.min.js?ver=5.4 (neetadvisor.com)	7 d	2 KB
...js/jquery.easing.js?ver=5.4 (neetadvisor.com)	7 d	2 KB
...js/jquery.donutchart.js?ver=5.4 (neetadvisor.com)	7 d	2 KB
...images/bottom-arrow.png (neetadvisor.com)	7 d	2 KB
...images/custom-arrow.png (neetadvisor.com)	7 d	2 KB
...js/jquery.animateNumber.min.js?ver=5.4 (neetadvisor.com)	7 d	1 KB
...js/jquery.ui.totop.min.js?ver=5.4 (neetadvisor.com)	7 d	1 KB

URL	Cache TTL	Size
...js/dt-360-viewer.js?ver=5.4 (neetadvisor.com)	7 d	1 KB
...js/jquery.downcount.js?ver=5.4 (neetadvisor.com)	7 d	1 KB
...6mqo211u/abyv6.js (neetadvisor.com)	7 d	1 KB
...images/top-arrow.png (neetadvisor.com)	7 d	1 KB
...images/left-painting.png (neetadvisor.com)	7 d	1 KB
...js/jquery.classie.js?ver=5.4 (neetadvisor.com)	7 d	1 KB
...js/jquery.inview.js?ver=5.4 (neetadvisor.com)	7 d	1 KB
...js/jquery.inview.js?ver=5.4 (neetadvisor.com)	7 d	1 KB
...js/jquery.parallax.js?ver=5.4 (neetadvisor.com)	7 d	1 KB
...js/jquery.debounce.js?ver=5.4 (neetadvisor.com)	7 d	1 KB
...2ynarjvw/abyv6.css (neetadvisor.com)	7 d	1 KB

### ▲ Avoid an excessive DOM size — 1,589 elements



A large DOM will increase memory usage, cause longer [style calculations](#), and produce costly [layout reflows](#). [Learn more](#).

Statistic	Element	Value
Total DOM Elements		1,589
Maximum DOM Depth	<span>	27
Maximum Child Elements	<body data-rsssl="1" class="home page-template-default page page-id-94 layout-wide page-with-slider no-breadcrumb wpb-js-composer js-comp-ver-6.0.5 vc_responsive complete">	67

### Avoid enormous network payloads — Total size was 3,054 KB



Large network payloads cost users real money and are highly correlated with long load times. [Learn more](#).



Consider showing excerpts in your post lists (e.g. via the more tag), reducing the number of posts shown on a given page, breaking your long posts into multiple pages, or using a plugin to lazy-load comments.

☐ Show 3rd party resources (0)

URL	Size
...rp8belu/abyv6.css (neetadvisor.com)	237 KB
...11/compressed.png (neetadvisor.com)	161 KB
...10/neet-advisor-man-540x726.png (neetadvisor.com)	121 KB
...89o02yh4/abyv6.js (neetadvisor.com)	118 KB
...09/6xKydsBYK....woff (neetadvisor.com)	94 KB
...09/6xKydsBYK....woff (neetadvisor.com)	93 KB
...mm05u3zf/abyv6.css (neetadvisor.com)	91 KB



URL	Size
...fonts/fontawesome-webfont.woff2?v=4.7.0 (neetadvisor.com)	87 KB
...09/6xK3dSBYK....woff (neetadvisor.com)	87 KB
...js/rs6.min.js?ver=6.0.7 (neetadvisor.com)	78 KB

Avoid chaining critical requests — 74 chains found



The Critical Request Chains below show you what resources are loaded with a high priority. Consider reducing the length of chains, reducing the download size of resources, or deferring the download of unnecessary resources to improve page load.

[Learn more.](#)

Maximum critical path latency: **20,710 ms**

#### Initial Navigation

https://neetadvisor.com

...mm05u3zf/abyv6.css (neetadvisor.com) - **2,020 ms, 91.4 KB**

...css/font-awesome.css?ver=5.4 (netdna.bootstrapcdn.com) - **3,210 ms, 11.37 KB**

...2ynarjvw/abyv6.css (neetadvisor.com) - **2,060 ms, 0.56 KB**

...bupwpgp/abyv6.css (neetadvisor.com) - **2,470 ms, 8.47 KB**

...g2sq7wqd/abyv6.css (neetadvisor.com) - **4,970 ms, 11.71 KB**

...rp8belu/abyv6.css (neetadvisor.com) - **7,450 ms, 237.19 KB**

...7c2d4d3p/abyv5.css (neetadvisor.com) - **5,100 ms, 54.55 KB**

...kmas0x3q/abyv5.css (neetadvisor.com) - **5,100 ms, 7.66 KB**

...89o02yh4/abyv6.js (neetadvisor.com) - **6,650 ms, 117.57 KB**

...6mqo211u/abyv6.js (neetadvisor.com) - **1,960 ms, 1.07 KB**

...efgsghlw/abyv6.js (neetadvisor.com) - **5,940 ms, 28.15 KB**

...cloudflare-static/email-decode.min.js (neetadvisor.com) - **750 ms, 1.5 KB**

...2e03ybr5/abyv5.css (neetadvisor.com) - **430 ms, 6.5 KB**

/css?family=Poppins:700%2C600%2C500%7CRoboto:400 (fonts.googleapis.com) - **130 ms, 0.86 KB**

...q4zt20ad/abyv5.css (neetadvisor.com) - **700 ms, 13.47 KB**

...js/jquery.tabs.min.js?ver=5.4 (neetadvisor.com) - **720 ms, 3.47 KB**

...js/jquery.tipTip.minified.js?ver=5.4 (neetadvisor.com) - **740 ms, 2.39 KB**

...js/jquery.inview.js?ver=5.4 (neetadvisor.com) - **870 ms, 0.85 KB**

...js/jquery.animateNumber.min.js?ver=5.4 (neetadvisor.com) - **1,900 ms, 1.35 KB**

...js/jquery.donutchart.js?ver=5.4 (neetadvisor.com) - **680 ms, 1.73 KB**

...js/slick.min.js?ver=5.4 (neetadvisor.com) - **4,890 ms, 20.01 KB**

...js/shortcodes.js?ver=5.4 (neetadvisor.com) - **470 ms, 6.25 KB**

...js/swiper.min.js?ver=5.4 (neetadvisor.com) - **940 ms, 42.9 KB**

...js/dt-360-viewer.js?ver=5.4 (neetadvisor.com) - **620 ms, 1.15 KB**

...js/custom-waypoints.js?ver=5.4 (neetadvisor.com) - **610 ms, 5.19 KB**

...scripts/jquery.finalTilesGallery.js?ver=3.4.16 (neetadvisor.com) - **650 ms, 10.17 KB**

...js/smush-lazy-load.min.js?ver=3.6.1 (neetadvisor.com) - **620 ms, 8.11 KB**

...js/jquery.ui.totop.min.js?ver=5.4 (neetadvisor.com) - **630 ms, 1.17 KB**

...js/jquery.easing.js?ver=5.4 (neetadvisor.com) - **400 ms, 1.73 KB**

...js/jquery.caroufredsel.js?ver=5.4 (neetadvisor.com) - **920 ms, 25.71 KB**

...js/jquery.debounce.js?ver=5.4 (neetadvisor.com) - **790 ms, 0.69 KB**

...js/jquery.prettyPhoto.min.js?ver=6.0.5 (neetadvisor.com) - **770 ms, 11.52 KB**

...js/jquery.touchswipe.js?ver=5.4 (neetadvisor.com) - **720 ms, 3.26 KB**

...js/jquery.parallax.js?ver=5.4 (neetadvisor.com) - **800 ms, 0.69 KB**

...js/jquery.downcount.js?ver=5.4 (neetadvisor.com) - **570 ms, 1.09 KB**

...js/jquery.nicescroll.js?ver=5.4 (neetadvisor.com) - **460 ms, 29.87 KB**

...js/jquery.bxslider.js?ver=5.4 (neetadvisor.com) - **630 ms, 11.71 KB**

...js/jquery.fitvids.js?ver=5.4 (neetadvisor.com) - **590 ms, 1.79 KB**

...js/jquery.sticky.js?ver=5.4 (neetadvisor.com) - **460 ms, 2.95 KB**

...js/jquery.simple-sidebar.js?ver=5.4 (neetadvisor.com) - **470 ms, 2.03 KB**

...js/jquery.classie.js?ver=5.4 (neetadvisor.com) - **460 ms, 0.91 KB**

...js/jquery.placeholder.js?ver=5.4 (neetadvisor.com) - **500 ms, 2.3 KB**

...js/jquery.visualNav.min.js?ver=5.4 (neetadvisor.com) - **530 ms, 3.92 KB**

...js/ResizeSensor.min.js?ver=5.4 (neetadvisor.com) - **530 ms, 1.76 KB**

...js/theia-sticky-sidebar.min.js?ver=5.4 (neetadvisor.com) - **530 ms, 3.16 KB**

...js/matchHeight.js?ver=5.4 (neetadvisor.com) - **530 ms, 2.97 KB**

...js/jquery.waypoints.min.js?ver=5.4 (neetadvisor.com) - **530 ms, 5.16 KB**

...js/isotope.pkgd.min.js?ver=5.4 (neetadvisor.com) - **440 ms, 18.92 KB**

...magnific/jquery.magnific-popup.min.js?ver=5.4 (neetadvisor.com) - **590 ms, 13.85 KB**

...js/custom.js?ver=5.4 (neetadvisor.com) - **480 ms, 7.72 KB**

...js/whatsappme.min.js?ver=3.2.2 (neetadvisor.com) - **460 ms, 3.39 KB**

...js/jquery.plugins.js?ver=5.4 (neetadvisor.com) - **890 ms, 18.5 KB**

...js/isotope.pkgd.min.js?ver=5.4 (neetadvisor.com) - **670 ms, 21.06 KB**

...js/jquery.fullPage.min.js?ver=5.4 (neetadvisor.com) - **720 ms, 19.44 KB**

...js/lightbox.min.js?ver=5.4 (neetadvisor.com) - **800 ms, 24.41 KB**

...js/jarallax.js?ver=5.4 (neetadvisor.com) - **560 ms, 7.86 KB**

...js/jquery.multiscroll.min.js?ver=5.4 (neetadvisor.com) - **720 ms, 6.35 KB**

...js/jquery.inview.js?ver=5.4 (neetadvisor.com) - **570 ms, 0.85 KB**

...js/swiper.min.js?ver=5.4 (neetadvisor.com) - **640 ms, 38.19 KB**

...js/frontend.js?ver=5.4 (neetadvisor.com) - **620 ms, 8.25 KB**

...dist/js\_composer\_front.min.js?ver=6.0.5 (neetadvisor.com) - **670 ms, 10.96 KB**

...min-js/ultimate\_bg.min.js?ver=5.4 (neetadvisor.com) - **550 ms, 17.22 KB**

...min-js/custom.min.js?ver=3.19.0 (neetadvisor.com) - **460 ms, 8.83 KB**

...min-js/jparallax.min.js?ver=5.4 (neetadvisor.com) - **450 ms, 5.33 KB**

...vc\_waypoints/vc-waypoints.min.js?ver=6.0.5 (neetadvisor.com) - **470 ms, 5.33 KB**

...imagesloaded/imagesloaded.pkgd.min.js?ver=6.0.5 (neetadvisor.com) - **1,240 ms, 4.7 KB**

...dist/isotope.pkgd.min.js?ver=6.0.5 (neetadvisor.com) - **1,220 ms, 19.11 KB**

...09/6xKydsBYK....woff (neetadvisor.com) - **1,710 ms, 94.04 KB**

...10/pxiByp8kv....woff (neetadvisor.com) - **2,450 ms, 76.11 KB**

...09/6xK3dsBYK....woff (neetadvisor.com) - **4,290 ms, 86.56 KB**

...10/pxiByp8kv....woff (neetadvisor.com) - **4,290 ms, 67.33 KB**

...10/pxiByp8kv....woff (neetadvisor.com) - **5,580 ms, 65.17 KB**

...09/6xK1dsBYK....woff (neetadvisor.com) - **5,580 ms, 45.91 KB**

...09/6xKydsBYK....woff (neetadvisor.com) - **5,920 ms, 93.1 KB**

Keep request counts low and transfer sizes small — 124 requests • 3,054 KB

To set budgets for the quantity and size of page resources, add a budget.json file. [Learn more.](#)

Resource Type	Requests	Transfer Size
Total	124	3,054 KB
Image	37	919 KB
Font	15	846 KB
Script	60	806 KB
Stylesheet	11	444 KB
Document	1	40 KB
Media	0	0 KB
Other	0	0 KB
Third-party	11	107 KB

Passed audits (12)

Properly size images — Potential savings of 138 KB

Serve images that are appropriately-sized to save cellular data and improve load time. [Learn more.](#)



Upload images directly through the [media library](#) to ensure that the required image sizes are available, and then insert them from the media library or use the image widget to ensure the optimal image sizes are used (including those for the responsive breakpoints). Avoid using `Full Size` images unless the dimensions are adequate for their usage. [Learn More.](#)

☐ Show 3rd party resources (0)

URL	Size	Potential Savings
 ...11/compressed.png (neetadvisor.com)	161 KB	138 KB

Minify CSS

Minifying CSS files can reduce network payload sizes. [Learn more.](#)



A number of [WordPress plugins](#) can speed up your site by concatenating, minifying, and compressing your



styles. You may also want to use a build process to do this minification up-front if possible.

### Minify JavaScript ^

Minifying JavaScript files can reduce payload sizes and script parse time. [Learn more](#).



A number of [WordPress plugins](#) can speed up your site by concatenating, minifying, and compressing your scripts. You may also want to use a build process to do this minification up front if possible.

### Efficiently encode images ^

Optimized images load faster and consume less cellular data. [Learn more](#).



Consider using an [image optimization WordPress plugin](#) that compresses your images while retaining quality.

### Serve images in next-gen formats ^

Image formats like JPEG 2000, JPEG XR, and WebP often provide better compression than PNG or JPEG, which means faster downloads and less data consumption. [Learn more](#).



Consider using a [plugin](#) or service that will automatically convert your uploaded images to the optimal formats.

### Enable text compression ^

Text-based resources should be served with compression (gzip, deflate or brotli) to minimize total network bytes. [Learn more](#).



You can enable text compression in your web server configuration.

### Preconnect to required origins ^

Consider adding `preconnect` or `dns-prefetch` resource hints to establish early connections to important third-party origins. [Learn more](#).

### Avoid multiple page redirects ^

Redirects introduce additional delays before the page can be loaded. [Learn more](#).

### Preload key requests ^

Consider using `` to prioritize fetching resources that are currently requested later in page load. [Learn more](#).

### Use video formats for animated content — Potential savings of 54 KB ^

Large GIFs are inefficient for delivering animated content. Consider using MPEG4/WebM videos for animations and PNG/WebP for static images instead of GIF to save network bytes. [Learn more](#)



Consider uploading your GIF to a service which will make it available to embed as an HTML5 video.

URL	Size	Potential Savings
...04/pre-loader-neet.gif (neetadvisor.com)	115 KB	54 KB

#### User Timing marks and measures ^

Consider instrumenting your app with the User Timing API to measure your app's real-world performance during key user experiences. [Learn more](#).

#### Minimize third-party usage — Third-party code blocked the main thread for 90 ms ^

Third-party code can significantly impact load performance. Limit the number of redundant third-party providers and try to load third-party code after your page has primarily finished loading. [Learn more](#).

Third-Party	Size	Main-Thread Blocking Time
<a href="#">Google Tag Manager</a>	30 KB	47 ms
<a href="#">Google Analytics</a>	19 KB	40 ms
<a href="#">Bootstrap CDN</a>	11 KB	0 ms



## Accessibility

These checks highlight opportunities to [improve the accessibility of your web app](#). Only a subset of accessibility issues can be automatically detected so manual testing is also encouraged.

**ARIA** — These are opportunities to improve the usage of ARIA in your application which may enhance the experience for users of assistive technology, like a screen reader.

#### ▲ [aria-\*] attributes do not match their roles ^

Each ARIA `role` supports a specific subset of `aria-\*` attributes. Mismatching these invalidates the `aria-\*` attributes. [Learn more](#).

##### Failing Elements

`li#slick-slide40.slick-active`

#### ▲ Elements with an ARIA [role] that require children to contain a specific [role] are missing some or all of those required children. ^

Some ARIA parent roles must contain specific child roles to perform their intended accessibility functions. [Learn more](#).

##### Failing Elements

`ul.slick-dots`

## ▲ [aria-\*] attributes do not have valid values



Assistive technologies, like screen readers, can't interpret ARIA attributes with invalid values. [Learn more.](#)

### Failing Elements

`div.ult-item-wrap.animated.no-animation.slick-slide.slick-current.slick-active`

`li#slick-slide40.slick-active`

`div.dt-sc-testimonial-description.slick-slide.slick-current.slick-active`

**Contrast** — These are opportunities to improve the legibility of your content.

## ▲ Background and foreground colors do not have a sufficient contrast ratio.



Low-contrast text is difficult or impossible for many users to read. [Learn more.](#)

### Failing Elements

#### NEET GUIDE

```
<rs-layer id="slider-2-slide-11-layer-2" class="Creative-Title rs-pxl-1 rs-layer" data-
type="text" data-color="#090909" data-rsp_ch="on" data-
xy="x:l,c,c,l;xo:556px,-192px,-169px,136px;y:t,m,m,t;yo:148px,-175px,-235px,40px;" data-
text="s:60,60,50,40;l:70,85,55,45;ls:0px,0,0,0;fw:700,600,600,600;" data-
dim="w:auto:auto:auto,222px;" data-frame_0="y:50px;tp:600;" data-
frame_1="e:Power3.easeOut;st:1740;sp:1500;sR:1740;" data-
frame_999="x:0;y:0;z:0;sX:0.9;sY:0.9;o:0;rX:0;rY:0;rZ:0;skX:0;skY:0;tp:600;st:w;sp:1000;sR
:5230;" style="z-index: 8; font-family: Poppins; visibility: visible; text-align: left;
line-height: 39px; letter-spacing: 0px; font-weight: 600; font-size: 34px; border-color:
rgb(0, 0, 0); border-style: none; margin: 0px; border-radius: 0px; padding: 0px; color:
rgb(9, 9, 9); text-decoration: none; white-space: nowrap; width: 191px; height: auto; min-
height: 0px; min-width: 0px; max-height: none; max-width: none; opacity: 1; transform:
matrix3d(1, 0, 0, 0, 0, 1, 0, 0, 0, 0, 1, 0, 0, 0, 0, 1); transform-origin: 50% 50% 0px;"
data-idcheck="true" data-stylerecorder="true" data-initialised="true">
```

#### Confused about the process of AIQ/Deemed/State Quota NEET Counselling ?

```
<rs-layer id="slider-2-slide-11-layer-3" class="rs-pxl-2 rs-layer" data-type="text" data-
color="#090909" data-rsp_ch="on" data-
xy="x:l,l,c,l;xo:546px,97px,-172px,20px;y:t,t,m,t;yo:256px,351px,-108px,99px;" data-
text="s:18,22,18,11;l:20,28,24,25;ls:0px,0,0,0;fw:700,700,500,500;" data-
frame_0="y:50px;tp:600;" data-frame_1="e:Power3.easeOut;st:3250;sp:1500;sR:3250;" data-
frame_999="x:0;y:0;z:0;sX:0.9;sY:0.9;o:0;rX:0;rY:0;rZ:0;skX:0;skY:0;tp:600;st:w;sp:1000;sR
:3720;" style="z-index: 14; font-family: Poppins; visibility: visible; text-align: left;
line-height: 21px; letter-spacing: 0px; font-weight: 500; font-size: 9px; border-color:
rgb(0, 0, 0); border-style: none; margin: 0px; border-radius: 0px; padding: 0px; color:
rgb(9, 9, 9); text-decoration: none; white-space: nowrap; width: auto; height: auto; min-
height: 0px; min-width: 0px; max-height: none; max-width: none; opacity: 0.999586;
transform: matrix3d(1, 0, 0, 0, 0, 1, 0, 0, 0, 0, 1, 0, 0, 0, 0.0207138, 0, 1); transform-
origin: 50% 50% 0px;" data-idcheck="true" data-stylerecorder="true" data-
initialised="true">
```

## Failing Elements

Have doubts about state/college you should apply for ?

```
<rs-layer id="slider-2-slide-11-layer-14" class="rs-pxl-2 rs-layer" data-type="text" data-color="#090909" data-rsp_ch="on" data-xy="x:l,l,c,l;xo:545px,181px,-170px,21px;y:t,t,m,t;yo:300px,400px,-61px,128px;" data-text="s:18,22,18,11;l:20,28,24,25;ls:0px,0,0,0;fw:700,700,500,500;" data-frame_0="y:50px;tp:600;" data-frame_1="e:Power3.easeOut;st:4010;sp:1500;sR:4010;" data-frame_999="x:0;y:0;z:0;sX:0.9;sY:0.9;o:0;rX:0;rY:0;rZ:0;skX:0;skY:0;tp:600;st:w;sp:1000;sR:2960;" style="z-index: 5; font-family: Poppins; visibility: visible; text-align: left; line-height: 21px; letter-spacing: 0px; font-weight: 500; font-size: 9px; border-color: rgb(0, 0, 0); border-style: none; margin: 0px; border-radius: 0px; padding: 0px; color: rgb(9, 9, 9); text-decoration: none; white-space: nowrap; width: auto; height: auto; min-height: 0px; min-width: 0px; max-height: none; max-width: none; opacity: 0.822225; transform: matrix3d(1, 0, 0, 0, 0, 1, 0, 0, 0, 0, 1, 0, 0, 8.88875, 0, 1); transform-origin: 50% 50% 0px;" data-idcheck="true" data-stylerecorder="true" data-initialised="true">
```

span

span

small

small

small

small

small

---

**Best practices** — These items highlight common accessibility best practices.

▲ [id] attributes on the page are not unique



The value of an id attribute must be unique to prevent other instances from being overlooked by assistive technologies.

[Learn more.](#)

## Failing Elements

ul#menu-new\_menu.dt-primary-nav

li#menu-item-19712.menu-item.menu-item-type-post\_type.menu-item-object-page.menu-item-home.current-menu-item.page\_item.page-item-94.current\_page\_item.menu-item-19712.dt-menu-item-19712

li#menu-item-19713.menu-item.menu-item-type-post\_type.menu-item-object-page.menu-item-19713.dt-menu-item-19713

li#menu-item-20532.menu-item.menu-item-type-custom.menu-item-object-custom.menu-item-has-children.menu-item-20532.dt-menu-item-20532

li#menu-item-21825.menu-item.menu-item-type-post\_type.menu-item-object-page.menu-item-21825.dt-menu-item-21825

li#menu-item-21824.menu-item.menu-item-type-post\_type.menu-item-object-page.menu-item-21824.dt-menu-item-21824

li#menu-item-20542.menu-item.menu-item-type-post\_type.menu-item-object-page.menu-item-20542.dt-menu-item-20542

li#menu-item-20541.menu-item.menu-item-type-post\_type.menu-item-object-page.menu-item-20541.dt-menu-item-20541

li#menu-item-20540.menu-item.menu-item-type-post\_type.menu-item-object-page.menu-item-20540.dt-menu-item-20540

li#menu-item-20853.menu-item.menu-item-type-post\_type.menu-item-object-page.menu-item-20853.dt-menu-item-20853

## Failing Elements

li#menu-item-20917.menu-item.menu-item-type-custom.menu-item-object-custom.menu-item-has-children.menu-item-20917.dt-menu-item-20917

li#menu-item-20936.menu-item.menu-item-type-post\_type.menu-item-object-page.menu-item-20936.dt-menu-item-20936

li#menu-item-20935.menu-item.menu-item-type-post\_type.menu-item-object-page.menu-item-20935.dt-menu-item-20935

li#menu-item-20918.menu-item.menu-item-type-post\_type.menu-item-object-page.menu-item-20918.dt-menu-item-20918

li#menu-item-20937.menu-item.menu-item-type-post\_type.menu-item-object-page.menu-item-20937.dt-menu-item-20937

li#menu-item-21036.menu-item.menu-item-type-post\_type.menu-item-object-page.menu-item-21036.dt-menu-item-21036

li#menu-item-19714.menu-item.menu-item-type-post\_type.menu-item-object-page.menu-item-19714.dt-menu-item-19714

div#neet.vc\_row.wpb\_row.vc\_row-fluid.vc\_row-o-equal-height.vc\_row-o-content-middle.vc\_row-flex

**Names and labels** — These are opportunities to improve the semantics of the controls in your application. This may enhance the experience for users of assistive technology, like a screen reader.

▲ Image elements do not have [alt] attributes ^

Informative elements should aim for short, descriptive alternate text. Decorative elements can be ignored with an empty alt attribute. [Learn more](#).

## Failing Elements

img.preloader-custom-img.lazyloaded

img

```

```

img.ultimate\_h\_parallax

▲ Links do not have a discernible name ^

Link text (and alternate text for images, when used as links) that is discernible, unique, and focusable improves the navigation experience for screen reader users. [Learn more](#).

## Failing Elements

a

a

a

a

a

**Additional items to manually check (11)** — These items address areas which an automated testing tool cannot cover. [Learn](#) ^



more in our guide on [conducting an accessibility review](#).

The page has a logical tab order	^
Tabbing through the page follows the visual layout. Users cannot focus elements that are offscreen. <a href="#">Learn more</a> .	
Interactive controls are keyboard focusable	^
Custom interactive controls are keyboard focusable and display a focus indicator. <a href="#">Learn more</a> .	
Interactive elements indicate their purpose and state	^
Interactive elements, such as links and buttons, should indicate their state and be distinguishable from non-interactive elements. <a href="#">Learn more</a> .	
The user's focus is directed to new content added to the page	^
If new content, such as a dialog, is added to the page, the user's focus is directed to it. <a href="#">Learn more</a> .	
User focus is not accidentally trapped in a region	^
A user can tab into and out of any control or region without accidentally trapping their focus. <a href="#">Learn more</a> .	
Custom controls have associated labels	^
Custom interactive controls have associated labels, provided by aria-label or aria-labelledby. <a href="#">Learn more</a> .	
Custom controls have ARIA roles	^
Custom interactive controls have appropriate ARIA roles. <a href="#">Learn more</a> .	
Visual order on the page follows DOM order	^
DOM order matches the visual order, improving navigation for assistive technology. <a href="#">Learn more</a> .	
Offscreen content is hidden from assistive technology	^
Offscreen content is hidden with display: none or aria-hidden=true. <a href="#">Learn more</a> .	
Headings don't skip levels	^
Headings are used to create an outline for the page and heading levels are not skipped. <a href="#">Learn more</a> .	
HTML5 landmark elements are used to improve navigation	^
Landmark elements (<main>, <nav>, etc.) are used to improve the keyboard navigation of the page for assistive technology. <a href="#">Learn more</a> .	
<b>Passed audits (13)</b>	^
[role]s have all required [aria-*) attributes	^
Some ARIA roles have required attributes that describe the state of the element to screen readers. <a href="#">Learn more</a> .	
[role]s are contained by their required parent element	^
Some ARIA child roles must be contained by specific parent roles to properly perform their intended accessibility functions. <a href="#">Learn more</a> .	
[role] values are valid	^

ARIA roles must have valid values in order to perform their intended accessibility functions. [Learn more.](#)

[aria-\*) attributes are valid and not misspelled

Assistive technologies, like screen readers, can't interpret ARIA attributes with invalid names. [Learn more.](#)

Buttons have an accessible name

When a button doesn't have an accessible name, screen readers announce it as "button", making it unusable for users who rely on screen readers. [Learn more.](#)

The page contains a heading, skip link, or landmark region

Adding ways to bypass repetitive content lets keyboard users navigate the page more efficiently. [Learn more.](#)

Document has a <title> element

The title gives screen reader users an overview of the page, and search engine users rely on it heavily to determine if a page is relevant to their search. [Learn more.](#)

<html> element has a [lang] attribute

If a page doesn't specify a lang attribute, a screen reader assumes that the page is in the default language that the user chose when setting up the screen reader. If the page isn't actually in the default language, then the screen reader might not announce the page's text correctly. [Learn more.](#)

<html> element has a valid value for its [lang] attribute

Specifying a valid [BCP 47 language](#) helps screen readers announce text properly. [Learn more.](#)

Lists contain only <li> elements and script supporting elements (<script> and <template>).

Screen readers have a specific way of announcing lists. Ensuring proper list structure aids screen reader output. [Learn more.](#)

List items (<li>) are contained within <ul> or <ol> parent elements

Screen readers require list items (`<li>`) to be contained within a parent `

` or `

` to be announced properly. [Learn more.](#)

[user-scalable="no"] is not used in the <meta name="viewport"> element and the [maximum-scale] attribute is not less than 5.

Disabling zooming is problematic for users with low vision who rely on screen magnification to properly see the contents of a web page. [Learn more.](#)

No element has a [tabindex] value greater than 0

A value greater than 0 implies an explicit navigation ordering. Although technically valid, this often creates frustrating experiences for users who rely on assistive technologies. [Learn more.](#)

## Not applicable (15)

[accesskey] values are unique

Access keys let users quickly focus a part of the page. For proper navigation, each access key must be unique. [Learn more.](#)

<audio> elements contain a <track> element with [kind="captions"]

Captions make audio elements usable for deaf or hearing-impaired users, providing critical information such as who is talking, what they're saying, and other non-speech information. [Learn more.](#)

`<dl>`'s contain only properly-ordered `<dt>` and `<dd>` groups, `<script>` or `<template>` elements. ^

When definition lists are not properly marked up, screen readers may produce confusing or inaccurate output. [Learn more.](#)

Definition list items are wrapped in `<dl>` elements ^

Definition list items (``<dt>`` and ``<dd>``) must be wrapped in a parent ``<dl>`` element to ensure that screen readers can properly announce them. [Learn more.](#)

`<frame>` or `<iframe>` elements have a title ^

Screen reader users rely on frame titles to describe the contents of frames. [Learn more.](#)

`<input type="image">` elements have `[alt]` text ^

When an image is being used as an ``<input>`` button, providing alternative text can help screen reader users understand the purpose of the button. [Learn more.](#)

Form elements have associated labels ^

Labels ensure that form controls are announced properly by assistive technologies, like screen readers. [Learn more.](#)

Presentational `<table>` elements avoid using `<th>`, `<caption>` or the `[summary]` attribute. ^

A table being used for layout purposes should not include data elements, such as the `th` or `caption` elements or the `summary` attribute, because this can create a confusing experience for screen reader users. [Learn more.](#)

The document does not use `<meta http-equiv="refresh">` ^

Users do not expect a page to refresh automatically, and doing so will move focus back to the top of the page. This may create a frustrating or confusing experience. [Learn more.](#)

`<object>` elements have `[alt]` text ^

Screen readers cannot translate non-text content. Adding alt text to ``<object>`` elements helps screen readers convey meaning to users. [Learn more.](#)

Cells in a `<table>` element that use the `[headers]` attribute refer to table cells within the same table. ^

Screen readers have features to make navigating tables easier. Ensuring ``<td>`` cells using the ``[headers]`` attribute only refer to other cells in the same table may improve the experience for screen reader users. [Learn more.](#)

`<th>` elements and elements with `[role="columnheader"/"rowheader"]` have data cells they describe. ^

Screen readers have features to make navigating tables easier. Ensuring table headers always refer to some set of cells may improve the experience for screen reader users. [Learn more.](#)

`[lang]` attributes have a valid value ^

Specifying a valid [BCP 47 language](#) on elements helps ensure that text is pronounced correctly by a screen reader. [Learn more.](#)

`<video>` elements contain a `<track>` element with `[kind="captions"]` ^

When a video provides a caption it is easier for deaf and hearing impaired users to access its information. [Learn more.](#)

`<video>` elements contain a `<track>` element with `[kind="description"]` ^

Audio descriptions provide relevant information for videos that dialogue cannot, such as facial expressions and scenes.

[Learn more.](#)



## Best Practices

### ▲ Does not use passive listeners to improve scrolling performance ^

Consider marking your touch and wheel event listeners as `passive` to improve your page's scroll performance. [Learn more.](#)

☐ Show 3rd-party resources (0)

URL

Location

...89o02yh4/abyv6.js (neetadvisor.com)

line: 1

### ▲ Includes front-end JavaScript libraries with known security vulnerabilities — 2 vulnerabilities detected ^

Some third-party scripts may contain known security vulnerabilities that are easily identified and exploited by attackers.

[Learn more.](#)

Library Version	Vulnerability Count	Highest Severity
<a href="#">jQuery@1.12.4</a>	2	Medium

### Passed audits (13) ^

#### Avoids Application Cache ^

Application Cache is deprecated. [Learn more.](#)

#### Uses HTTPS ^

All sites should be protected with HTTPS, even ones that don't handle sensitive data. HTTPS prevents intruders from tampering with or passively listening in on the communications between your app and your users, and is a prerequisite for HTTP/2 and many new web platform APIs. [Learn more.](#)

#### Uses HTTP/2 for its own resources ^

HTTP/2 offers many benefits over HTTP/1.1, including binary headers, multiplexing, and server push. [Learn more.](#)

#### Avoids document.write() ^

For users on slow connections, external scripts dynamically injected via `document.write()` can delay page load by tens of seconds. [Learn more.](#)

#### Links to cross-origin destinations are safe ^

Add `rel="noopener"` or `rel="noreferrer"` to any external links to improve performance and prevent security vulnerabilities. [Learn more.](#)

Avoids requesting the geolocation permission on page load



Users are mistrustful of or confused by sites that request their location without context. Consider tying the request to a user action instead. [Learn more.](#)

Page has the HTML doctype



Specifying a doctype prevents the browser from switching to quirks-mode. [Learn more.](#)

Detected JavaScript libraries



All front-end JavaScript libraries detected on the page. [Learn more.](#)

Name	Version
jQuery	1.12.4
jQuery (Fast path)	
Modernizr	2.7.1
yepnope	
jQuery Tools	1.2.5
GreenSock JS	1.19.0
Isotope	
WordPress	5.4

Avoids requesting the notification permission on page load



Users are mistrustful of or confused by sites that request to send notifications without context. Consider tying the request to user gestures instead. [Learn more.](#)

Avoids deprecated APIs



Deprecated APIs will eventually be removed from the browser. [Learn more.](#)

Allows users to paste into password fields



Preventing password pasting undermines good security policy. [Learn more.](#)

No browser errors logged to the console



Errors logged to the console indicate unresolved problems. They can come from network request failures and other browser concerns. [Learn more](#)

Displays images with correct aspect ratio



Image display dimensions should match natural aspect ratio. [Learn more.](#)



SEO

These checks ensure that your page is optimized for search engine results ranking. There are additional factors Lighthouse does not check that may affect your search ranking. [Learn more](#).

## Content Best Practices — Format your HTML in a way that enables crawlers to better understand your app's content.

### ▲ Document does not have a meta description ^

Meta descriptions may be included in search results to concisely summarize page content. [Learn more](#).

### ▲ Image elements do not have [alt] attributes ^

Informative elements should aim for short, descriptive alternate text. Decorative elements can be ignored with an empty alt attribute. [Learn more](#).

#### Failing Elements

`img.preloader-custom-img.lazyloaded`

`img`

```

```

`img.ultimate_h_parallax`

## Additional items to manually check (1) — Run these additional validators on your site to check additional SEO best practices. ^

### Structured data is valid ^

Run the [Structured Data Testing Tool](#) and the [Structured Data Linter](#) to validate structured data. [Learn more](#).

## Passed audits (11) ^

### Has a <meta name="viewport"> tag with width or initial-scale ^

Add a ``<meta name="viewport">`` tag to optimize your app for mobile screens. [Learn more](#).

### Document has a <title> element ^

The title gives screen reader users an overview of the page, and search engine users rely on it heavily to determine if a page is relevant to their search. [Learn more](#).

### Page has successful HTTP status code ^

Pages with unsuccessful HTTP status codes may not be indexed properly. [Learn more](#).

### Links have descriptive text ^

Descriptive link text helps search engines understand your content. [Learn more](#).

### Page isn't blocked from indexing ^

Search engines are unable to include your pages in search results if they don't have permission to crawl them. [Learn more.](#)

robots.txt is valid

If your robots.txt file is malformed, crawlers may not be able to understand how you want your website to be crawled or indexed. [Learn more.](#)

Document has a valid hreflang

hreflang links tell search engines what version of a page they should list in search results for a given language or region. [Learn more.](#)

Document has a valid rel=canonical

Canonical links suggest which URL to show in search results. [Learn more.](#)

Document uses legible font sizes — 94.06% legible text

Font sizes less than 12px are too small to be legible and require mobile visitors to “pinch to zoom” in order to read. Strive to have >60% of page text ≥12px. [Learn more.](#)

☐ Show 3rd party resources (0)

Source	Selector	% of Page Text	Font Size
https://neetadvisor.com	<pre>&lt;rs-layer id="slider-2-slide-11-layer-31" class="rs-pxl-2 rs-layer" data-type="text" data-color="#090909" data-rsp_ch="on" data- xy="x:l,l,c,l;xo:545px,141px,-161px,20px;y:t,t ,m,t;yo:346px,447px,-14px,160px;" data- text="s:18,22,18,11;l:20,28,24,25;ls:0px,0,0,0 ;fw:700,700,500,500;" data- frame_0="y:50px;tp:600;" data- frame_1="e:Power3.easeOut;st:4560;sp:1500;sR:4 560;" data- frame_999="x:0;y:0;z:0;sX:0.9;sY:0.9;o:0;rX:0; rY:0;rZ:0;skX:0;skY:0;tp:600;st:w;sp:1000;sR:2 410;" style="z-index: 16; font-family: Poppins; visibility: hidden; text-align: left; line-height: 21px; letter-spacing: 0px; font- weight: 500; font-size: 9px; border-color: rgb(0, 0, 0); border-style: none; margin: 0px; border-radius: 0px; padding: 0px; color: rgb(9, 9, 9); text-decoration: none; white- space: nowrap; width: auto; height: auto; min- height: 0px; min-width: 0px; max-height: none; max-width: none; opacity: 0; transform-origin: 50% 50% 0px; transform: matrix3d(1, 0, 0, 0, 0, 1, 0, 0, 0, 0, 1, 0, 0, 50, 0, 1);" data- idcheck="true" data-stylerecorder="true" data- initialised="true"&gt;</pre>	0.77 %	9px

Source	Selector	% of Page Text	Font Size
<a href="https://neetadvisor.com">https://neetadvisor.com</a>	<pre>&lt;rs-layer id="slider-2-slide-12-layer-15" class="rs-pxl-2 rs-layer" data-type="text" data-color="#090909" data-rsp_ch="on" data- xy="x:l,l,c,l;xo:241px,131px,-172px,22px;y:t,t ,m,t;yo:359px,397px,-24px,132px;" data- text="s:18,22,18,11;l:20,28,24,25;ls:0px,0,0,0 ;fw:700,700,500,500;" data- frame_0="y:50px;tp:600;" data- frame_1="tp:600;e:Power3.easeOut;st:4560;sp:15 00;sR:4560;" data- frame_999="x:0;y:0;z:0;sX:0.9;sY:0.9;o:0;rX:0; rY:0;rZ:0;skX:0;skY:0;tp:600;st:w;sp:5000;sR:2 410;" style="z-index: 13; font-family: Poppins; visibility: visible; text-align: left; line-height: 21px; letter-spacing: 0px; font-weight: 500; font-size: 9px; border- color: rgb(0, 0, 0); border-style: none; margin: 0px; border-radius: 0px; padding: 0px; color: rgb(9, 9, 9); text-decoration: none; white-space: nowrap; width: auto; height: auto; min-height: 0px; min-width: 0px; max- height: none; max-width: none; opacity: 0.991145; transform-origin: 50% 50% 0px; transform: matrix3d(0.999114, 0, 0, 0, 0, 0.999114, 0, 0, 0, 0, 1, 0, 0, 0, 0, 1);" data-idcheck="true" data-stylerecorder="true" data-initialised="true"&gt;</pre>	0.77 %	9px



Source	Selector	% of Page Text	Font Size
<a href="https://neetadvisor.com">https://neetadvisor.com</a>	<pre> &lt;rs-layer id="slider-2-slide-12-layer-16" class="rs-pxl-2 rs-layer" data-type="text" data-color="#090909" data-rsp_ch="on" data- xy="x:l,l,c,l;xo:241px,161px,-198px,13px;y:t,t ,m,t;yo:397px,446px,28px,192px;" data- text="s:18,22,18,11;l:20,28,24,25;ls:0px,0,0,0 ;fw:700,700,500,500;" data- frame_0="y:50px;tp:600;" data- frame_1="tp:600;e:Power3.easeOut;st:5070;sp:15 00;sR:5070;" data- frame_999="x:0;y:0;z:0;sX:0.9;sY:0.9;o:0;rX:0; rY:0;rZ:0;skX:0;skY:0;tp:600;st:w;sp:5000;sR:1 900;" style="z-index: 14; font-family: Poppins; visibility: visible; text-align: left; line-height: 21px; letter-spacing: 0px; font-weight: 500; font-size: 9px; border- color: rgb(0, 0, 0); border-style: none; margin: 0px; border-radius: 0px; padding: 0px; color: rgb(9, 9, 9); text-decoration: none; white-space: nowrap; width: auto; height: auto; min-height: 0px; min-width: 0px; max- height: none; max-width: none; opacity: 0.991145; transform-origin: 50% 50% 0px; transform: matrix3d(0.999114, 0, 0, 0, 0, 0.999114, 0, 0, 0, 0, 1, 0, 0, 0, 0, 1);" data-idcheck="true" data-stylerecorder="true" data-initialised="true"&gt; </pre>	0.74 %	9p x
<a href="https://neetadvisor.com">https://neetadvisor.com</a>	<pre> &lt;rs-layer id="slider-2-slide-11-layer-3" class="rs-pxl-2 rs-layer" data-type="text" data-color="#090909" data-rsp_ch="on" data- xy="x:l,l,c,l;xo:546px,97px,-172px,20px;y:t,t, m,t;yo:256px,351px,-108px,99px;" data- text="s:18,22,18,11;l:20,28,24,25;ls:0px,0,0,0 ;fw:700,700,500,500;" data- frame_0="y:50px;tp:600;" data- frame_1="e:Power3.easeOut;st:3250;sp:1500;sR:3 250;" data- frame_999="x:0;y:0;z:0;sX:0.9;sY:0.9;o:0;rX:0; rY:0;rZ:0;skX:0;skY:0;tp:600;st:w;sp:1000;sR:3 720;" style="z-index: 14; font-family: Poppins; visibility: hidden; text-align: left; line-height: 21px; letter-spacing: 0px; font- weight: 500; font-size: 9px; border-color: rgb(0, 0, 0); border-style: none; margin: 0px; border-radius: 0px; padding: 0px; color: rgb(9, 9, 9); text-decoration: none; white- space: nowrap; width: auto; height: auto; min- height: 0px; min-width: 0px; max-height: none; max-width: none; opacity: 0; transform-origin: 50% 50% 0px; transform: matrix3d(1, 0, 0, 0, 0, 1, 0, 0, 0, 0, 1, 0, 0, 50, 0, 1);" data- idcheck="true" data-stylerecorder="true" data- initialised="true"&gt; </pre>	0.71 %	9p x

Source	Selector	% of Page Text	Font Size
<a href="https://neetadvisor.com">https://neetadvisor.com</a>	<pre> &lt;rs-layer id="slider-2-slide-12-layer-35" class="rs-pxl-2 rs-layer" data-type="text" data-color="#090909" data-rsp_ch="on" data- xy="x:l,l,c,l;xo:240px,161px,-198px,18px;y:t,t ,m,t;yo:283px,446px,28px,163px;" data- text="s:18,22,18,11;l:20,28,24,25;fw:700,700,5 00,500;" data-dim="h:auto,auto,auto,59px;" data-frame_0="y:50px,50px,50px,49px;tp:600;" data- frame_1="x:0,0,0,0px;y:0,0,0,0px;tp:600;e:Powe r3.easeOut;st:5070;sp:1500;sR:5070;" data- frame_999="x:0,0,0,0px;y:0,0,0,0px;z:0;sX:0.9; sY:0.9;o:0;rX:0;rY:0;rZ:0;skX:0;skY:0;tp:600;s t:w;sp:5000;sR:1900;" style="z-index: 14; font-family: Poppins; visibility: visible; text-align: left; line-height: 21px; letter- spacing: 0px; font-weight: 500; font-size: 9px; border-color: rgb(0, 0, 0); border-style: none; margin: 0px; border-radius: 0px; padding: 0px; color: rgb(9, 9, 9); text- decoration: none; white-space: nowrap; width: auto; height: 51px; min-height: 0px; min- width: 0px; max-height: none; max-width: none; opacity: 0.991145; transform-origin: 50% 50% 0px; transform: matrix3d(0.999114, 0, 0, 0, 0, 0.999114, 0, 0, 0, 0, 1, 0, 0, 0, 0, 1);" data-idcheck="true" data-stylerecorder="true" data-initialised="true"&gt; </pre>	0.64 %	9px

Source	Selector	% of Page Text	Font Size
<a href="https://neetadvisor.com">https://neetadvisor.com</a>	<pre> &lt;rs-layer id="slider-2-slide-12-layer-14" class="rs-pxl-2 rs-layer" data-type="text" data-color="#090909" data-rsp_ch="on" data- xy="x:l,l,c,l;xo:241px,171px,-209px,21px;y:t,t ,m,t;yo:321px,350px,-74px,104px;" data- text="s:18,22,18,11;l:20,28,24,25;ls:0px,0,0,0 ;fw:700,700,500,500;" data- frame_0="y:50px;tp:600;" data- frame_1="tp:600;e:Power3.easeOut;st:4010;sp:15 00;sR:4010;" data- frame_999="x:0;y:0;z:0;sX:0.9;sY:0.9;o:0;rX:0; rY:0;rZ:0;skX:0;skY:0;tp:600;st:w;sp:5000;sR:2 960;" style="z-index: 12; font-family: Poppins; visibility: visible; text-align: left; line-height: 21px; letter-spacing: 0px; font-weight: 500; font-size: 9px; border- color: rgb(0, 0, 0); border-style: none; margin: 0px; border-radius: 0px; padding: 0px; color: rgb(9, 9, 9); text-decoration: none; white-space: nowrap; width: auto; height: auto; min-height: 0px; min-width: 0px; max- height: none; max-width: none; opacity: 0.991145; transform-origin: 50% 50% 0px; transform: matrix3d(0.999114, 0, 0, 0, 0, 0.999114, 0, 0, 0, 0, 1, 0, 0, 0, 0, 1);" data-idcheck="true" data-stylerecorder="true" data-initialised="true"&gt; </pre>	0.57 %	9p x
<a href="https://neetadvisor.com">https://neetadvisor.com</a>	<pre> &lt;rs-layer id="slider-2-slide-11-layer-15" class="rs-pxl-2 rs-layer" data-type="text" data-color="#090909" data-rsp_ch="on" data- xy="x:l,l,c,l;xo:541px,141px,-161px,20px;y:t,t ,m,t;yo:388px,447px,-14px,194px;" data- text="s:18,22,18,11;l:20,28,24,25;ls:0px,0,0,0 ;fw:700,700,500,500;" data- frame_0="y:50px;tp:600;" data- frame_1="e:Power3.easeOut;st:4560;sp:1500;sR:4 560;" data- frame_999="x:0;y:0;z:0;sX:0.9;sY:0.9;o:0;rX:0; rY:0;rZ:0;skX:0;skY:0;tp:600;st:w;sp:1000;sR:2 410;" style="z-index: 17; font-family: Poppins; visibility: hidden; text-align: left; line-height: 21px; letter-spacing: 0px; font- weight: 500; font-size: 9px; border-color: rgb(0, 0, 0); border-style: none; margin: 0px; border-radius: 0px; padding: 0px; color: rgb(9, 9, 9); text-decoration: none; white- space: nowrap; width: auto; height: auto; min- height: 0px; min-width: 0px; max-height: none; max-width: none; opacity: 0; transform-origin: 50% 50% 0px; transform: matrix3d(1, 0, 0, 0, 0, 1, 0, 0, 0, 0, 1, 0, 0, 50, 0, 1);" data- idcheck="true" data-stylerecorder="true" data- initialised="true"&gt; </pre>	0.56 %	9p x

Source	Selector	% of Page Text	Font Size
https://neetadviser.com	<pre>&lt;rs-layer id="slider-2-slide-11-layer-14" class="rs-pxl-2 rs-layer" data-type="text" data-color="#090909" data-rsp_ch="on" data- xy="x:l,l,c,l;xo:545px,181px,-170px,21px;y:t,t ,m,t;yo:300px,400px,-61px,128px;" data- text="s:18,22,18,11;l:20,28,24,25;ls:0px,0,0,0 ;fw:700,700,500,500;" data- frame_0="y:50px;tp:600;" data- frame_1="e:Power3.easeOut;st:4010;sp:1500;sR:4 010;" data- frame_999="x:0;y:0;z:0;sX:0.9;sY:0.9;o:0;rX:0; rY:0;rZ:0;skX:0;skY:0;tp:600;st:w;sp:1000;sR:2 960;" style="z-index: 5; font-family: Poppins; visibility: hidden; text-align: left; line- height: 21px; letter-spacing: 0px; font- weight: 500; font-size: 9px; border-color: rgb(0, 0, 0); border-style: none; margin: 0px; border-radius: 0px; padding: 0px; color: rgb(9, 9, 9); text-decoration: none; white- space: nowrap; width: auto; height: auto; min- height: 0px; min-width: 0px; max-height: none; max-width: none; opacity: 0; transform-origin: 50% 50% 0px; transform: matrix3d(1, 0, 0, 0, 0, 1, 0, 0, 0, 0, 1, 0, 0, 50, 0, 1);" data- idcheck="true" data-stylerecorder="true" data- initialised="true"&gt;</pre>	0.54 %	9px
... rp8belu/abyv6.css:8:81725 (neetadviser.com)	input[type=submit], button, input[type=button], input[type=reset]	0.24 %	0px
/:716:103 (neetadviser.com)	#header-56 .vc_custom_1575631676548 .vc_column-inner .wpb_wrapper .wpb_text_column:nth-child(1) p span	0.20 %	0px
... rp8belu/abyv6.css:8:73666 (neetadviser.com)	html, body, div, span, applet, object, iframe, h1, h2, h3, h4, h5, h6, p, blockquote, pre, a, abbr, and, address, cite, code, del, dfn, em, img, ins, kbd, q, s, samp, small, strike, strong, sub, sup, tt, var, b, u, i, dl, dt, dd, ol, ul, li, fieldset, form, label, legend, table, caption, tbody, tfoot, thead, tr, th, td, article, aside, canvas, details, embed, figure, figcaption, footer, header, hgroup, menu, nav, output, ruby, section, summary, time, mark, audio, video, input, textarea, select	0.10 %	11px
... rp8belu/abyv6.css:3:532574 (neetadviser.com)	.slick-dots li button	0.08 %	0px
Legible text		94.06 %	≥ 12px

Document avoids plugins

Search engines can't index plugin content, and many devices restrict plugins or don't support them. [Learn more.](#)

Tap targets are sized appropriately — 100% appropriately sized tap targets

Interactive elements like buttons and links should be large enough (48x48px), and have enough space around them, to be easy enough to tap without overlapping onto other elements. [Learn more.](#)

## Runtime Settings

<b>URL</b>	https://neetadvisor.com/
<b>Fetch time</b>	Apr 30, 2020, 12:02 PM GMT+5:30
<b>Device</b>	Emulated Nexus 5X
<b>Network throttling</b>	150 ms TCP RTT, 1,638.4 Kbps throughput (Simulated)
<b>CPU throttling</b>	4x slowdown (Simulated)
<b>User agent (host)</b>	Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) snap Chromium/81.0.4044.129 Chrome/81.0.4044.129 Safari/537.36
<b>User agent (network)</b>	Mozilla/5.0 (Linux; Android 6.0.1; Nexus 5 Build/MRA58N) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/74.0.3694.0 Mobile Safari/537.36 Chrome-Lighthouse
<b>CPU/Memory Power</b>	512

Generated by **Lighthouse** 5.7.0 | [File an issue](#)