

KEGG pathways significant (GSEA FDR<0.05) in ≥1 temperature restricted universe; rows ordered by effect direction

Ribosome	-1.23***	-1.19***	-0.37***
RNA polymerase	-1.10***	-0.75***	-0.25*
Ribosome biogenesis in eukaryotes	-1.05***	-0.67***	-0.18**
Spliceosome	-0.88***	-0.78***	-0.16***
Nucleocytoplasmic transport	-0.75***	-0.53***	-0.12**
Pyrimidine metabolism	-0.74***	-0.43***	-0.22***
DNA replication	-0.70***	-0.04	-0.14*
RNA degradation	-0.66***	-0.60***	-0.15**
Mismatch repair	-0.64*	-0.06	-0.16*
Citrate cycle (TCA cycle)	-0.59***	-0.42***	-0.15**
mRNA surveillance pathway	-0.57***	-0.57***	-0.09*
Purine metabolism	-0.56***	-0.34***	-0.19***
Oxidative phosphorylation	-0.55***	-0.48***	-0.10***
One carbon pool by folate	-0.47	-0.43	-0.21*
Aminoacyl-tRNA biosynthesis	-0.37**	-0.19*	-0.11
Lysine biosynthesis	-0.36	-0.32	-0.19*
Nucleotide excision repair	-0.34*	-0.01	-0.07
Protein export	-0.22	-0.51***	-0.06
Phenylalanine, tyrosine and tryptophan biosynthesis	-0.18	-0.08	-0.17*
Glycosylphosphatidylinositol (GPI)-anchor biosynthesis	-0.18	-0.43**	-0.09
Drug metabolism - other enzymes	-0.14	+0.32	-0.13*
Pentose phosphate pathway	-0.10	-0.19**	-0.10**
Cysteine and methionine metabolism	-0.09	+0.06	-0.07**
Ether lipid metabolism	-0.04	-0.44*	+0.09
Protein processing in endoplasmic reticulum	-0.03	-0.15**	+0.04
Glycolysis / Gluconeogenesis	+0.15	+0.18	-0.05*
Carbon fixation by Calvin cycle	+0.16	+0.24	-0.04*
Peroxisome	+0.34**	+0.39	+0.11
Nitrogen metabolism	+0.37	+0.89*	+0.20
Drug metabolism - cytochrome P450	+0.61**	+0.94**	+0.08
Metabolism of xenobiotics by cytochrome P450	+0.61***	+0.83**	+0.08
Methane metabolism	+0.61*	+0.60	+0.05
Fatty acid degradation	+0.63***	+0.58	+0.11
ABC transporters	+0.68	+0.66	+0.57*
	15 °C	21 °C	27 °C

Prothioconazole effect (2 vs 0 mg L⁻¹)
cell = mean member log₂FC; * FDR<0.05 ** <0.01 *** <0.001