

CS101

FileScanner

4/16

Announcements

1. Friday 4/17:
 - a. lab8-WhileLoops
 - b. lab10-Methods
2. Friday 4/24:
 - a. Lab11-Arrays
 - b. HW4-PickachuBattle
3. [vocabulary.md](#): Added
 - a. CSV
 - b. Case-Sensitive

Agenda

1. Quiz10
2. Oral quiz practice1
3. Case-Sensitive
4. Lab14-fileScanner

CASE-SENSITIVE

Uppercase $\neq$ Lowercase

CASE-SENSITIVE Treats Hello, hello, and HELLO as three different things.

IN JAVA CODE

• VARIABLE NAMES

```
int score = 10;  
score = 9; // ok  
Score = 8; // ERROR
```

• STRING COMPARISON

```
String a = "Hello";  
String b = "hello";  
a.equals(b);           // false
```

IN EVERYDAY COMPUTING

• NOT CASE-SENSITIVE

- › Email addresses
- › Domain names – Google.com = google.com
- › File names (Windows)

• CASE-SENSITIVE

- › Passwords
- › URL paths – google.com/About $\neq$ google.com/about
- › File names (Mac/Linux)
- › Terminal commands – cd $\neq$ Cd

CSV Files

CSV (Comma-Separated Values)

Data in excel or gSheets

Name	Age	Character
bruce	36	batman
john	28	robin



Data Saved as a CSV

- First row is the “header”
- Each element separated by a comma
- No information about formatting saved

characters.csv

```
name,age,character  
bruce,36,batman  
john,28,robin
```

Lab14 - FileScanner