page 1 of 21 loc_01 500 -0 8 3 -250 -0 Residuals 。。 0 0 -250 **-**0 0 Residuals 250 -250 500 1200 1300 1500 1400 Fitted 500 -0 0 400 -250 -0 Residuals Sample 0 0 -0 -400 **-**-250 **--**2 -1 0 Theoretical 2 10 20 30 40 Units

page 2 of 21 loc_02 2000 -6 **-**1000 -0 Residuals Count 0 2 --1000 **-**-1000 0 Residuals 1000 2000 3000 4000 5000 2000 Fitted 2000 -0 2000 -0 0 1000 -1000 -* Coo so common a supplementary Residuals 00 Sample 0 --1000 **-**-1000 **-**-2000 **-**2 -1 2 10 20 30 40 0 Theoretical Units


page 3 of 21 loc_03 250 -3 **-**Residuals Count 00 0 0 0 -250 **-**0 0 0 -250 0 Residuals 250 500 900 1200 1800 1500 Fitted 800 -0 250 -400 -Residuals Sample 0 -0 0 ۰, 0 -400 **-**-250 **-**0 **-**2 -1 0 Theoretical 2 10 30 40 Units


page 4 of 21 loc_04 0 1000 -۰ 。 0 Residuals 0 Count 2 --1000 **-**-2000 **-**-1000 Residuals 1000 -2000 7000 7500 8500 9000 8000 Fitted 0 1000 -2500 -00 0 0 0 Residuals Sample 0 0 -1000 **-**-2500 **-**0 -2000 **-**-5000 **-**2 10 20 30 40 Ō Theoretical Units


page 5 of 21 loc_05 300 -200 -100 -Residuals 0 Count 2 --100 **-**-200 **-**-300 **-**-200 0 Residuals 200 2500 1500 2000 3000 Fitted 300 -400 -200 -100 -Residuals Sample 0 -0 0 0 0 0 -100 **-**-400 **-**-200 **-**°° -300 **-**10 **-**2 -1 20 30 40 2 0 Theoretical Units

page 6 of 21 loc_06 5 -0 1000 -0 0 0 4 -500 -0 0 00 3 -Residuals Count œ o 0 0 00 o 2 -00 -500 **-**0 0 -1000 **-**0 0 -500 500 1000 -1000 0 Residuals 4500 4700 4600 Fitted °° 1000 -2000 -0 0 00 500 -1000 -0 Residuals Sample 0 -00 0 0 00 0 -500 **-**-1000 **-**0 0 0 -1000 **-**-2000 **-**0 **-**2 -1 2 10 20 30 40 Ö Theoretical Units

page 7 of 21 loc_07 0 0 5 -0 400 -3 -တွ Residuals Count 0 2 -0 -400 **-**0 -400 0 Residuals 400 9000 7000 8000 6000 Fitted 1000 -0 400 -0 500 -Residuals Sample 0 --500 **-**-400 **-**-1000 **-**2 10 30 40 0 Theoretical Units









page 11 of 21 loc_11 6 -0 200 -Residuals Count 0 -200 **-**2 -0 0 တ -400 **-**-200 200 -400 1800 0 1200 1400 1600 Residuals Fitted 0 0 200 -400 -0 00 0 Residuals 0 Sample -200 **-**-400 **-**0 0 -400 **--**2 -1 0 Theoretical 2 10 20 30 Units


page 12 of 21 loc_12 600 -0 300 -0 0 Residuals Count 0 0 0 2 --300 **-**-600 **-**-400 0 Residuals 400 1750 2000 2250 2500 Fitted 600 -500 -300 -Residuals 0 Sample 0 -0 0 0 -300 **-**-500 **-**0 00 -600 **--**2 -1 10 2 20 30 40 Ō Theoretical Units




page 14 of 21 loc_14 5 -400 -4 -3 **-**Residuals Count 0 2 -0 -400 **-**-400 0 Residuals **1** 400 3500 4500 5000 2500 3000 4000 Fitted 1000 -400 -500 -00 ° Residuals 0 Sample 0 -0 ° 00 0 0 0 0 -500 **-**-400 **-**0 -1000 **--**2 -1 2 10 30 20 40 Ö Theoretical Units

page 15 of 21 loc_15 5 -0 0 0 0 4 -1000 -0 3 **-**0 Residuals Count 0 0 0 0 2 --1000 **-**0 0 n 0 Residuals -1000 1000 2600 2700 2800 2900 Fitted 0 1000 -1000 -0 Residuals 000 Sample 0 -00 00 0 °° 0 -1000 **-**0 0 0 -1000 **-**0 -2000 **-**20 -1 2 10 30 40 0 Theoretical Units





page 18 of 21 loc_18 500 -5 -0 0 250 -00 3 **-**Residuals Count 2 -જ 0 0 0 0 0 -250 n 0 Residuals -250 250 500 2000 2500 3000 3500 Fitted 500 -500 -0 0 250 -250 -0 0 Residuals Sample 0 -0 0 00 -250 **-**0 00 -250 **-**0 -500 **--**2 -1 0 Theoretical 2 10 30 40 20 Units



page 20 of 21 loc_20 1000 -500 -Residuals Count 0 00 0 2 --500 **-**-1000 **-**0 -500 0 Residuals 500 1000 -1000 2600 2800 3000 3200 3400 Fitted 1000 -1000 -0 500 -500 -00 Residuals Sample 0 --500 **-**-500 **-**0 -1000 **-**-1000 **--**2 10 20 40 2 Ö 30 Theoretical Units

