kali linux [Executando] - Oracle VirtualBox

Arquivo Máquina Visualizar Entrada Dispositivos Ajuda

1 2 3 4 13:58

root@kali: /home/kali

Session Actions Edit View Help

```
Processing triggers for man-db (2.13.1-1) ...
Processing triggers for base-files (1:2025.4.0) ...

┌──(root㉿kali)-[/home/kali]
└─# apt-get install openssh-server -y
Reading package lists ... Done
Building dependency tree ... Done
Reading state information ... Done
openssh-server is already the newest version (1:10.2p1-5).
openssh-server set to manually installed.
Solving dependencies ... Done
The following package was automatically installed and is no longer required:
  libcrypt-dev
Use 'sudo apt autoremove' to remove it.
0 upgraded, 0 newly installed, 0 to remove and 1744 not upgraded.

┌──(root㉿kali)-[/home/kali]
└─#
```

comando de instalação do servidor SSH

Right Control

kali linux [Executando] - Oracle VirtualBox

Arquivo Máquina Visualizar Entrada Dispositivos Ajuda

1 2 3 4 13:57

root@kali: /home/kali

Session Actions Edit View Help

```
Get:6 http://kali.download/kali kali-rolling/non-free amd64 Packages [184 kB]
Get:7 http://kali.download/kali kali-rolling/non-free amd64 Contents (deb) [8
80 kB]
Get:8 http://kali.download/kali kali-rolling/non-free-firmware amd64 Packages
 [14.3 kB]
Get:9 http://kali.download/kali kali-rolling/non-free-firmware amd64 Contents
 (deb) [33.8 kB]
95% [3 Contents-amd64 store 0 B]                                  9,677 kB/s 0s^
Fetched 75.1 MB in 18s (4,246 kB/s)
Reading package lists ... Done[[B^[[B^[[B^[[B^[[B^[[B^[[B^[[B^[[B^[[B^[[B^[[B

┌──(root㉿kali)-[/home/kali]
└─# apt-get install openssh-client
Reading package lists ... Done
Building dependency tree ... Done
Reading state information ... Done
Solving dependencies ... Done
The following package was automatically installed and is no longer required:
```

comando para instalar o client SSH


1 2 3 4
14:02
root@kali: /home/kali
Session Actions Edit View Help
┌──(root㉿kali)-[/home/kali]
└─# systemctl status ssh
comando de verificação, para ver se o servidor está rodando
● ssh.service - OpenBSD Secure Shell server
Loaded: loaded (/usr/lib/systemd/system/ssh.service; disabled; preset: disabled)
Active: active (running) since Thu 2026-03-12 14:02:12 EDT; 16s ago
Invocation: 87bcec10f91849cd985ff20013edbf81
Docs: man:sshd(8)
man:sshd_config(5)
Process: 8222 ExecStartPre=/usr/sbin/sshd -t (code=exited, status=0/SUCCESS)
Main PID: 8224 (sshd)
Tasks: 1 (limit: 4454)
Memory: 1.4M (peak: 2M)
CPU: 47ms
CGroup: /system.slice/ssh.service
└─8224 "sshd: /usr/sbin/sshd -D [listener] 0 of 10-100 startups"
Mar 12 14:02:12 kali systemd[1]: Starting ssh.service - OpenBSD Secure Shell server ...
Right Control

kali linux [Executando] - Oracle VirtualBox

Arquivo Máquina Visualizar Entrada Dispositivos Ajuda

1 2 3 4 14:05

root@kali: /home/kali

Session Actions Edit View Help

```
Mar 12 14:02:12 kali systemd[1]: Starting ssh.service - OpenBSD Secure Shell server ...
Mar 12 14:02:12 kali sshd[8224]: Server listening on 0.0.0.0 port 22.
Mar 12 14:02:12 kali sshd[8224]: Server listening on :: port 22.

┌──(root㉿kali)-[/home/kali]
└─# ssh-keygen -t ed25519 -C "icaro"
Generating public/private ed25519 key pair.
Enter file in which to save the key (/root/.ssh/id_ed25519):
Enter passphrase for "/root/.ssh/id_ed25519" (empty for no passphrase):
Enter same passphrase again:
Your identification has been saved in /root/.ssh/id_ed25519
Your public key has been saved in /root/.ssh/id_ed25519.pub
The key fingerprint is:
SHA256:n3IFQd6rIRgWUwlqPhqVFFHvN7UzYzDIYMZF60YLtn4 icaro
The key's randomart image is:
+--[ED25519 256]--+
|    +=O=+oo      |
```

gerando as chaves

chave privada

chave publica

kali linux [Executando] - Oracle VirtualBox

Arquivo Máquina Visualizar Entrada Dispositivos Ajuda

1 2 3 4 14:17

root@kali: /home/kali

Session Actions Edit View Help

```
The following package was automatically installed and is no longer required:
  libcrypt-dev
Use 'sudo apt autoremove' to remove it.
0 upgraded, 0 newly installed, 0 to remove and 1744 not upgraded.

┌──(root㉿kali)-[/home/kali]
└─# nano /etc/ssh/sshd_config

┌──(root㉿kali)-[/home/kali]
└─# systemctl start ssh

┌──(root㉿kali)-[/home/kali]
└─# systemctl status  ssh
● ssh.service - OpenBSD Secure Shell server
     Loaded: loaded (/usr/lib/systemd/system/ssh.service; disabled; preset: disabled)
     Active: active (running) since Thu 2026-03-12 14:02:12 EDT; 16s ago
 Invocation: 87bcec10f91849cd985ff20013edbf81
       Docs: man:sshd(8)
```

iniciando o servidor

verificando o status do servidor, se o mesmo esta rodando

Right Control

kali@kali: ~

```
login as: kali
Pre-authentication banner message from server:
| ------------------------------------
| Servidor ssh da nat, cuidado perigosa
| ------------------------------------
End of banner message from server
kali@192.168.0.121's password:
Linux kali 6.16.8+kali-amd64 #1 SMP PREEMPT_DYNAMIC Kali 6.16.8-1kali1 (2025-09-
24) x86_64

The programs included with the Kali GNU/Linux system are free software;
the exact distribution terms for each program are described in the
individual files in /usr/share/doc/*/copyright.

Kali GNU/Linux comes with ABSOLUTELY NO WARRANTY, to the extent
permitted by applicable law.
┌──(kali㉿kali)-[~]
└─$
```

dentro do servidor ssh via windows