SAFETY DATA SHEET

1. Identification

Covestro LLC
1 Covestro Circle
Pittsburgh, PA 15205
USA

TRANSPORTATION EMERGENCY

CALL CHEMTREC:	(800) 424-9300
INTERNATIONAL:	(703) 527-3887

NON-TRANSPORTATION

Emergency Phone:	Call Chemtrec
Information Phone:	(844) 646-0545

Product Name:	BAYHYDROL UA 2856 XP
Material Number:	82538690
Chemical Family:	Polyurethane Dispersion
Use:	Raw material for coatings, adhesives, sealants, or elastomers in industrial applications

2. Hazards Identification

This product is not classified as hazardous according to OSHA HazCom 2012 (29 CFR 1910.1200).

3. Composition/Information on Ingredients

Hazardous Components

There are no hazardous components above the relevant concentration limits according to OSHA HazCom 2012.

OTHER INGREDIENTS

Concentration	Components	CAS-No.
0.1 - 1%	Dimethylethanolamine	108-01-0

This product contains an amine neutralizing agent which is bound in the matrix of this product as a salt. This amine salt is considered essentially unreactive at room temperature. Generation of amine vapors is expected when this product is processed (heated) during the drying/hardening of the coating.

4. First Aid Measures

Most Important Symptom(s)/Effect(s)

Acute: Not expected to cause adverse acute health effects.

Eye Contact
In case of contact, flush eyes with plenty of lukewarm water. Use fingers to ensure that eyelids are separated and that the eye is being irrigated. Get medical attention if irritation develops.

Skin Contact
In case of skin contact, wash affected areas with soap and water. Get medical attention if irritation develops. Thoroughly clean shoes before reuse. Wash clothing before reuse.

Inhalation
If inhaled, remove to fresh air. If breathing is difficult, give oxygen. If not breathing, give artificial respiration.

Ingestion
If ingested, do not induce vomiting unless directed to do so by medical personnel. Get medical attention.

5. Firefighting Measures

Suitable Extinguishing Media: Carbon dioxide (CO2), Dry chemical, Foam, water spray for large fires.

Unsuitable Extinguishing Media No Data Available

Fire Fighting Procedure
Firefighters should be equipped with self-contained breathing apparatus to protect against potentially toxic and irritating fumes. Use cold water spray to cool fire-exposed containers to minimize the risk of rupture.

Hazardous Decomposition Products
By Fire and Thermal Decomposition: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), dense black smoke, Isocyanate, Isocyanic Acid and other undetermined compounds.

6. Accidental Release Measures

Spill and Leak Procedures
Dike or dam spilled material and control further spillage, if possible. Prevent from entering open drains and waterways. Cover spill with inert material (e. g., dry sand or earth) and collect for proper disposal. Ventilate area to remove vapors or dust.

7. Handling and Storage

Handling/Storage Precautions
Handle in accordance with good industrial hygiene and safety practices. Wash thoroughly after handling. Keep container closed when not in use. Protect from freezing.

Storage Period:
12 Months: after receipt of material by customer

Storage Temperature

Minimum:	5 °C (41 °F)
Maximum:	23 °C (73.4 °F)

Storage Conditions
Store separate from food products.

Employee education and training in the safe use and handling of this product are required under the OSHA Hazard Communication Standard 29 CFR 1910.1200.

Substances to Avoid
Water reactives

8. Exposure Controls/Personal Protection

The recommendations in this section should not be a substitute for a personal protective equipment (PPE) assessment performed by the employer as required by 29 CFR 1910 Subpart I.

Exposure Limits

Any component which is listed in section 3 and is not listed in this section does not have a known ACGIH TLV, OSHA PEL or supplier recommended occupational exposure limit.

Industrial Hygiene/Ventilation Measures
General dilution and local exhaust as necessary to control airborne vapors, mists, dusts and thermal decomposition products below appropriate airborne concentration standards/guidelines. Thermal processing operations should be ventilated to control gases and fumes given off during processing. Curing ovens must be ventilated to prevent the build up of explosive atmospheres and to prevent off gases from entering the work place.

Respiratory Protection
Respiratory protection is recommended in insufficiently ventilated working areas and during heating or spraying. For components with occupational exposure limits, when workers are facing concentrations above those limits, they must use appropriate certified respirators.

Hand Protection
Ensure gloves remain in good condition during use and replace if any deterioration is observed.

Permeation resistant gloves., Butyl rubber gloves., Nitrile rubber gloves.

Eye Protection
Safety glasses with side-shields

Skin Protection
Permeation resistant clothing, Gloves, long sleeved shirts and pants.

Additional Protective Measures
Employees should wash their hands and face before eating, drinking, or using tobacco products. Educate and train employees in the safe use and handling of this product.

9. Physical and Chemical Properties

State of Matter:	liquid
Color:	Milky White
Odor:	characteristic

Odor Threshold:	No Data Available
pH:	ca. 7.5 (Determined in a 10 % aqueous solution)
Boiling Point:	ca. 98 °C (208.4 °F) (DIN 53171)
Flash Point:	(DIN EN ISO 2719) No flash point up to initial boiling point.
Evaporation Rate:	No Data Available
Lower explosion limit:	No Data Available
Upper Explosion Limit:	No Data Available
Vapor Pressure:	No Data Available
Vapor Density:	No Data Available
Density:	ca. 1.04 g/cm³ @ 20 °C (68 °F) (DIN 51757)
Relative Vapor Density:	No Data Available
Specific Gravity:	No Data Available
Solubility in Water:	No Data Available
Partition Coefficient: n-octanol/water:	No Data Available
Auto-ignition Temperature:	ca. 430 °C (806 °F) (DIN 51794)
Decomposition Temperature:	No Data Available
Dynamic Viscosity:	ca. 15.4 mPa.s @ 20 °C (68 °F) (DIN 53019)
Kinematic Viscosity:	No Data Available
Pour point:	ca. 0 °C (32 °F) (ISO 3016)
Self Ignition:	not applicable

10. Stability and Reactivity

Hazardous Reactions
Hazardous polymerisation does not occur.

Stability
Stable

Materials to Avoid
Water reactives

Conditions to Avoid
Protect from freezing.

Hazardous Decomposition Products
By Fire and Thermal Decomposition: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), dense black smoke, Isocyanate, Isocyanic Acid and other undetermined compounds.

11. Toxicological Information

Likely Routes of Exposure: Skin Contact
Eye Contact

Health Effects and Symptoms

Acute: Not expected to cause adverse acute health effects.
Chronic: Not expected to cause adverse chronic health effects.

Toxicity Data for: BAYHYDROL UA 2856 XP

No data available for this product.

Carcinogenicity:
No carcinogenic substances as defined by IARC, NTP and/or OSHA

12. Ecological Information

Ecological Data for: BAYHYDROL UA 2856 XP

No data available for this product.

13. Disposal Considerations

Waste Disposal Method
Waste disposal should be in accordance with existing federal, state and local environmental control laws.

Empty Container Precautions
Recondition or dispose of empty container in accordance with governmental regulations.

14. Transportation Information

Land transport (DOT)
Non-Regulated

Sea transport (IMDG)
Non-Regulated

Air transport (ICAO/IATA)
Non-Regulated

15. Regulatory Information

United States Federal Regulations
US. Toxic Substances Control Act: Listed on the Active Portion of the TSCA Inventory.

No substances are subject to TSCA 12(b) export notification requirements.

US. EPA CERCLA Hazardous Substances (40 CFR 302) Components:
None

SARA Section 311/312 Hazard Categories:
Refer to hazard classification information in Section 2.

US. EPA Emergency Planning and Community Right-To-Know Act (EPCRA) SARA Title III Section 302 Extremely Hazardous Substance (40 CFR 355, Appendix A) Components:
None

US. EPA Emergency Planning and Community Right-To-Know Act (EPCRA) SARA Title III Section 313 Toxic Chemicals (40 CFR 372.65) - Supplier Notification Required Components:
None

US. EPA Resource Conservation and Recovery Act (RCRA) Composite List of Hazardous Wastes and Appendix VIII Hazardous Constituents (40 CFR 261):
Under RCRA, it is the responsibility of the person who generates a solid waste, as defined in 40 CFR 261.2, to determine if that waste is a hazardous waste.

State Right-To-Know Information
The following chemicals are specifically listed by individual states; other product specific health and safety data in other sections of the SDS may also be applicable for state requirements. For details on your regulatory requirements you should contact the appropriate agency in your state.

Massachusetts, New Jersey or Pennsylvania Right to Know Substance Lists:

Concentration	Components	CAS-No.
>=1%	Water	7732-18-5
>=1%	Water-thinnable Polyurethane Dispersion	CAS# is a trade secret
>=1%	Polyurethane polyacrylate dispersion	CAS# is a trade secret
0.1 - 1%	Dimethylethanolamine	108-01-0

New Jersey Environmental Hazardous Substances List and/or New Jersey RTK Special Hazardous Substances Lists:

Concentration	Components	CAS-No.
0.1 - 1%	Acetone	67-64-1
0.1 - 1%	Dimethylethanolamine	108-01-0

California Proposition 65 List:
None.

Based on information provided by our suppliers, this product is considered "DRC Conflict Free" as defined by the SEC Conflict Minerals Final Rule (Release No. 34-67716; File No. S7-40-10; Date: 2012-08-22).

16. Other Information

The method of hazard communication for Covestro LLC is comprised of product labels and safety data sheets. Safety data sheets for all of our products and general product declarations are available for download at www.productsafetyfirst.covestro.com.

Contact:	Product Safety Department
Telephone:	(412) 413-2835
Version Date:	03/06/2020
SDS Version:	2.8

Information contained in this SDS is believed to be accurate but is furnished without warranty, express or implied, including warranties of merchantability or fitness for a particular purpose. The information relates only to the specific material designated herein. Covestro LLC. assumes no legal responsibility for use of or reliance upon the information in this SDS and such information shall in no case be considered a part of our terms and conditions of sale. The user is responsible for determining whether the Covestro product is suitable for user's method of use or application. Covestro is not liable for any failure to observe the precautionary measures described in this SDS or for any misuse of the product.

Changes since the last version are highlighted in the margin. This version replaces all previous versions.