Demonstration Access and Recording Guide

Local evaluation hosted access record and recording checklist

Group 1 MIT 820 Application 1.0.4 Document 1.1 23 October 2026

This document provides reproducible local evaluation access, the hosted-access record and a live defence run sheet for CivicFlow 1.0.4. MIT 820 requires a functioning system that can be accessed or run independently at defence. The team-supplied project address is https://iconicproject.icdfafoundation.com.ng/. Complete the check and access fields after verifying the intended evaluation installation. Add a real recording where the submission instructions require one.

1 Local demonstration access

1. Extract the source directory to a machine with PHP 8.2+ and PDO SQLite, Mbstring, Fileinfo, OpenSSL, cURL and DOM/XML.
2. Open a terminal in that source directory and run php -S 127.0.0.1:8080 router.php.
3. Open http://127.0.0.1:8080/install in that machine’s browser.
4. For the GitHub source, first run python3 tools/prepare_local.py from the repository root and read the generated src/config/setup.key locally. For the private cPanel installation archive, use its local START_HERE.html. Choose SQLite and keep HTTPS enforcement off for loopback-only evaluation.
5. Create your administrator, enable demonstration mode and choose a sample-account password. Use synthetic information.
6. Complete setup and test the accounts below. Keep the administrator password separate from shared presentation access.

Role	Email or sign in identity	Password
Administrator	The administrator you create in setup	Your chosen administrator password.
Citizen	citizen@example.test	The sample password chosen during setup.
Public Works officer	works.officer@example.test	The same chosen sample password.
Commerce officer	trade.officer@example.test	The same chosen sample password.
Environment officer	env.officer@example.test	The same chosen sample password.
Planning officer	plan.officer@example.test	The same chosen sample password.

Loopback access is available only on the machine running the server. The PHP built-in server is a local development tool. For supervisor remote access, deploy a separate protected demonstration instance using the cPanel guide and verify it from another connection.

2 Hosted access record

Complete these fields only after confirming the demonstration installation. Do not insert the production administrator credentials into a broadly shared report.

- Verified demonstration URL _____
- Date checked and checker _____
- Shared citizen account _____
- Shared officer account and department _____
- Password delivery method _____
- Access expiry or removal date _____

3 Demonstration sequence

Step	Action	Evidence to show
1	Citizen creates a complaint.	Reference, target, department and receipt.
2	Correct officer starts review and asks for information.	Controlled state and recorded reason.
3	Citizen replies with harmless evidence.	Return to Submitted and private document.
4	Officer records a decision.	Closed record, history and feedback control.
5	Submit and approve a permit.	Approval record and limited public verification.
6	Use a different citizen and another department.	Denied direct record and attachment access.
7	Add an internal note with evidence.	Citizen cannot see or download either.
8	Show notifications, outbox, guide and reports.	Accurate held/provider states and scoped evidence.

If a provider is not configured, demonstrate the local guide and the held outbox honestly. A local guide answer is not evidence of a successful AI-provider call. Do not manufacture an accepted email, SMS receipt or hosted access result.

4 Recording checklist when required

1. Confirm the actual submission rules for duration, file type, naming and maximum upload size.
2. Record a real browser session on the intended demonstration instance. Show the address sufficiently to identify the environment.
3. Use synthetic requests and harmless documents. Hide setup keys, real passwords, MFA secrets, provider keys and private citizen information.
4. Narrate the problem, the main workflow, a permission-denial example and what the test evidence establishes.
5. Keep provider limitations visible and explain any local fallback.
6. Play the complete exported recording and confirm readable text, audible narration, no accidental secrets and an accessible file.
7. Place the checked recording in the submission folder only if required, and enter its real filename or verified access link below.

Recording filename or verified link _____

Recorded by _____ Reviewed by _____

Date _____ Duration _____

5 Suggested presentation allocation

Member	Suggested presentation focus
Bolaji Watson	Problem, coordination, scope and final readiness.
Saidu Mustapha Suleman	Requirements, acceptance criteria and manuals.
Egbue Odira Celestine	Data relationships, workflow diagrams and report documentation.
John Ojuekaiye Mayowa	Citizen portal and request demonstration.
Aminu Idris	Architecture, permissions, automation and deployment.

Review the allocation together and ensure each member can explain the part they present. Confirm actual individual contributions and any institution-specific declarations before submission.

6 Current role walkthrough and presentation gates

Load the prepared 26-account dataset on a separate evaluation instance for all role journeys. The account directory identifies citizen, officer, head, auditor and communications access; the existing administrator supplies the sixth role. Share approved credentials privately.

Verify independent live access and a local fallback before 28 November. A permitted recording supports the independently accessible or runnable system. Record panel corrections and submit by 29 November before 11:59 p.m. WAT.