

Proofline

Evidence before release

A local report that shows what a software change actually proves

Release claims need evidence

A passing local test answers one question:

Did this check pass in this local environment?

It does not prove that a hosted integration works, a provider responded, or production is ready.

The risk

Teams can overstate what their tests and simulations establish.

One manifest, an evidence brief

Input

**One bounded
evidence manifest**



Calculate

**Validate evidence
and derive each
claim status**



Review

**A self-contained
JSON, Markdown, or
HTML report**

The report keeps the evidence class, limitation, and next action beside every claim.

Three outcomes stay distinct

PROVEN

Local contract check passed

Proven only in the local evidence class.

SIMULATED

Fixture telemetry supplied

Simulation does not become live or hosted evidence.

UNVERIFIED

Hosted evidence is missing

The claim stays unverified until that environment is checked.

Checks run only through a fixed allowlist

Explicit action

A separate run-check command

Fixed registry ID

Known local operation

Not automatic

Report generation does not execute checks.

Unknown IDs are blocked. There is no network or provider call in the demo.

Local checks are bounded; their captured output is not included in the report.

Built with IBM Bob IDE

Bob IDE

Repository-aware development partner used during the build

Proofline

Deterministic evidence classification and bounded local checks

100 local tests passed

HTML report reviewed by the user in a browser

Bob task-session exports must accompany the public submission.

What remains to prove

Proved locally

Manifest validation, status calculation, safe report rendering, and the registered local check.

Still needs evidence

Public demo access, hosted behavior, provider behavior, and any production claim.

Submission needs a live prototype, public repository, video, and PDF deck.

No hosted URL, Bob export, or submission is claimed here.