

Developer docs of WP-Client core and Extensions

Here you can find description of hooks of WP-Client core and Extensions

If you do not see the hook that you need, you can contact our Dev Team, and ask them to add the hook for you - Ask here

Hooks:

Add more actions on Admins page

Hook: wpc_client_more_actions_admins

Description: Hook runs before display more actions on Admins page.

Type: filter For: wp-client Since: 3.9.5

Params: string \$error

Change default value of columns on Clients page

Hook: wpc_client_order_by_of_clients

Description: Hook runs before echo default value of columns on Clients page.

Type: filter **For:** wp-client **Since:** 4.3.1

Params: string \$order_by, string \$_GET['orderby']

Change default value of columns on Clients page

Hook: wpc_client_{\$column_name}_custom_column_of_clients

Description: Hook runs before echo default value of columns on Clients page.

Type: filter **For:** wp-client **Since:** 4.3.1

Params: mixed \$value

Add more actions on Clients page

Hook: wpc_client_more_actions_clients

Description: Hook runs before display more actions on Clients page.

Type: filter **For:** wp-client **Since:** 3.7.6.1

Params: array \$actions, array \$client_data

Client Deleted

Hook: wpc_client_clients_deleted

Description: Hook runs when Client account is deleted.

Type: action For: wp-client Since: 3.4.1

Params: int \$client id, array \$userdata

Add more columns for sortable on Clients page

Hook: wpc_client_sortable_columns_of_clients

Description: Hook runs before set columns for sortable on Clients page.

Type: filter **For:** wp-client **Since:** 4.3.1

Params: array \$sortable_columns

Add more columns on Clients page

Hook: wpc_client_columns_of_clients

Description: Hook runs before set columns on Clients page.

Type: filter **For:** wp-client **Since:** 4.3.1

Params: array \$columns

Query arguments for list table on Clients page

Hook: wpc_client_clients_table_query_args

Description: Hook runs before get clients on Client list table.

Type: filter

wp-client **Since:** 4.3.1

Params: array \$vars

List of convertible roles

Hook: wpc_client_convertible_user_roles **Description:** Filter add to list convertible roles

Type: filter **For:** wp-client **Since:** 3.7.5.2

Params: array \$wpc_roles

Convert to client

Hook: wpc_client_convert_to_client

Description: Hook runs when user converted to Client.

Type: action For: wp-client Since: 4.1.6

Params: int \$client_id

Action that convert users by ID

Hook: wpc_client_convert_user

Description: Action that convert users by ID

Type: action For: wp-client Since: 3.7.5.2

Params: string \$convert_to, array \$user_ids

Convert user settings

Hook: wpc_client_convert_user_settings

Description: Filter add settings for convert user

Type: filter **For:** wp-client **Since:** 3.7.5.2

Params: string \$html, string \$role

Add more actions on Client's Staff page

Hook: wpc_client_more_actions_staff

Description: Hook runs before display more actions on Client's Staff page.

Type: filter For: wp-client Since: 3.9.5

Params: string \$error

Staff Edit Form

Hook: wpc_client_edit_staff_form_html

Description: Can be used for adding custom fields on Staff Edit Form.

Type: action For: wp-client Since: 3.9.0 Params: int \$id

Staff Add Form

Hook: wpc_client_add_staff_form_html

Description: Can be used for adding custom fields on Staff Add Form.

Type: action For: wp-client Since: 3.9.0 Params:

Validate Edit Client Form

Hook: wpc_client_validate_edit_client_fields

Description: Hook runs before saving client data on Edit Client form.

Type: filter For: wp-client Since: 3.4.9

Params: string \$error

Validate Add Client Form

Hook: wpc_client_validate_add_client_fields

Description: Hook runs before saving client data on Add Client form.

Type: filter

wp-client **Since:** 3.4.9

Params: string \$error

Client Edit Form

Hook: wpc_client_edit_client_form_html

Description: Can be used for adding custom fields on Client Edit Form.

Type: action For: wp-client Since: 3.4.8 Params: int \$id

Client Add Form

Hook: wpc_client_add_client_form_html

Description: Can be used for adding custom fields on Client Add Form.

Type: action For: wp-client Since: 3.4.8 Params:

Client Edit Form

Hook: wpc_client_edit_client_after_username

Description: Can be used for adding custom fields on Client Edit Form after username field.

Type: action For: wp-client Since: 3.4.8 Params: int \$id

Client Add Form

Hook: wpc_client_add_client_after_username

Description: Can be used for adding custom fields on Client Add Form after username field.

Type: action For: wp-client Since: 3.4.8 Params:

HTML before dashboard widgets

Hook: wpc_client_dashboard_before_widgets **Description:** Hook runs when Dashboard loaded.

Type: filter For: wp-client Since: 3.8.8

Params: string \$html

HTML after dashboard widgets

Hook: wpc_client_dashboard_after_widgets **Description:** Hook runs when Dashboard loaded.

Type: filter For: wp-client Since: 3.8.8

Params: string \$html

Add more actions on Managers page

Hook: wpc_client_more_actions_managers

Description: Hook runs before display more actions on Managers page.

Type: filter For: wp-client Since: 3.9.5

Params: string \$error

Manager Data Saved

Hook: wpc_client_manager_data_saved

Description: Can be used for saving custom fields on Manager Add/Edit Form.

Type: action For: wp-client Since: 3.4.8

Params: int \$manager_id, array \$manager_data

Manager Updated

Hook: wpc_client_manager_updated

Description: Hook runs when Manager account is updated.

Type: action

wp-client **Since:** 3.4.8

Params: int \$manager_id, array \$manager_data

Manager Created

Hook: wpc_client_manager_created

Description: Hook runs when Manager account is created.

Type: action For: wp-client Since: 3.4.8

Params: int \$manager_id

Manager Add/Edit Form

Hook: wpc_client_manager_add_edit_form_html

Description: Can be used for adding custom fields on Manager Add/Edit Form.

Type: action For: wp-client Since: 3.4.8

Params: array \$manager_data

Change email settings

Hook: wpc_client_email_sending_data

Description: Hook filtered email settings before save it to database.

Type: filter For: wp-client Since: 3.7.5.2

Params: string \$type, array \$data, array \$old_data

Import one item of some type

Hook: wpc_client_item_import_ . \$type

Description: Can be used for filter item data when doing import.

Type: filter For: wp-client Since: 4.0.2

Params: bool \$result, array \$data

Build Export CSV data

Hook: wpc_client_item_export_ . \$type

Description: Can be used for filter item data when doing export.

Type: filter For: wp-client Since: 4.0.2

Params: bool|array \$csv_data, array \$placeholders

Delete Client

Hook: wpc_client_delete_client

Description: Hook runs when Client account is deleted.

Type: action For: wp-client Since: 3.5.9

Params: int \$client_id

Delete Manager

Hook: wpc_client_delete_manager

Description: Hook runs when WPC Manager account is deleted.

Type: action For: wp-client Since: 3.5.9

Params: int \$client_id

Delete WPC Admin

Hook: wpc_client_delete_wpc_admin

Description: Hook runs when WPC Admin account is deleted.

Type: action For: wp-client Since: 3.7.8.1

Params: int \$client_id

Circle created

Hook: wpc_circle_created

Description: Hook runs when Circle created.

Type: action

wp-client **Since:** 4.1.6

Params: int \$new_circle_id, array \$args

Circle updated

Hook: wpc_circle_updated

Description: Hook runs when Circle updated.

Type: action For: wp-client Since: 4.1.6

Params: array \$args

Clients assign to Circle

Hook: wpc_before_assign_clients_group

Description: Hook runs when Clients assign to Circle.

Type: action For: wp-client Since: 4.1.6

Params: int \$group_id, array \$clients_id

Clients assign to Circle

Hook: wpc_assigned_clients_group

Description: Hook runs when Clients assign to Circle.

Type: action For: wp-client Since: 4.1.6

Params: int \$group_id, array \$clients_id

Admin Uploads File

Hook: wp_client_admin_uploaded_file

Description: Hook runs when admin uploads file.

Type: action For: wp-client Since: 4.4.0

Params: int \$file_id

Clients Tabs

Hook: wpc_client_clients_tabs_array

Description: Hook runs when Clients Tabs init.

Type: filter For: wp-client Since: 4.1.3

Params: array \$clients_tabs

Content Tabs

Hook: wpc_client_content_tabs_array

Description: Hook runs when Content Tabs init.

Type: filter **For:** wp-client **Since:** 4.1.3

Params: array \$content_tabs

Add New Portal Page

Hook: wpc_client_insert_portal_page

Description: Hook runs when Admin/Manager added Portal Page.

Type: action For: wp-client Since: 4.2.9

Params: int \$post_id

Add/Edit Circle Form Ajax Response

Hook: wpc_get_circle_data

Description: Hook runs on ajax response Add/Edit Circle Form.

Type: filter For: wp-client Since: 3.3.5

Params: int \$client_id

Extend PHP Templates

Hook: wpc_extend_php_templates

Description: Can be used for extending PHP Shortcode Templates.

Type: filter

wp-client **Since:** 4.4.0

Params: array \$templates (\$key => \$templates_dir)

Add custom titles

Hook: wpc_default_custom_titles

Description: Hook add default custom titles.

Type: filter **For:** wp-client **Since:** 3.7.7.1

Params: array \$default_custom_titles

Hook after auto convert user

Hook: wpc_client_auto_convert_user

Description: Type: action **For:** wp-client **Since:** 3.7.8.1

Params: string \$wpc_role, int \$user_id

Custom Fields Data

Hook: wpc_client_custom_fields_data

Description: Can be used for change custom fields data.

Type: filter For: wp-client Since: 4.0.6

Params: array \$custom_fields

Need Pay For Get Access

Hook: wpc_client_need_pay_for_access

Description: Can be used for checking access to portals, and redirecting to payment page if np access.

Type: action For: wp-client Since: 3.5.4

Params: int \$client_id

Replace Placeholders

Hook: wpc_client_replace_placeholders

Description: Hook runs before placeholders are replaced. You can use it to add\edit\remove placeholders

and their values. **Type:** filter **For:** wp-client

Since: 3.3.5

Params: array \$placeholders, array \$args, string \$label

Replace content in method cc_replace_placeholders()

Hook: wpc_client_replace_placeholders_content

Description: Hook runs before placeholders are replaced. You can use it to edit\remove content.

Type: filter **For:** wp-client **Since:** 4.0.1

Params: array \$placeholders, array \$args, string \$label

Change email data before send

Hook: wpc_client_send_email_data

Description: Hook filtered email data before send notification.

Type: filter For: wp-client Since: 3.8.5

Params: array \$data_array, string \$key, string \$placeholders_label

New Client Registered

Hook: wpc_client_new_client_registered

Description: Hook runs when Client account is registered.

Type: action For: wp-client Since: 3.4.1

Params: int \$client_id, array \$userdata

New Client Added by Admin

Hook: wpc_client_new_client_added

Description: Hook runs when Client account is added by Admin.

Type:

action

For: wp-client Since: 3.4.1

Params: int \$client_id, array \$userdata

Before Client Updated

Hook: wpc_client_before_client_updated

Description: Hook runs when Client account is updated.

Type: action **For:** wp-client **Since:** 3.4.1

Params: int \$client_id, array \$userdata

Client Updated

Hook: wpc_client_client_updated

Description: Hook runs when Client account is updated.

Type: action For: wp-client Since: 3.4.1

Params: int \$client_id, array \$userdata

Client Saved

Hook: wpc_client_client_saved

Description: Hook runs when Client account is registered or added by admin or updated.

Type: action For: wp-client Since: 3.4.1

Params: int \$client_id, array \$userdata

Email template filter for cc_mail method

Hook: wpc_client_cc_mail_template

Description: Email template filter for cc_mail method. You can use it to edit\remove email template.

Type: filter For: wp-client Since: 4.0.1

Params: array \$placeholders, array \$args, string \$label

Hook after file category created when synchronization running

Hook: wpc_client_file_category_created

Description: Type: action **For:** wp-client **Since:** 4.1.6

Params: int \$category_id, array \$category_data

File Deleted

Hook: wpc_client_file_deleted

Description: Hook runs when File is deleted.

Type: action **For:** wp-client **Since:** 4.4.0

Params: int \$file_id

Sync File Saved

Hook: wpc_client_sync_file_saved

Description: Hook runs when File was inserted after FTP sync.

Type: action For: wp-client Since: 3.7.9.3

Params: array \$file

Change filedata for file's shortcodes

Hook: wpc_client_build_shortcode_filedata

Description: Hook filtered filedata before output it to display.

Type: filter For: wp-client Since: 3.8.6

Params: array \$filedata,array \$file,array \$data

Add custom JS & CSS to WP-Client Pages

Hook: wpc_client_add_custom_scripts_to_page

Description: Hook runs when WP-Client Page is loaded.

Type: action

wp-client **Since:** 3.7.8

Params: string \$page_key

Client Uploads File

Hook: wp_client_before_client_uploaded_file **Description:** Hook runs before client uploads file.

Type: filter **For:** wp-client **Since:** 3.8.0

Params: string \$error_message, string \$filepath

Client Uploads File

Hook: wp_client_client_uploaded_file

Description: Hook runs when client uploads file.

Type: action For: wp-client Since: 3.3.0

Params: array \$file_data

Change \$_REQUEST before submit Registration

Hook: wpc_client_before_registration_form_submit

Description: Filter change \$_REQUEST array before submit

Type: filter For: wp-client Since: 3.8.2

Params: array \$_REQUEST

Client Registration Form

Hook: wpc_client_registration_form_validation

Description: Can be used for validation custom fields on Client Registration Form.

Type: filter For: wp-client Since: 3.9.0

Params: string \$error

Redirect After Successful Registration

Hook: wpc_client_after_registration_redirect

Description: Can be used for change default redirect to Successful Client Registration Page.

Type: filter For: wp-client Since: 4.1.3

Params: string \$redirect_link

Link for thank you page

Hook: wpc_client_payment_thank_you_page_link

Description: Hook runs before redirect to thank you page.

Type: filter For: wp-client Since: 3.8.8

Params: string \$redirect, array \$order

File Download Inaccessible

Hook: wpc_client_download_inaccessible

Description: Hook runs when User haven't access to download current file.

Type: action For: wp-client Since: 4.1.3 Params:

do actions before start Step of payment gateways

Hook: wpc_client_gateway_before_step

Description: Hook runs before start Step of payment gateways.

Type: action **For:** wp-client **Since:** 3.9.7.3

Params: string \$gateway_name, string \$step, array \$order

Filter Step Content of payment gateways

Hook: wpc_client_gateway_step_content

Description: Hook runs before return payment gateways step content.

Type: filter

wp-client **Since:** 3.9.8

Params: string \$content, string \$gateway_name, string \$step, array \$order