



Turbot in IV pgSurvey 3 Diagnostics – BTS–ISIS, age 1


a) Observed and fitted values time series




b) Observed vs fitted values




c) Standardised residuals over time




d) Tukey–Anscombe plot



e) Normal Q–Q plot




f) Autocorrelation of Residuals




Turbot in IV pgSurvey 3 Diagnostics – BTS–ISIS, age 2


a) Observed and fitted values time series




b) Observed vs fitted values




c) Standardised residuals over time




d) Tukey–Anscombe plot



e) Normal Q–Q plot




f) Autocorrelation of Residuals




Turbot in IV pgSurvey 3 Diagnostics – BTS–ISIS, age 3


a) Observed and fitted values time series




b) Observed vs fitted values




c) Standardised residuals over time




d) Tukey–Anscombe plot



e) Normal Q–Q plot




f) Autocorrelation of Residuals




Turbot in IV pgSurvey 3 Diagnostics – catch, age 1


a) Observed and fitted values time series




b) Observed vs fitted values




c) Standardised residuals over time




d) Tukey–Anscombe plot



e) Normal Q–Q plot




f) Autocorrelation of Residuals




Turbot in IV pgSurvey 3 Diagnostics – catch, age 2


a) Observed and fitted values time series




b) Observed vs fitted values




c) Standardised residuals over time




d) Tukey–Anscombe plot



e) Normal Q–Q plot




f) Autocorrelation of Residuals




Turbot in IV pgSurvey 3 Diagnostics – catch, age 3


a) Observed and fitted values time series




b) Observed vs fitted values




c) Standardised residuals over time




d) Tukey–Anscombe plot



e) Normal Q–Q plot




f) Autocorrelation of Residuals




Turbot in IV pgSurvey 3 Diagnostics – catch, age 4


a) Observed and fitted values time series




b) Observed vs fitted values




c) Standardised residuals over time




d) Tukey–Anscombe plot



e) Normal Q–Q plot




f) Autocorrelation of Residuals




Turbot in IV pgSurvey 3 Diagnostics – catch, age 5


a) Observed and fitted values time series




b) Observed vs fitted values




c) Standardised residuals over time




d) Tukey–Anscombe plot



e) Normal Q–Q plot




f) Autocorrelation of Residuals




Turbot in IV pgSurvey 3 Diagnostics – catch, age 6


a) Observed and fitted values time series




b) Observed vs fitted values




c) Standardised residuals over time




d) Tukey–Anscombe plot



e) Normal Q–Q plot




f) Autocorrelation of Residuals




Turbot in IV pgSurvey 3 Diagnostics – catch, age 7


a) Observed and fitted values time series




b) Observed vs fitted values




c) Standardised residuals over time




d) Tukey–Anscombe plot



e) Normal Q–Q plot




f) Autocorrelation of Residuals




Turbot in IV pgSurvey 3 Diagnostics – catch, age 8


a) Observed and fitted values time series




b) Observed vs fitted values




c) Standardised residuals over time




d) Tukey–Anscombe plot



e) Normal Q–Q plot




f) Autocorrelation of Residuals




Turbot in IV pgSurvey 3 Diagnostics – catch, age 9


a) Observed and fitted values time series




b) Observed vs fitted values




c) Standardised residuals over time




d) Tukey–Anscombe plot



e) Normal Q–Q plot




f) Autocorrelation of Residuals




Turbot in IV pgSurvey 3 Diagnostics – catch, age 10


a) Observed and fitted values time series




b) Observed vs fitted values




c) Standardised residuals over time




d) Tukey–Anscombe plot



e) Normal Q–Q plot




f) Autocorrelation of Residuals




Turbot in IV pgSurvey 3 Diagnostics – NL_LPUE, age –1


a) Observed and fitted values time series




b) Observed vs fitted values




c) Standardised residuals over time




d) Tukey–Anscombe plot



e) Normal Q–Q plot




f) Autocorrelation of Residuals




Turbot in IV pgSurvey 3 Diagnostics – SNS, age 1


a) Observed and fitted values time series




b) Observed vs fitted values




c) Standardised residuals over time




d) Tukey–Anscombe plot



e) Normal Q–Q plot




f) Autocorrelation of Residuals




Turbot in IV pgSurvey 3 Diagnostics – SNS, age 2


a) Observed and fitted values time series




b) Observed vs fitted values




c) Standardised residuals over time




d) Tukey–Anscombe plot



e) Normal Q–Q plot




f) Autocorrelation of Residuals




Turbot in IV pgSurvey 3 Diagnostics – SNS, age 3


a) Observed and fitted values time series




b) Observed vs fitted values




c) Standardised residuals over time




d) Tukey–Anscombe plot




e) Normal Q–Q plot




f) Autocorrelation of Residuals




Turbot in IV pgSurvey 3




Observation variance vs uncertainty




Survey catchability parameters




Observation variances by data source




Selectivity of the Fishery by Pentad




Turbot in IV pgSurvey 3




Residuals by year Catch




Residuals by survey



SNS






2016 2015 2014 2013 2012 2011 2010 2009

logSdLogN


Parameter value

0.35
0.30
0.25
0.20
0.15
0.10




logSdLogObs

0.8
0.6
0.4
0.2
0.0




logFpar

0.020
0.015
0.010
0.005
0.000



logSdLogFsta

0.8
0.6
0.4
0.2



2016 2015 2014 2013 2012 2011 2010 2009


Assessment year

2016 2015 2014 2013 2012 2011 2010 2009

logSdLogN


Parameter value

0.35
0.30
0.25
0.20
0.15
0.10




logSdLogObs

0.8
0.6
0.4
0.2
0.0




logFpar

0.020
0.015
0.010
0.005
0.000



logSdLogFsta

0.8
0.6
0.4
0.2



2016 2015 2014 2013 2012 2011 2010 2009

Assessment year

Retrospective pattern in F at age

