



Turbot in IV pg 10 Diagnostics – BTS–ISIS, age 1


a) Observed and fitted values time series




b) Observed vs fitted values




c) Standardised residuals over time




d) Tukey–Anscombe plot



e) Normal Q–Q plot




f) Autocorrelation of Residuals




Turbot in IV pg 10 Diagnostics – BTS–ISIS, age 2


a) Observed and fitted values time series




b) Observed vs fitted values




c) Standardised residuals over time




d) Tukey–Anscombe plot



e) Normal Q–Q plot




f) Autocorrelation of Residuals




Turbot in IV pg 10 Diagnostics – BTS–ISIS, age 3


a) Observed and fitted values time series




b) Observed vs fitted values




c) Standardised residuals over time




d) Tukey–Anscombe plot




e) Normal Q–Q plot




f) Autocorrelation of Residuals




a) Observed and fitted values time series




b) Observed vs fitted values




c) Standardised residuals over time




d) Tukey–Anscombe plot



e) Normal Q–Q plot




f) Autocorrelation of Residuals




Turbot in IV pg 10 Diagnostics – BTS–ISIS, age 5


a) Observed and fitted values time series




b) Observed vs fitted values




c) Standardised residuals over time




d) Tukey–Anscombe plot




e) Normal Q–Q plot




f) Autocorrelation of Residuals




a) Observed and fitted values time series




b) Observed vs fitted values




c) Standardised residuals over time




d) Tukey–Anscombe plot




e) Normal Q–Q plot




f) Autocorrelation of Residuals




a) Observed and fitted values time series




b) Observed vs fitted values




c) Standardised residuals over time




d) Tukey–Anscombe plot



e) Normal Q–Q plot




f) Autocorrelation of Residuals




Turbot in IV pg 10 Diagnostics – catch unique, age 1


a) Observed and fitted values time series




b) Observed vs fitted values




c) Standardised residuals over time




d) Tukey–Anscombe plot



e) Normal Q–Q plot




f) Autocorrelation of Residuals




Turbot in IV pg 10 Diagnostics – catch unique, age 2


a) Observed and fitted values time series




b) Observed vs fitted values




c) Standardised residuals over time




d) Tukey–Anscombe plot



e) Normal Q–Q plot




f) Autocorrelation of Residuals




Turbot in IV pg 10 Diagnostics – catch unique, age 3


a) Observed and fitted values time series




b) Observed vs fitted values




c) Standardised residuals over time




d) Tukey–Anscombe plot



e) Normal Q–Q plot




f) Autocorrelation of Residuals




Turbot in IV pg 10 Diagnostics – catch unique, age 4


a) Observed and fitted values time series




b) Observed vs fitted values




c) Standardised residuals over time




d) Tukey–Anscombe plot



e) Normal Q–Q plot




f) Autocorrelation of Residuals




Turbot in IV pg 10 Diagnostics – catch unique, age 5


a) Observed and fitted values time series




b) Observed vs fitted values




c) Standardised residuals over time




d) Tukey–Anscombe plot



e) Normal Q–Q plot




f) Autocorrelation of Residuals




Turbot in IV pg 10 Diagnostics – catch unique, age 6


a) Observed and fitted values time series




b) Observed vs fitted values




c) Standardised residuals over time




d) Tukey–Anscombe plot



e) Normal Q–Q plot




f) Autocorrelation of Residuals




Turbot in IV pg 10 Diagnostics – catch unique, age 7


a) Observed and fitted values time series




b) Observed vs fitted values




c) Standardised residuals over time




d) Tukey–Anscombe plot



e) Normal Q–Q plot




f) Autocorrelation of Residuals




Turbot in IV pg 10 Diagnostics – catch unique, age 8


a) Observed and fitted values time series




b) Observed vs fitted values




c) Standardised residuals over time




d) Tukey–Anscombe plot



e) Normal Q–Q plot




f) Autocorrelation of Residuals




Turbot in IV pg 10 Diagnostics – catch unique, age 9


a) Observed and fitted values time series




b) Observed vs fitted values




c) Standardised residuals over time




d) Tukey–Anscombe plot



e) Normal Q–Q plot




f) Autocorrelation of Residuals




Turbot in IV pg 10 Diagnostics – catch unique, age 10


a) Observed and fitted values time series




b) Observed vs fitted values




c) Standardised residuals over time




d) Tukey–Anscombe plot



e) Normal Q–Q plot




f) Autocorrelation of Residuals




Turbot in IV pg 10 Diagnostics – NL_LPUE, age –1


a) Observed and fitted values time series




b) Observed vs fitted values




c) Standardised residuals over time




d) Tukey–Anscombe plot



e) Normal Q–Q plot




f) Autocorrelation of Residuals




Turbot in IV pg 10 Diagnostics – SNS, age 1


a) Observed and fitted values time series




b) Observed vs fitted values




c) Standardised residuals over time




d) Tukey–Anscombe plot



e) Normal Q–Q plot




f) Autocorrelation of Residuals




Turbot in IV pg 10 Diagnostics – SNS, age 2


a) Observed and fitted values time series




b) Observed vs fitted values




c) Standardised residuals over time




d) Tukey–Anscombe plot



e) Normal Q–Q plot




f) Autocorrelation of Residuals




Turbot in IV pg 10 Diagnostics – SNS, age 3


a) Observed and fitted values time series




b) Observed vs fitted values




c) Standardised residuals over time




d) Tukey–Anscombe plot



e) Normal Q–Q plot




f) Autocorrelation of Residuals




Turbot in IV pg 10 Diagnostics – SNS, age 4


a) Observed and fitted values time series




b) Observed vs fitted values




c) Standardised residuals over time




d) Tukey–Anscombe plot



e) Normal Q–Q plot




f) Autocorrelation of Residuals




Turbot in IV pg 10 Diagnostics – SNS, age 5


a) Observed and fitted values time series




b) Observed vs fitted values




c) Standardised residuals over time




d) Tukey–Anscombe plot




e) Normal Q–Q plot




f) Autocorrelation of Residuals




a) Observed and fitted values time series




b) Observed vs fitted values




c) Standardised residuals over time




d) Tukey–Anscombe plot




e) Normal Q–Q plot




f) Autocorrelation of Residuals




Turbot in IV pg 10




Observation variance vs uncertainty




Survey catchability parameters




Observation variances by data source




Selectivity of the Fishery by Pentad



Turbot in IV pg 10



Residuals by year Catch



Residuals by survey

1990 1995 2000 2005 2010 2015

BTS-ISIS

SNS

7

6

5

4

3


2


1

age



1990 1995 2000 2005 2010 2015

year







Parameter value




Assessment year

Parameter value



Assessment year

Retrospective pattern in F at age



Retrospective pattern in F at age

