Comparison of TAF and icesTAF

Contents

| 1 | Files | 2 | |
|----------|--|---|--|
| 2 | Namespace | 3 | |
| 3 | Environment | 4 | |
| | | | |
| Pı | reamble | е | |
| | <pre>ibrary(diff) cools prod <- "~/git/ices/tools-prod"</pre> | | |

1 Files

compare.files(tools.prod)

```
## $TAF
## [1] "TAF-internal.R" "TAF-package.R"
##
## $icesTAF
## [1] "draft.data.script.R" "icesTAF-internal.R" "icesTAF-package.R"
## [4] "taf.roxygenise.R"

Check out these files:

1. draft.data.script.R
2. get.stockassessment.results.R
3. get.stockassessments.R
4. taf.roxygenise.R
5. upload.fay.R
```

2 Namespace

```
compare.namespace(tools.prod)
```

```
## $TAF
## character(0)
##
## $icesTAF
##
   [1] "S3method(roxy_tag_parse,roxy_tag_tafAccess)"
   [2] "S3method(roxy_tag_parse,roxy_tag_tafKey)"
   [3] "S3method(roxy_tag_parse,roxy_tag_tafOriginator)"
##
   [4] "S3method(roxy_tag_parse,roxy_tag_tafPeriod)"
##
  [5] "S3method(roxy_tag_parse,roxy_tag_tafSource)"
##
  [6] "S3method(roxy_tag_parse,roxy_tag_tafYear)"
##
   [7] "export(draft.data.script)"
       "export(taf.roxygenise)"
##
   [8]
  [9] "importFrom(glue,glue)"
##
## [10] "importFrom(jsonlite,parse_json)"
## [11] "importFrom(purrr,flatten)"
## [12] "importFrom(roxygen2,roxy_tag_parse)"
Check out these entries:
  1. export(draft.data.script)
  2. export(get.stockassessment.results)
  3. export(get.stockassessments)
  4. export(taf.roxygenise)
       • S3method(roxy_tag_parse,roxy_tag_tafAccess)
       • S3method(roxy_tag_parse,roxy_tag_tafKey)
       • S3method(roxy_tag_parse,roxy_tag_tafOriginator)
       • S3method(roxy_tag_parse,roxy_tag_tafPeriod)
       • S3method(roxy_tag_parse,roxy_tag_tafSource)
       • S3method(roxy_tag_parse,roxy_tag_tafYear)
  5. export(upload.fay)
```

3 Environment

compare.environment()

```
## $TAF
## character(0)
##
## $icesTAF
##
  [1] "draft.data.script"
## [2] "list2bibtex"
## [3] "loadpkg"
## [4] "roclet_output.roclet_taf"
## [5] "roclet_process.roclet_taf"
## [6] "roxy_tag_parse.roxy_tag_tafAccess"
## [7] "roxy_tag_parse.roxy_tag_tafKey"
## [8] "roxy_tag_parse.roxy_tag_tafOriginator"
  [9] "roxy_tag_parse.roxy_tag_tafPeriod"
## [10] "roxy_tag_parse.roxy_tag_tafSource"
## [11] "roxy_tag_parse.roxy_tag_tafYear"
## [12] "taf_roclet"
## [13] "taf.roxygenise"
```

Check out these objects:

- 1. draft.data.script
- 2. taf.roxygenise
 - list2bibtex
 - loadpkg
 - roclet_output.roclet_taf
 - roclet_process.roclet_taf
 - roxy_tag_parse.roxy_tag_tafAccess
 - roxy_tag_parse.roxy_tag_tafKey
 - roxy_tag_parse.roxy_tag_tafOriginator
 - roxy_tag_parse.roxy_tag_tafPeriod
 - roxy_tag_parse.roxy_tag_tafSource
 - roxy_tag_parse.roxy_tag_tafYear
 - taf_roclet