

Outline



ICES web services

- Data
- Formats

R

- Read data
- Packages

Discussion

- Standardizing ICES web services
- Other topics

Web services



What are web services?

Web services run on the web and allow one application to speak to another without the need for pressing a button

Special URL that returns data from a database

How to use web services

Can be called from all sorts of applications, including ${\sf R}$

Why use web services?

Easiest way to get current data from ICES databases directly into $\ensuremath{\mathsf{R}}$

Entry point to script a fully documented reproducible analysis, encapsulating the workflow from raw data to end results

ICES web services

related to the Transparent Assessment Framework



DATRAS – trawl surveys

https://datras.ices.dk/WebServices/DATRASWebService.asmx

SAG – stock assessment graphs

 $\verb|https://sg.ices.dk/StandardGraphsWebServices.asmx|$

SLD - stock list database

http://sld.ices.dk/services


Vocab - reference codes

http://vocab.ices.dk/services/POX.aspx

TAF will use web services

to read input data






TAF will use web services

to read input data





Example

North Sea haddock






DATRAS

click-click interface





Science for sustainable seas

DATRAS

web service



The following operations are supported:

- getCAdata
- getHHdata
- getHLdata
- $\hbox{-} \hspace{0.1cm} get Survey Insert Date \\$
- getSurveyList
- getSurveyYearList
- getSurveyYearQuarterList

getCAdata

Test

To test the operation using the HTTP POST protocol, click the 'Invoke' button.

Parameter	Value
survey:	
year:	
quarter:	
	Invoke

URL to get NS-IBTS survey data from 1965, quarter 1:

https://datras.ices.dk/WebServices/DATRASWebService.asmx/getCAdata?survey=NS-IBTS&year=1965&quarter=1

Data formats



- XML, POX
- JSON
- CSV

Using web services in R



1. Construct URL of interest

https://datras.ices.dk/WebServices/DATRASWebService.asmx/getCAdata?survey=NS-IBTS&year=1965&quarter=1

2. Send URL, read data object

3. Convert object to data frame

... unless it already is a data frame

icesDatras

R package

Description

R interface to access the web services of the ICES (International Council for the Exploration of the Sea) DATRAS trawl database.

Details

```
Get dataset:
```

getHHdata haul data getHLdata length-based data getCAdata age-based data getDATRAS any data

Overview of available data:

getSurveyList surveys
getSurveyYearList years
getSurveyYearQuarterList quarters
getDatrasDataOverview surveys, years, and quarters

Author(s)

Colin Millar, Einar Hjorleifsson, Scott Large, and Arni Magnusson





Scientific data analysis, TAF

Interactive session, batch mode

Scripts, functions, packages

Reading data into R



Tabular text file (CSV)

 XML

JSON

ICES packages for web services



icesDatras

icesSAG

icesSLD

icesVocab

Handling unusual data



NA

Whitespace

International characters

Possible improvements



Select species from DATRAS, CSV format

Get survey indices (and other data products) from DATRAS into R

Commercial catch-at-age web services

[Data products could be provided using web service operators, or R functions somewhere]