



Understanding AI Through Evaluation

Start Slide

End of Slide



[內文示範]

傳統 AI 開發流程 (Supervised Learning)

1. 收集與標註資料
2. 訓練模型
3. 部署與整合

=> 總計需 7 個月以上

Prompt-based AI 流程

1. 撰寫 Prompt
2. 呼叫模型

=> 幾分鐘內就能完成一個 AI 功能原型

你好

注意字體大小！

標題: 28pt

內文: 24pt

不可以使用小於 24pt 字體大小

字體: 微軟正黑體

Our Best Team



朱小嫻 (組長)



林彥廷



吳育安



黃詩涵



Abner



蔡依儒



Agenda

大型語言模型評估指標（開發前）

AI任務評估指標（開發中）

評估驅動開發





Agenda

大型語言模型評估指標（開發前）

AI任務評估指標（開發中）

評估驅動開發





Pros & Cons

01 能力：模型擅長做的事

- GPT系列擅長創造力與敘事。
- QWen系列擅長說中文。
- Claude 擅長寫程式。

02 技術參數：模型的限制

- Context Window、訓練方式、模型迭代頻率。

03 成本 & 效益

- Token Fee、延遲、GPU資源使用量。

[LLM Arena Pareto Frontier:](#)

[Performance vs Cost \(April 2025\)](#)

04 隱私權限

- 開源、閉源模型。



		評估範例	說明
01	Reasoning & Language Understanding	MMLU	15,000 題包括基礎數學、計算機科學與法律等 57 個學科，衡量語言模型 <u>通識與問題解決</u> 能力。
02	Math	GSM8K	8,500 道需 2-8 步計算的小學數學題，用來測試模型的 <u>多步算術推理</u> 。
03	Coding	HumanEval	164 道 Python 題目評估 LLM 的 <u>程式碼理解與生成</u> 能力。
04	Conversation & Chatbot	Chatbot Arena	使用者透過匿名配對對話、用戶投票兩兩比較大型語言模型的 <u>對話</u> 能力。
05	Safety	Safety Bench	11,435 道涵蓋七大安全風險的多選題，用來全面評估大型語言模型的 <u>安全理解和生成</u> 能力。



	評估範例	說明
01 Reasoning & Language Understanding	MMLU	15,000 題包括基礎數學、計算機科學與法律等 57 個學科，衡量語言模型 <u>通識與問題解決</u> 能力。

Example

Microeconomics

One of the reasons that the government discourages and regulates monopolies is that

(A) producer surplus is lost and consumer surplus is gained.

(B) monopoly prices ensure productive efficiency but cost society allocative efficiency.

(C) monopoly firms do not engage in significant research and development.

(D) consumer surplus is lost with higher prices and lower levels of output.





		評估範例	說明
01	Reasoning & Language Understanding	MMLU	15,000 題包括基礎數學、計算機科學與法律等 57 個學科，衡量語言模型 <u>通識與問題解決</u> 能力。
02	Math	GSM8K	8,500 道需 2-8 步計算的小學數學題，用來測試模型的 <u>多步算術推理</u> 。
03	Coding	HumanEval	164 道 Python 題目評估 LLM 的 <u>程式碼理解與生成</u> 能力。

Example

```
def incr_list(l: list):  
    """Return list with elements incremented by 1.  
    >>> incr_list([1, 2, 3])  
    [2, 3, 4]  
    >>> incr_list([5, 3, 5, 2, 3, 3, 9, 0, 123])  
    [6, 4, 6, 3, 4, 4, 10, 1, 124]  
    """  
    return [i + 1 for i in l]
```



🔍 Huggingface – LLM Task Leaderboard

Model ▲	Overall ▲	Overall_style ▲	Hard Prompts ▲	Hard Prompts_style ▲	Coding ▲	Math ▲	Creative Writing	Instruction Following	Longer Query	Multi-Turn ▲
gemini-2.5-pro	1	1	1	1	1	1	1	1	1	1
gemini-2.5-pro-preview-05-06	2	2	2	2	2	2	2	1	1	2
chatgpt-4o-latest-20250326	3	3	3	2	2	8	3	3	2	1

🔍 Huggingface – LLM Language Leaderboard

Model ▲	English ▲	Chinese ▲	German ▲	French ▲	Spanish ▲	Russian ▲	Japanese ▲	Korean ▲
gemini-2.5-pro	1	1	1	1	1	1	1	1
gemini-2.5-pro-preview-05-06	2	2	1	1	1	2	2	1
chatgpt-4o-latest-20250326	3	2	2	1	1	2	2	2



Agenda

大型語言模型評估指標（開發前）

AI任務評估指標（開發中）

評估驅動開發



		指標	說明
01	文本分類	ACC, Precision, Recall, F1-score	傳統機器學習衡量指標，與語意、詞頻等等無關
02	語言模型 (Language modeling)	交叉熵, Perplexity(PPL),	交叉熵衡量的是 <u>模型預測機率分布與真實分布之間的差距</u> 。而 PPL 是交叉熵的指數形式。兩者越低越好
03	機器翻譯	BLEU, METEOR	BLEU 強調 n-gram 的 Precision 與長度懲罰，適合評估整體 <u>翻譯流暢度</u> ；METEOR 則結合詞幹、同義詞等語義比對，對 <u>語義一致性</u> 更敏感
04	摘要生成	ROUGE(ROUGE-N, L, W, S)	ROUGE 著重衡量生成文本 <u>是否涵蓋了參考摘要中的關鍵資訊</u> ，基於 n-gram 的 Recall，特別適用於評估內容涵蓋度為主的任務



說明

01 語意理解 vs. 字面重疊

傳統指標著重於 n-gram 重疊與字面相似，無法妥善評價語義；相比之下，LM-judge 具備語意理解與推理能力，提供更貼近人類判斷的評分結果。

02 與人類判斷的高相關度

多篇實驗／研究顯示，LLM-judge 與人類評價之間的皮爾森相關高達 0.7–0.8，顯著優於傳統指標（BLEU、ROUGE 的相關度只有 0.4–0.5）。

03 客製化評價維度

透過 prompt 設計，LLM 可以按「事實正確性、語調、風格、一致性」等多維度進行評分。可進行 Pairwise 比較，也可按打分 rubric 評分並回饋理由。

04 降低成本

相較人工貼標耗時耗力，LLM-judge 可做到自動化量產（成千上萬條），速度快、成本低。

指標 (Retrieve)

說明

範例

01 Context Precision

Context 中, 有多少比例是真正與問題相關。衡量是否 retrieve 到過多非必要 Context

Q: 艾菲爾鐵塔在哪裡?

✓ 高分召回: "艾菲爾鐵塔位於巴黎"

✗ 低分召回: "艾菲爾鐵塔位於巴黎", "倫敦的大笨鐘在英國"

02 Context Recall

Context 是否涵蓋了 ground_truth 中的所有必要訊息, 衡量是否遺漏關鍵內容。

Q: 艾菲爾鐵塔在哪裡? 於什麼時候完工?

✓ 高分召回: "艾菲爾鐵塔位於巴黎", "於1889年完工"

✗ 低分召回: "艾菲爾鐵塔位於巴黎",



指標	說明	範例
(Generate) 03 Faithfulness	評估 answer 中的每一項聲明是否可以從 contexts 中合理推論出來。評估模型的回答 <u>是否在事實上與檢索出的上下文一致</u> 。	Q：首屆超級盃於什麼時候舉行  高分：Context:1967年1月15日 Answer:"超級盃首次於1967年1月15日舉行"  低分：Context：1967年1月15日 Answer:"首次於1967年1月20日舉行"
04 Answer Relevancy	評估生成的回答是否完整且專注地回應了使用者的提問， <u>衡量回應是否包含冗餘資訊或偏離主題的內容</u> 。	Q：法國的首都是哪個城市？  高分回答："法國的首都是巴黎"  低分回答："法國的首都是巴黎，位於歐洲西部，文化豐富"

在評估 AI Agent 時，光靠單一指標往往難以掌握全貌，
因此通常會透過六個步驟，逐步建立完整的評估流程

Step 1: Building your Agent
建立 AI Agent

Step 2: Tracing your Agent
追蹤 Agent 運作歷程

Step 3: Adding Router & Skill Evaluations
導入 路由 與 技能評估




Step 4: Adding Trajectory Evaluations
導入歷程評估

Step 5: Adding Structure to your Evaluations
建立結構化評估流程

Step 6: Monitoring Agents
Agent 效能監測

Step 1: Building your Agent

建立 AI Agent



AI Agent 的三大組件：

1. User (使用者)

- 提出請求或問題，例如「幫我查最近的銷售趨勢」

2. Router (GPT-4o-mini / function calling)

- 這是 **Agent** 的大腦與決策中心，負責「路由選擇」
- 根據使用者輸入判斷應該呼叫哪個工具

3. Toolset (三種工具)

- **Look Up Sales Data Tool**: 查詢原始銷售數據
- **Data Analysis Tool**: 進行統計分析、找出趨勢或異常
- **Data Visualization Tool**: 將結果轉為易懂圖表

Step 2: Tracing your Agent

追蹤 Agent 運作歷程

```

agent (AgentRun)
├── chain (router_call)      ← 判斷使用哪個工具 ( Router )
│   └── llm (chat_completion) ← LLM 根據指令判斷路由方向
├── chain (handle_tool_calls) ← 開始處理工具邏輯
│   ├── tool (lookup_sales_data) ← 呼叫一個工具 (例如查詢銷售數據)
│   │   └── llm (chat_completion) ← 工具內部也有用到 LLM 推理
│   │       └── chain (execute_sql_query) ← 最後執行查詢 ( 可能是 SQL )
├── chain (router_call)      ← 第二次路由 ( 可能是因為多輪對話 )
└── llm (chat_completion)    ← 再次用 LLM 推論接續處理
    
```

工具與技術：

1. OpenAI Instrumentor

- 自動記錄 LLM 的輸入與輸出，產生類型為 LLM 的 span


2. 手動建立 spans

- 需自行為，Agent其他步驟設置 span，便於追蹤與除錯
- 常用 span 類型：
 - agent: 一次完整任務的處理流程
 - chain: 邏輯流程或內部路由
 - tool: 呼叫外部工具
 - LLM: 由 Instrumentor 自動建立

加入追蹤機制，可清楚看到 AI Agent 在執行任務時的每一個步驟，什麼時候呼叫 LLM、用了哪些工具、又是怎麼一步步做出決策的

Step 3: Adding Router & Skill Evaluations

導入路由與技能評估



AI Agent 如何根據使用者需求，選擇合適工具來處理資料，並用不同方法去「自動評估」每個步驟表現的流程圖


實例：AI 客服代理人系統

AI Agent 做完一件事情之後，我們要想辦法「評分」它做得好不好

這整段過程都 **被記錄成 trace**，包含：


- 使用者問了什麼
- Agent 決定用哪個工具
- 回覆的文字是什麼
- 工具輸出的 SQL 查了什麼東西

User:「我想退掉這件有瑕疵的商品，怎麼辦？」



實例：AI 客服代理人系統

AI Agent 做完一件事情之後，我們要想辦法「評分」它做得好不好




系統會把 trace **傳到平台上**，你可以：

- 打開 dashboard 查看這次對話的詳細流程
- 比對不同版本 Agent 的回應品質

實例：AI 客服代理人系統

AI Agent 做完一件事情之後，我們要想辦法「評分」它做得好不好



用不同方式來自動評估 Agent 的表現：

1. 透過 **LLM-as-a-Judge** 來判斷 Router 是否正確選了「退貨相關工具」，或查訂單時是否正確抓出 order_id
2. 透過**規則檢查**，驗證 SQL 查詢有沒有錯，回覆內容是否完整說明退貨流程


這些評估結果最後會寫入 Observability 平台，例如：

- ✓ Router 表現正確
- ✗ SQL 查詢欄位錯誤
- ⚠ 回覆有點模糊，建議補充退貨地址

Step 4: Adding Trajectory Evaluations

導入歷程評估

當問題以不同方式表達時，測試 Agent 是否仍能穩定推理、維持一致的解題邏輯與合理的處理路徑



-Example 1:「一張訂單平均有幾個商品？」


-Example 2:「平均每張訂單買幾樣東西？」

它會把每個問題的解題路徑長度記下來，算出平均值，來看看 Agent 面對不同問法時，推理流程是不是夠穩定、邏輯有沒有一致。

Step 5: Adding Structure to your Evaluations

建立結構化評估流程

讓兩個版本的 Agent 各自完成相同任務，並透過多維度評分，客觀比較表現差異



1. 任務一致: 同一組問題給 v1 / v2
2. 各自輸出: 兩版本分別生成回答
3. 交由評分: **由多個 Evaluator 打分**
4. 觀察差異: 從完成度、邏輯、語氣等面向比較
5. 量化結果: 找出表現更佳版本

Step 6: Monitoring Agents

Agent 效能監測

該監控什麼？

觀察 AI Agent 的工作表現：

- 輸入與輸出：用戶問什麼？回了什麼？有沒有錯？
- 中間流程：用了哪些工具？決策對不對？有沒有卡住？
- 效能與成本：處理時間多久？token 花多少？貴不貴？
- 錯誤與回饋：有沒有失敗？用戶滿不滿意？

該監控什麼 → 怎麼監控 → 怎麼用監控資料優化 agent

Step 6: Monitoring Agents

Agent 效能監測

怎麼監控？

就像裝監視器一樣，透過工具記錄 AI 的行為：

- Trace 記錄：保留每次的輸入、輸出與決策歷程
- 統計指標：計算成功率、回應時間、錯誤率等 metrics
- Dashboard 監看：可視化整體表現，快速發現問題
- 使用者回饋：收集用戶點評（例如 👍 / 👎）當真實指標

怎麼用監控資料優化？

- 錯誤多：重寫 Prompt、改流程
- 選錯工具：加規則、補範例
- 成本高：換模型、簡化任務
- 負評多：收案例、做 A/B 測試

該監控什麼 → 怎麼監控 → 怎麼用監控資料優化 agent

Agenda

大型語言模型評估指標（開發前）


AI任務評估指標（開發中）

評估驅動開發





Expectations While Building (Failed) AI Products



傳統 AI(確定性)

- 需要大量人工標註資料
- 開發週期長, 通常需數週到數月
- 需具備機器學習、程式設計等專業知識
- 更改任務需重新標註與訓練模型

LLM-based AI(機率性)

- 用自然語言描述任務即可, 無需標註
- 幾分鐘到幾小時就能開始試驗
- 只要會寫 prompt, 不需專業背景
- 改寫 prompt 即可快速嘗試新任務

持續評估、確保上線, 是「評估驅動開發」的核心精神。

範例:用 LLM 做書籍分類(有標準答案的 Dataset)

	title	description	category
0	絕對會 Python 用場! 驚人的程式妙用	✨ 想不到Python還可以這麼玩!? ✨\r\n\r\n✨ 用天馬行空的範例 讓你陷入Py...	程式語言
1	AI世代必備！Python x ChatGPT 高效率工作術：從網路爬蟲到辦公室自動化超實務	最全面的 ChatGPT x Python 應用手冊！\r\n\r\n\r\nAI...	程式語言
2	Python 風格徹底研究 超詳實、好理解的 Python 必學主題 (Dead Simpl...	多位Python官方社群的大神技術審校和推薦\r\n教你寫出Python風格的專業程式碼\r...	程式語言
3	Python 大數據專案 X 工程 X 產品 資料工程師的升級攻略 2/e	★★★★★ 獨家解析知名大數據專案，FinMind，帶你一窺大數據產品的發展過程，打造專屬個...	程式語言
4	AI 時代的管理數學：使用 R語言實作	如果你主要關注統計分析、數據可視化、線性代數、初等微積分，\r\n\r\n\r\n\r\n\r\n...	人工智慧
5	史上最強 Python 入門邁向頂尖高手之路王者歸來 3/e (全彩印刷)	天瓏購書獨家贈送習題解答\r\n\r\n\r\n史上最強\r\n\r\n\r\nPython入門\r\n\r\nr...	程式語言
6	AI世代：從政治哲學反思人工智慧的衝擊	人臉辨識、數位威權、同溫層效應.....\r\n科技是中立的嗎？\r\n科技真的能帶來更好的未來嗎...	人工智慧

逐筆用 Prompt 跑出 Predict 結果

You are tasked with categorizing a book based on its information. Your goal is to select the n
Here is the list of available categories to choose from:

<category>

程式語言, Data Science, 人工智慧, 分散式架構, 系統開發, 行動軟體開發, 資料庫, 資訊科學, 開發, 網站軟體, 網頁設計, Adobe 軟體應用, Office 系列, 遊戲開發設計, UI/UX, 雲端運算, 區坊類, 嵌入式系統, 視覺影音設計, 考試認證, 數學, 微軟技術, MAC OS 蘋果電腦, 其他, 兒童專區工類, 網路通訊, 量子電腦

</category>

書名: {title}

描述: {description}

計算兩個欄位一致的筆數

```
correct_predictions = (dataframe['category'] == dataframe['predict']).sum()
```

計算準確率

```
accuracy = correct_predictions / len(dataframe)
```


```
print(f"準確率: {accuracy:.2%}")
```

準確率: 42.42%

	title	description	category	predict
0	絕對會 Python 用場! 驚人的程式妙用	✨ 想不到Python還可以這麼玩!? ✨\r\n\r\n✨ 用天馬行空的範例 讓你陷入Py...	程式語言	程式語言
1	AI世代必備! Python x ChatGPT 高效率工作術: 從網路爬蟲到辦公室自動化超實務	最全面的 ChatGPT x Python 應用手冊!\r\n\r\n\r\n\r\nAI...	程式語言	程式語言
2	Python 風格徹底研究 超詳實、好理解的 Python 必學主題 (Dead Simpl...	多位Python官方社群的大神技術審校和推薦\r\n教你寫出Python風格的專業程式碼\r...	程式語言	程式語言
3	Python 大數據專案 X 工程 X 產品 資料工程師的升級攻略 2/e	★☆☆☆☆ 獨家解析知名大數據專案, FinMind, 帶你一窺大數據產品的發展過程, 打造專屬個...	程式語言	Data Science
4	AI 時代的管理數學: 使用 R語言實作	如果你主要關注統計分析、數據可視化、線性代數、初等微積分, \r\n\r\n\r\n\r\n\r\n\r\n...	人工智慧	數學
5	史上最強 Python 入門邁向頂尖高手之路王者歸來 3/e (全彩印刷)	天瓏購書獨家贈送習題解答\r\n\r\n\r\n\r\n史上最強\r\n\r\n\r\nPython入門\r\n\r\n\r...	程式語言	程式語言
6	AI世代: 從政治哲學反思人工智慧的衝擊	人臉辨識、數位威權、同溫層效應.....\r\n科技是中立的嗎?\r\n科技真的能帶來更好的未來嗎...	人工智慧	人工智慧

AI 評估流程

- **Datasets**: 包含測試輸入 (inputs) 與對應的參考輸出 (reference outputs)
- **Application**: 實際執行模型, 產生 Outputs
- **Evaluators**: 負責針對模型輸出進行評分的函數
- **Experiment Results**: 將評估結果統整成一份完整的結果集



比較不同 Prompt 與模型版本, 以評估其在準確率、成本



等級	傳統軟體(確定性)開發	LLM-based AI(機率性)開發
Level 0	寫 code 不測試	寫 prompt 不評估
Level 1	寫完程式會試跑看看	寫 prompt 後, Playground 跑一下看看 LGTM
Level 2	有測試計畫、進行人工測試	有範例問題、進行人工評估
Level 3	自動化測試(如 Unit Test)	自動化評估(用 LLM 自評, 如 LLM-as-a-judge)
Level 4	TDD: 測試先行, 測完再寫程式	自動最佳化 Prompt 與評估方法

Level 0 外行

只寫 code / prompt, 不測試、不評估。



Level 1 入門

類型

驗證方式

傳統軟體(確定性)開發

寫完 code「能不能跑」、「有沒有錯」, 看輸出對不對

LLM-based AI(機率性)開發

寫完 prompt「有沒有出正確答案」, 幾筆資料看起來 OK 就結束 (LGTM)

```
>>> def sum(a,b):  
...     return a+b  
...  
>>>  
>>>  
>>> sum(10,20)  
30
```

SYSTEM

請分類以下問題是否為投資主題，請回覆Y/N

USER


Nvidia 今年的表現如何？

ASSISTANT

Y



Level 2 專業 - Prompt 迭代流程三階段




- 從零撰寫、翻譯或自動產生 prompt
- 屬於早期探索階段，內容粗略

- 使用自動工具與人工回饋評估回應品質
- 不斷修正、測試 prompt 表現
- 此階段最關鍵，決定最終品質高低

- 進行修辭、邏輯與上下文的精修
- 使 prompt 達到可用、穩定的標準
- 最後確認並定稿

Level 2 專業 - Prompt 實際開發步驟





Level 2 專業



You

幫我寫一個 測試驅動開發 在AI的範疇內 的設計框架，幫助未來開發prompt的成效評估

2025-07-14 09:33:46



```
# Role
TDD-Prompt-Designer

## Profile
- author: Meta Prompt
- version: 0.1
- description: A TDD framework for AI prompt design and optimization

## Attention
Think rigorously with a TDD mindset: define verifiable test cases 'before' writing or refining prompts, ensuring each step has clear acceptance criteria.
This helps the model designer create effective, controllable, and maintainable prompts.

## Background
In the AI domain (especially generative AI), prompt design directly affects output quality. Currently, prompt design often relies on experience and trial-and-error, lacking a systematic verification process.
Introducing TDD thinking enables developers to clearly define what "success" looks like, iterate quickly, and validate improvements, enhancing the effectiveness and maintainability of prompt design.

## Constraints
- Every prompt change must pass its corresponding test case before being considered successful.
- Test cases must be repeatable and measurable, avoiding vague or subjective standards.
- Clearly distinguish between 'expected output' and 'actual output', and log differences for iterative improvement.

## Definition
- **TDD (Test-Driven Development)**: A software development methodology where you write tests first, then implement functionality until tests pass.
- **Prompt**: The input instruction provided to a generative AI to guide it toward producing the desired output.
- **Acceptance Criteria**: Clearly defined conditions that determine whether an output is "successful," which can be checked automatically via test code or rules.

## Examples
- Test Case:
  'Input': "Summarize this article in 3 sentences."
  'Expected Output': "The main point of the article is ..., then ..., finally ..."
  'Actual Output': "The main point of the article is ..., then ..., finally ..." ☒ Test passed

- Iterating the Prompt:
  Original Prompt: "Summarize the article."
  Failure Reason: Output too long, unstructured
  New Prompt: "Summarize the main points of the article in 3 sentences."
  Test: ☒ Passed

## Goals
- Introduce TDD workflow into AI prompt design to improve development efficiency and maintainability.
- Reduce randomness and trial-and-error costs in prompt design.
- Build a reusable test case library to support continuous improvement.

## Skills
- Ability to define verifiable output standards.
- Ability to write precise, repeatable test cases.
- Skill at observing output discrepancies, analyzing causes, and iterating designs.

## Tone
- Professional
- Precise
- Systematic
- Actionable

## Value
- The value lies in raising the engineering level of prompt design, making AI output quality controllable, testable, and continuously improvable.

## Workflow
- Step 1: Define the requirement and expected output
- Step 2: Write test cases describing input, expected output, and acceptance criteria
- Step 3: Draft an initial prompt and submit it to the model for testing
- Step 4: Compare actual output with expected output, and log results
- Step 5: Iterate the prompt based on failed test cases
```

Level 2 專業

讓 AI 合成測試資料

例如我想做一個分類檢查用戶的問題是否是股票投資相關問題

- 30 題範例問題: 是股票投資問題 ➡ AI 應回答 Y
- 40 題範例問題: 是投資相關問題, 但不是股票 ➡ AI 回答 F
- 30 題範例問題: 不是投資問題 ➡ AI 回答 N



Level 2 專業

針對特定公司股票或是特定產業，產生假設性的五個問題，一行一題，無需編號，直接輸出問題。無需輸入公司名稱，題目內請隨機指名是哪一家台灣公司或產業，輸出要求繁體中文

這些問題，答案應是 Y

1. 台積電在全球半導體市場的地位如何影響其未來五年的財務表現？
2. 聯發科技如何應對來自韓國及美國競爭對手的挑戰？
3. 近期疫情對台灣旅遊業的影響有多大，該行業何時能夠全面復甦？
4. 宏碁如何透過創新來增加其在國際市場上的競爭力？
5. 台灣鋼鐵業在綠色能源趨勢下正面臨哪些機遇和挑戰？
6. 國泰金控的投資多樣化策略是否有效降低了市場波動的風險？
7. 在電動車快速增長的背景下，鴻海科技如何調整其供應鏈策略？
8. 台灣風力發電產業的政策支持如何促進這個行業的增長？
9. 統一企業的產品多元化策略如何影響其在東南亞市場的擴展？
10. 台灣生技業未來五年內可能會面對哪些新的監管挑戰？



Level 2 專業

你是一位投資人，請產生假設性的問題

1. 跟個人理財、投資、共同基金、債券、總經、個經、財務等相關的十個問題，但注意不提到特定公司股票或是特定產業的投資問題
2. 一行一題，無需編號，直接輸出問題，無需用戶任何輸入
3. prompt 用英文，但輸出的問題使用繁體中文，台灣人的語氣

這些問題，答案應是 F

1. 如何有效地管理個人的理財風險？
2. 在目前的經濟環境下，是否應該增加債券的投資比例？
3. 台灣的利率變化會對家庭財務計畫有什麼影響？
4. 什麼樣的資產配置最適合長期退休規劃？
5. 對抗通貨膨脹，哪種投資工具比較有效？
6. 投資指數基金和主動型基金有何不同？
7. 如何選擇適合自己的共同基金？
8. 小資族如何開始投資，累積第一桶金？
9. 什麼是資產多樣化，如何影響投資回報？
10. 當利率上升時，會對債券價格產生怎樣的影響？



Level 2 專業


你是一位不專業的投資人，請產生假設性的問題

1. 跟投資、理財、共同基金、政治、經濟等等都無關的閒聊話題
2. 一行一題，無需編號，直接輸出問題，無需用戶任何輸入
3. prompt 用英文，但輸出的問題使用繁體中文，台灣人的語氣

這些問題，答案應是 N

1. 你最喜歡的小吃是什麼？
2. 最近有看什麼好看的電視劇嗎？
3. 平常有什麼愛好或興趣嗎？
4. 你覺得台北市最好玩的景點是哪裡？
5. 最近有沒有去什麼值得推薦的餐廳？
6. 週末的時候通常會去哪裡放鬆？
7. 你最喜歡的音樂類型或歌手是什麼？
8. 有沒有哪部電影是你看了很多次還想再看的？
9. 你常去的夜市是哪個？有什麼必吃的小攤？
10. 你比較喜歡海邊還是山上？為什麼？

Level 2 專業





Level 3 自動化

類型	特點	常見應用	評估方法
有標準答案	可寫 code 打分數 比對答案是否正確	多選題、分類、關鍵字 匹配	LangSmith、 LangFuse、Braintrust
沒有標準答案	任務主觀，適合讓 LLM 作為評審	摘要、翻譯、生成式任 務	G-Eval
有參考資料或參考答案	可比對參考知識/答案的涵蓋度	RAG、文件問答	RAG Triad、Ragas Eval

Level 3 自動化 - 評估方法舉例, 有標準答案

完全符合得 1, 完全不符合得 0

```
def exact_match(input, expected, output):  
    if output == expected:  
        return 1  
    else:  
        return 0
```

可自訂評估算分方式

```
def fuzzy_match(input, expected, output):  
    if output == "Y" and expected == "Y":  
        return 1  
    elif (output == "N" or output == "F") and (expected == "N" or expected == "F"):  
        return 1  
    else:  
        return 0
```

Level 3 自動化 - 有標準答案


```
def simple_classify_question(query, model="gpt-4o-mini-2024-07-18"):
    result = client.chat.completions.create(
        model=model,
        messages=[
            {"role": "system", "content": """"你是一個投資助理，任務是分類用戶的問題是否和投資特定的公司股票、或是產業有關。
Y: 和特定股票、特定產業有關
F: 和投資、財經、經濟有關，但不是針對特定的股票或產業
N: 和上述話題都無關的問題

請直接輸出 Y, F, N 其中一個字母"""}],
            {"role": "user", "content": query}
        ]
    )
    return result.choices[0].message.content
```

```
import braintrust
from braintrust import Eval

Eval(
    "Eval-example-project",
    experiment_name="問題分類-中文-gpt-4o-mini",
    data=dataset,
    task=lambda input: simple_classify_question(input, "gpt-4o-mini"),
    scores=[exact_match, fuzzy_match]
)
```

Level 3 自動化 - 有標準答案



Level 3 自動化 - 有標準答案

```
def classify_question(query, model="gpt-4o-mini-2024-07-18"):
    result = client.chat.completions.create(
        model=model,
        messages=[
            {"role": "system", "content": """"You are an investment assistant. Your task is to
classify user questions based on whether they are related to investing in specific company stocks or
industries.

Here are the classification criteria:
Y: Related to specific stocks or specific industries
F: Related to investment, finance, or economics, but not specific to particular stocks or industries
N: Not related to any of the above topics

Based on the criteria provided, classify the question by outputting a single letter: Y, F, or N.""""},
            {"role": "user", "content": query}
        ],
    )
    return result.choices[0].message.content
```

```
import braintrust
from braintrust import Eval

Eval(
    "Eval-example-project",
    experiment_name="問題分類-英文-gpt-4o-mini",
    data=dataset,
    task=lambda input: classify_question(input, "gpt-4o-mini"),
    scores=[exact_match, fuzzy_match]
)
```


Level 3 自動化 - 有標準答案

```
def cot_classify_question(query, model="gpt-4o-mini-2024-07-18"):
    result = client.beta.chat.completions.parse(
        model=model,
        messages=[
            {"role": "system", "content": """"You are an investment assistant. Your task is to classify whether the user's question is related to investing in specific c
stocks or industries.

Analyze the question carefully. Consider whether it is:
Y: Related to specific stocks or industries
F: Related to investment, finance, or economics, but not specific to any stock or industry
N: Not related to any of the above topics

First, think through your reasoning process. Then, classify the question as Y, F, or N.

Output your reasoning and answer in JSON format. The "reasoning" field should contain your thought process, and the "answer" field should contain a single letter: Y, F,
Here are examples of the correct output format:

For a question about a specific company:
{"reasoning": "The question asks about Taiwan Semiconductor Manufacturing Company (TSMC), which is a specific company.", "answer": "Y"}

For a question about general economic trends:
{"reasoning": "The question is about inflation rates, which is related to economics but not specific to any stock or industry.", "answer": "F"}

For an unrelated question:
{"reasoning": "The question is about cooking recipes, which is not related to investing, finance, or economics.", "answer": "N"}

Provide your response in this JSON format, ensuring that the "reasoning" field explains your thought process and the "answer" field contains only Y, F, or N.
"""}],
        {"role": "user", "content": query}
    ],
    response_format={ "type": "json_object" },
    )
    data = json.loads(result.choices[0].message.content)
    return data["answer"]
```

```
import braintrust
from braintrust import Eval

Eval(
    "Eval-example-project",
    experiment_name="問題分類-英文COT-gpt-4o-mini",
    data=dataset,
    task=lambda input: classify_question(input, "gpt-4o-mini"),
    scores=[exact_match, fuzzy_match]
)
```


Level 3 自動化 - 有標準答案

≡ Name	% exact_m...	% fuzzy_m...	🕒 Duratio...	🕒 LLM duration (avg)	📊 Prompt tokens (a...	📊 Completion tokens (a...
問題分類 - 英文CoT prompt-gpt-4...	95.00%	95.00%	2.9s	1.2s	340.93	45.25
問題分類 - 英文prompt-gpt-4-mini	95.00%	95.00%	1.3s	0.6s	126.92	1.00
問題分類 - 中文prompt-gpt-4-mini	87.50%	87.50%	1.4s	0.6s	130.93	1.00

Level 3 自動化 - 沒有標準答案

評估 prompt 的基本結構

```
You are an expert judge evaluating the {任務場景說明}.  
Your task is to evaluate a given answer and question using the criteria provided below.
```

```
Evaluation Criteria (Additive Score, 0-5):
```

```
{條列你的評估標準}
```

```
Output JSON format:
```

```
{{  
  "reasoning": "a explanation of your evaluation"  
  "score": "integer"  
}}
```

```
Now, please evaluate the following:
```

```
Question:  
{question}
```

```
Answer:  
{answer}
```

Level 3 自動化 - 沒有標準答案

Query Rewrite (HyDE)

將□□問題，轉成假設性的答案。□這個答案去檢索向量資料庫，□的是找出最相 似的內容

- 輸入: 你有沒有聽說中華電信最近要推出什麼新服務，這會不會影響他們的股票啊？
- 輸出: 中華電信 (Chunghwa Telecom, CHT) 即將推出一項名為「5G無限視界」的新服務，這是一個針對高端市場設計的5G商業平台，將提供更快的數據速度和更穩定的連接性，並附帶額外的增值服務，如雲端儲存和數據分析工具。
根據我們對市場的分析，該服務的推出預計將在短期內驅動中華電信的用戶增長，特別是在企業市場和科技行業。目前，中華電信的市場份額大約是48%，而隨著新服務的推出，其用戶基數預計在接下來的季度中增長約10%，這會可能對其營收和利潤率產生積極影響。
此外，隨著5G基礎設施的持續擴建和用戶接受度的提高，中華電信的股票在未來幾個月內有可能會面臨上行壓力。根據我們的模型預測，其股價在新服務推出之後，有機會上漲約8%至10%。
總體而言，市場對中華電信的這一新服務反應強勁，這可能使公司在不斷競爭的電信市場中更具優勢，從而影響其股票表現。然而，建議投資者仍需謹慎考量市場整體趨勢及其他外部因素。

Level 3 自動化 - 沒有標準答案

1. 先做問題合成, 這是任務描述

你是不專業的投資股民，請針對特定公司股票或是特定產業，產生假設性的10個問題，一行一題，無需編號，直接輸出問題。無需輸入公司名稱，題目內請隨機指名是哪一家台灣公司或產業，輸出要求繁體中文

問題是台灣人隨性聊天的語氣，請夾雜一些聊天的語助詞，例如 我剛剛買了什麼股票，想請問今天某某，或是最近聽說什麼，所以想問什麼，閒扯一堆八卦在問投資問題等

注意，問題中必須包含特定的台灣上市公司名稱，或是特定某一個產業
請用英文 prompt，輸出的問題則用台灣繁體中文

Level 3 自動化 - 沒有標準答案

合成問題的 prompt

"You are tasked with generating {INVEST_QUESTIONS_NUM} hypothetical questions that an amateur Taiwanese investor might ask about a specific company's stock or a particular industry. Your goal is to create questions that sound casual and conversational, as if they were asked during an informal chat among friends.

Guidelines for generating questions:

- Use a casual, conversational tone typical of Taiwanese people chatting
- Include chat particles and filler words common in spoken Mandarin
- Mix investment-related questions with gossip or personal anecdotes
- Randomly mention specific Taiwanese companies or industries in the questions
- Ensure questions are related to stocks, investments, or market trends

Output format:

- Generate {INVEST_QUESTIONS_NUM} questions in Traditional Chinese
- Each question should be on a separate line
- Do not number the questions
- Output the questions directly without any additional text

Examples of question styles (do not use these exact questions, create new ones):

- 欸，我剛剛買了台積電的股票，你覺得他們最近在搞什麼花樣啊？
- 聽說聯發科最近在忙新的5G晶片，這對他們的股價會有啥影響嗎？
- 我同事一直在推薦我買鴻海欸，你覺得現在是好時機嗎？

Remember to include specific names of Taiwanese listed companies or particular industries in your questions. Use the company or industry provided above as a starting point, but feel free to mention other related companies or industries as well.



Level 3 自動化 - 沒有標準答案

產生一堆 query

- 中鋼最近很熱門欸，你有沒有買他們的股票啊？
- 聽說長榮的股東會下星期開，你覺得他們會宣布什麼新計畫嗎？
- 我老婆一直在看東森購物，會不會讓我投資東森的股票？
- 欸，你覺得聯詠的面板驅動IC市場怎麼樣，會不會有機會大爆發？
- 那個，台達電一直在搞電動車的事，你覺得他未來能不能變車廠？
- 我朋友說他爸媽在台塑工作，會不會只有在裡面工作的人才買台塑的股票啊？
- 華碩最近有新手機出來欸，這會讓他們股價飆起來嗎？
- 聽說遠東新在綠能方面投資很大，你有沒有覺得他們會變成環保股？
- 那個，我媽常去全聯買菜，你覺得這種超市股平常有沒有賺頭？
- 欸，裕隆汽車之前推出的那款車賣得怎麼樣，會不會影響他們的股價啊？

Level 3 自動化 - 沒有標準答案

2. HyDE 的初始任務描述

- 你是一位假裝的專業的投資分析師，請根據用戶的問題，假設性的回答一段專業內容，這段內容會被用來語意檢索類似的回答

用 metaprompt 做出來的 HyDE Prompt

You are a pretend professional investment analyst. Your task is to provide a fictional yet convincing professional response to a user's investment-related question. This response will be used for semantic retrieval of similar answers, so it's important to maintain a consistent and professional tone.

Guidelines for generating your response:

1. Use professional financial terminology and jargon where appropriate.
2. Provide a detailed and well-structured answer.
3. Include fictional data, statistics, or market trends to support your analysis.
4. Mention imaginary companies, funds, or financial instruments if relevant.
5. Avoid making actual investment recommendations or providing real financial advice.
6. Keep the response between 150-300 words.

Please provide your fictional professional analysis in response to this question.

Remember to stay in character as a knowledgeable investment analyst throughout your response. Your goal is to sound convincing and professional, even though the content is fictional.



Level 3 自動化 - 沒有標準答案

3. 評估的初始任務描述

你是一個投資評審

第一句是用戶原本問題

第二句是改寫精煉豐富之後的版本，將用於語意檢索

請分析第二句是否滿足以下條件：

1. 完全符合第一句的需求和目的
2. 適當擴充關鍵字，更豐富
3. (請寫更多評分標準)

若完全符合，請回傳 2 分

若部分符合，請回傳 1 分

若不完全符合，請回傳 0 分

請回傳 json 格式，例如：

```
{ "reasoning": "thinking", "score": 3 }
```


Level 3 自動化 - 沒有標準答案

用 metaprompt 做出來的評估 Prompt

You are an investment review expert tasked with evaluating the quality of question refinement. You will be presented with an original question and a refined version of that question. Your job is to analyze the refined question based on specific criteria and assign a score.

Here is the original question:

```
<original_question>
{input}
</original_question>
```

And here is the refined version:

```
<refined_question>
{output}
</refined_question>
```

Please analyze the refined question based on the following criteria:

1. Complete alignment with the original question's requirements and purpose
2. Appropriate expansion of keywords, making the question richer
3. Improved clarity and specificity compared to the original question
4. Retention of the core intent of the original question
5. Elimination of any ambiguity present in the original question
6. Addition of relevant context that might aid in answering the question
7. Use of proper terminology related to the subject matter
8. Maintenance of a neutral tone, avoiding bias or leading language

After your analysis, assign a score as follows:

- If the refined question fully meets all criteria, assign 2 points
- If the refined question partially meets the criteria, assign 1 point
- If the refined question fails to meet most or all criteria, assign 0 points

Provide your reasoning for the score, detailing how well the refined question meets each criterion. Then, output your final assessment in JSON format.

Here's an example of the expected output format:

```
<score>
{"reasoning": "The refined question largely aligns with the original intent but lacks some specificity in key areas.", "score": 1}
</score>
```

Level 3 自動化 - 沒有標準答案

分別用 gpt-4o-mini 跟 gpt-4o 評估看看

☐	≡ Name	% Rewrite...	% exact_m...	% fuzzy_m...	🕒 Duratio...	🕒 LLM duration (avg)	📊 Prompt tokens (a...	📊 Completion tokens (a...
☐	問題改寫HyDE-gpt-4o-mini-ff58...	78.00%	—	—	4.6s	6.5s	1046.40	731.40
☐	問題改寫HyDE-gpt-4o-f57ee581	84.00%	—	—	6s	7.1s	1089.00	775.30



Level 3 自動化 - LLM 評估工具需具備之功能

1. Trace UI 視覺化

圖像化呈現每次 LLM 呼叫的流程：**輸入、輸出、耗時、token 數**等(如 LangSmith)

2. Dataset 管理

建立與**管理測試資料**(如 prompt-預期答案配對)，用於評估與版本比較

3. 收集和比較評估實驗結果

支援對不同模型或 prompt 進行測試與比較，分析表現差異

4. 內建評分指標

提供**自動化評估方式**，如 Accuracy、BLEU/ROUGE、自然與一致性等 LLM-based 指標

5. 線上監控與 log 轉 dataset

可監控真實用戶互動，自動記錄為 log，並轉為測試資料集供後續評估使用

6. 人工標註介面

提供 UI 給人類標註者，手動評估模型輸出品質、指出需改進處

Level 4 神乎其技

方法	描述
GPT Prompt Engineer	自動生成多種變形 Prompt, 進行評估選擇最優解
DSPy	用類似函式寫法定義任務流程, 自動訓練出最佳 prompt + few-shot 組合
Textgrad	PyTorch 風格, 自訂 loss function 進行文字反饋優化
Cohere Prompt Tuner	提供任務與評分標準, 自動合成 prompt 並不斷微調, 達到對齊標準答案

GPT Prompt Engineer

動產 多種 prompt 變形, 跑動化評估挑結果最好的

<https://github.com/mshumer/gpt-prompt-engineer>

```
system_gen_system_prompt = """Your job is to generate system prompts for GPT-4, given a description of the use-case. The prompts you will be generating will be for freeform tasks, such as generating a landing page headline, an intro paragraph, or a short story. In your generated prompt, you should describe how the AI should behave in plain English. Include what it will see and what it will do. You will be graded based on the performance of your prompt... but don't cheat! You cannot include specifics about the task. Most importantly, output NOTHING but the prompt. Do not include anything else in your message."""
```

```
ranking_system_prompt = """Your job is to rank the quality of two outputs generated by different prompts. The prompts will be provided with the task description, the test prompt, and two generations - one for each system prompt. Rank the generations in order of quality. If Generation A is better, respond with 'A'. If Generation B is better, respond with 'B'. Remember, to be considered 'better', a generation must not just be good, it must be noticeably superior to the other. Also, keep in mind that you are a very harsh critic. Only rank a generation as better if it truly impresses you more. Respond with your ranking, and nothing else. Be fair and unbiased in your judgement."""
```

```
+ 程式碼 + 文字

1 description = """
2 你是一個古典音樂導聆專家, 擅長曲目介紹, 熟習作曲家和音樂家, 以及各種錄音版本。
3
4 * 當問及作曲家時, 請推薦最著名、最常被演奏的曲目
5 * 當問及曲目時, 請介紹特色, 並推薦著名的演奏家以及錄音版本
6 * 當問及全集時 (例如交響曲、協奏曲、四重奏、奏鳴曲), 請推薦聆聽的順序, 由簡單到困難。
7 * 當問及樂章時, 請導聆每個樂章的特色
8 * 當上傳一張 CD 封面照片時, 請辨識和條列每一首曲目, 中文和 (英文) 並列, 每一首加上一句簡短描述
9
10 請用繁體中文回答, 名稱請同時用中文和括號 (英文) 來回答:
11 """
12
13 test_cases = [
14     {
15         'prompt': '請推薦貝多芬交響曲的聆聽順序',
16     },
17     {
18         'prompt': '請比較馬勒的交響曲錄音版本',
19     },
20     {
21         'prompt': '請推薦弦樂四重奏的入門曲目',
22     }
23 ]
24
25 if use_wandb:
26     wandb.config.update({"description": description,
27                          "test_cases": test_cases})

[ ] 1 generate_optimal_prompt(description, test_cases, NUMBER_OF_PROMPTS, use_wandb)

1%|██████████| 2/135 [00:02<03:06, 1.40s/it]Waiting for the next iteration...

- When asked about a composer, recommend the most famous and frequently performed
- When asked about a piece, describe its features, and recommend famous recordings
- When asked about complete works (such as symphonies, concertos, quartets), recommend the best recordings
- When asked about a movement, guide through the features of each movement
- When a CD cover photo is uploaded, identify and list each track, with a brief description

Please respond in traditional Chinese, and use both Chinese and (English) names.

2%|██████████| 3/135 [00:05<03:58, 1.81s/it]Dr
3%|██████████| 4/135 [00:08<05:05, 2.33s/it]Waiting for the next iteration...

- When asked about a composer, recommend the most famous and frequently performed
- When asked about a piece, describe its features, and recommend famous recordings
- When asked about complete works (such as symphonies, concertos, quartets), recommend the best recordings
- When asked about a movement, guide through the features of each movement
- When a CD cover photo is uploaded, identify and list each track, with a brief description

Please respond in traditional Chinese, and use both Chinese and (English) names.

4%|██████████| 5/135 [00:11<05:27, 2.52s/it]Dr
4%|██████████| 6/135 [00:13<05:30, 2.56s/it]Dr
5%|██████████| 7/135 [00:16<05:42, 2.68s/it]Waiting for the next iteration...
```

DSPy

透過寫 pipeline 程式，來最佳化 few-shot examples 和 prompt 的框架

<https://dspy-docs.vercel.app/>



Programming—not prompting—Language Models

Get Started with DSPy

DSPy - code 範例

```
few_shot_examples = [
    dspy.Example({'question': '台積電近期的資本支出對其未來幾年的成長有何影響?', 'answer':
'Y'}),
    ...這邊放訓練的 dataset...
]

class QuestionLabel(dspy.Signature):
    """這邊放初始 Prompt"""
    question = dspy.InputField(desc="Question to be analyzed")
    answer = dspy.OutputField(desc="Answer Label for Y,N,F")

class QuestionClassification(dspy.Module):
    def __init__(self):
        super().__init__()
        self.classifier = dspy.Predict(QuestionLabel)

    def forward(self, question: str):
        return self.classifier(question=question)

teleprompter = MIPROv2(prompt_model=llm, task_model=llm4o, metric=answer_exact_match,
num_candidates=10, init_temperature=1, verbose=True)

eval_kwargs = dict(num_threads=16, display_progress=True, display_table=0)
batches = 30

compiled_program = teleprompter.compile(QuestionClassification(), trainset=trainset,
valset=valset, num_batches=batches,
max_bootstrapped_demos=1,max_labeled_demos=2, eval_kwargs=eval_kwargs,
requires_permission_to_run=False)
```


DSPy - 成果範例

You are an investment question classification specialist tasked with categorizing user queries based on their relevance to investment topics. Your classification should focus on identifying whether the question pertains to specific company stocks, particular industries, general finance, or is completely unrelated to investment.

Please analyze the question with particular attention to the following distinctions:

- Label as 'Y' for questions that explicitly mention specific company names or stock symbols, or relate to particular industries or sectors.
- Label as 'F' for questions that are about finance, economics, or macroeconomic topics but do not specify particular companies or industries.
- Label as 'N' for questions that bear no relation to investment or finance at all.

In your analysis, consider these key points:

- Look for explicit references to company names or stock symbols within the question.
- Identify mentions of specific industries or sectors.
- Assess whether the query involves general finance or economic themes without specificity to companies or industries.
- Determine if the question is completely off-topic concerning finance or investment.

Your output should be strictly confined to the labels 'Y', 'F', or 'N' based on your reasoning—nothing more.

Follow the following format.

Question: Question to be analyzed

Answer: Answer Label for Y,N,F

Question: 全球貨幣政策的變動如何影響股市波動？

Answer: F

Question: 華碩在新興市場的策略擴張計劃如何影響其股價走勢？

Answer: Y

Question: 量化寬鬆政策如何改變債券市場的風險收益關係？

Answer: F


Question: {query}

Answer:

Textgrad

TextGrad 設計類似 PyTorch 概念的 API, 使用者可自定義自己的損失函數並使用文本反饋進行最佳化

<https://textgrad.com/>



Textgrad - code 範例

```
dataset = [
    {'input': '台積電近期的資本支出對其未來幾年的成長有何影響?', 'expected': 'Y'},
    ....
]

system_prompt = tg.Variable("""放初始 Prompt""",
                             requires_grad=True,
                             role_description="system prompt to guide the LLM's classification
for accurate label")

model = tg.BlackboxLLM(llm_engine, system_prompt=system_prompt)
optimizer = tg.TGD(parameters=list(model.parameters()))

eval_fn = StringBasedFunction(string_based_equality_fn, function_purpose=fn_purpose)

for data in dataset:
    question = tg.Variable(data["input"], role_description="question to the LLM",
                           requires_grad=False)
    answer = tg.Variable(str(data["expected"]), role_description="label to the question",
                        requires_grad=False)

    optimizer.zero_grad()
    prediction = model(question)
    loss = eval_fn(inputs=dict(prediction=prediction, ground_truth_answer=answer))
    loss.backward() # 計算新的梯度
    optimizer.step() # 梯度更新參數
```


Textgrad - 成果範例

You are an investment question classification expert. Your task is to determine whether a user's question is about specific company stocks, particular industries, or general finance and economics. Handle questions in multiple languages and ensure you understand the nuances and context of questions in different languages to accurately classify them.

Investment questions are those that pertain to financial markets, investment strategies, company performance, or economic indicators.

Analyze the question based on the following criteria:

- Y: Questions about specific company stocks or particular industries. For example, "What is the future of Apple Inc.?" or "How is the tech industry performing?" If a question implies a company's involvement in a sector without explicitly naming it, consider it as 'Y'. Questions about a company's strategy, market position, or business operations should also be classified as 'Y' if they are related to specific companies or industries. Always consider the broader economic and regulatory environment and recent news events when classifying questions to ensure accuracy.
- F: Questions related to finance, economics, or macroeconomics, excluding those about specific company stocks or industries. For example, "What are the current trends in global finance?" or "How does inflation impact the economy?"
- N: Questions unrelated to investment or finance. For example, "What is the weather like today?" or "How do I bake a cake?" Questions about broader societal impacts, such as education or health, should be classified as 'N' unless they directly relate to investment or finance. For example, "What is the impact of the pandemic on global education systems?" should be classified as 'N'. Questions about societal trends, like urbanization, should be classified as 'N' unless they explicitly mention financial or investment implications.

Examples in multiple languages:

- Y: "¿Cuál es el futuro de Apple Inc.?" or "Comment se porte l'industrie technologique?" or "華碩在新興市場的策略擴張計劃如何影響其股價走勢?" or "How do new environmental regulations affect the automotive industry?"
- F: "¿Cuáles son las tendencias actuales en las finanzas globales?" or "Comment l'inflation impacte-t-elle l'économie?"
- N: "¿Cómo está el clima hoy?" or "Comment faire un gâteau?" or "Quel est l'impact de la pandémie sur les systèmes éducatifs mondiaux?" or "城市化的趨勢如何改變住宅市場的需求?"

First, carefully analyze the question and provide your reasoning. Consider the following:

- Does the question mention any specific company names, stock symbols, or tickers?
- Does it refer to any particular industries or sectors?
- Is it about general finance, economics, or macroeconomic topics?
- Is it completely unrelated to investment or finance?

Classify questions based on the presence of specific company names, stock symbols, or industry references. If a question is about general finance or economics, classify it as 'F'. If unrelated to investment or finance, classify it as 'N'. If a question mentions a company in a general context without specific stock or industry details, classify it as 'F'. If the question contains irrelevant information or noise, focus on the core content to determine the classification.

Re-check the criteria after making an initial classification to confirm the accuracy of the label. Avoid common pitfalls such as misclassifying general finance questions as specific company questions. If a question mentions multiple companies or industries, classify it based on the primary focus of the question. Provide a confidence score along with your classification to handle ambiguous inputs and guide further review. If the confidence score is below a certain threshold, flag the question for human review.

Ensure that similar questions are consistently classified the same way. Maintain a log of past classifications and compare new inputs against this log to ensure uniformity. If in doubt, refer to the primary focus of the question. After making an initial classification, re-check similar past questions to ensure consistency. Be aware of edge cases where the question might be ambiguous or contain mixed content. Prioritize the most specific classification. Consider how the model should handle questions with mixed or ambiguous content, and test against potential edge cases. Regularly test the model with slightly altered inputs to ensure it can handle edge cases and adversarial scenarios.

Include a brief rationale for your classification to ensure transparency. Utilize attention mechanisms or other interpretability tools to explain why a particular classification was made.

Ensure that the training data includes high-quality examples where 'Y' is the correct response, to reduce biases and errors. Incorporate a wide range of examples in multiple languages to improve the model's ability to generalize.

Encourage users to provide feedback on the accuracy of the model's responses, and use this feedback to continuously fine-tune the model.

Just return only 'Y' or 'F' or 'N'. If a question is ambiguous, ask a clarifying question before making a classification. For instance, "Are you asking about the impact on a specific company or industry?" Cross-check your response against known facts or rules to validate accuracy. Log user feedback and adjust future responses accordingly. Consider the temporal context of the question, such as recent news events or economic conditions, which might influence the classification. Train the model on adversarial examples to improve robustness and handle edge cases effectively. Periodically review and update the model's architecture to ensure efficiency as the dataset grows.

Enhance contextual clarity by considering the economic environment, recent news events, and the specific context in which a question is asked. Recognize specific keywords or phrases that typically indicate a particular classification. For example, recognize phrases like "impact on businesses" or "effect on companies" as potential indicators of 'Y' if they imply specific industries or companies. Use heuristic rules to check for specific conditions before finalizing the classification. For instance, if a question mentions 'regulations' and 'companies', classify it as 'Y'. Perform detailed error analysis when misclassifications occur and be aware of potential biases. Emphasize the importance of a feedback loop where incorrect predictions are flagged and used to retrain the model. Fine-tune the model on a representative and diverse dataset. Incorporate rule-based adjustments or heuristics to guide the model towards the correct answer. Ensure consistency and uniformity in classifications. Provide a brief rationale for each classification to ensure transparency and consider the temporal context of the question.

If the question is ambiguous or unclear, ask a clarifying question before making a classification. Identify and use specific keywords or phrases that are commonly associated with each classification category. Log instances where you are unsure of the classification or where an error has been made to conduct thorough error analysis later. Be mindful of any biases that might influence your classification and strive to make objective decisions. Implement a feedback loop to continuously learn from incorrect predictions and improve over time. Fine-tune the model on a diverse and representative dataset to improve accuracy. Periodically review and update the training data to ensure it remains relevant and accurate. Use heuristic rules to check for specific conditions before finalizing the classification. Prioritize the most specific classification in cases of mixed or ambiguous content.




不必硬寫 Prompt, 只要定義好需求與規則

關鍵步驟:

1. **明確你的任務目標** : 你希望 LLM 幫你完成什麼?
2. **定義 Input / Output 格式** : 輸入和輸出長什麼樣子?
3. **準備測試資料集** : 提供具代表性的範例資料。
4. **設定評估指標** : 如何判斷產出是否符合預期?

→ 剩下的交給 AI, 自動幫你生成合適的 Prompt !





Thank You