Pandoc with Amsthm Defined in YAML Front Matter

Kolen Cheung

2016-04-21

Contents

1 First Heading

Theorem 1.1. *The Riemann zeta function is defined for complex s with real part greater than 1 by the absolutely convergent infinite series*

$$\zeta(s) = \sum_{n=1}^{\infty} \frac{1}{n^s} = \frac{1}{1^s} + \frac{1}{2^s} + \frac{1}{3^s} + \cdots .$$

Lemma. *The Riemann zeta function is defined for complex s with real part greater than 1 by the absolutely convergent infinite series*

$$\zeta(s) = \sum_{n=1}^{\infty} \frac{1}{n^s} = \frac{1}{1^s} + \frac{1}{2^s} + \frac{1}{3^s} + \cdots .$$

Proposition. *The Riemann zeta function is defined for complex s with real part greater than 1 by the absolutely convergent infinite series*

$$\zeta(s) = \sum_{n=1}^{\infty} \frac{1}{n^s} = \frac{1}{1^s} + \frac{1}{2^s} + \frac{1}{3^s} + \cdots .$$

Corollary. *The Riemann zeta function is defined for complex s with real part greater than 1 by the absolutely convergent infinite series*

$$\zeta(s) = \sum_{n=1}^{\infty} \frac{1}{n^s} = \frac{1}{1^s} + \frac{1}{2^s} + \frac{1}{3^s} + \cdots .$$

Definition 1.1. Leonhard Euler showed that this series equals the Euler product

$$\zeta(s) = \prod_{p \text{ prime}} \frac{1}{1-p^{-s}} = \frac{1}{1-2^{-s}} \cdot \frac{1}{1-3^{-s}} \cdot \frac{1}{1-5^{-s}} \cdot \frac{1}{1-7^{-s}} \cdots \frac{1}{1-p^{-s}} \cdots$$

Conjecture 1.1. Leonhard Euler showed that this series equals the Euler product

$$\zeta(s) = \prod_{p \text{ prime}} \frac{1}{1-p^{-s}} = \frac{1}{1-2^{-s}} \cdot \frac{1}{1-3^{-s}} \cdot \frac{1}{1-5^{-s}} \cdot \frac{1}{1-7^{-s}} \cdots \frac{1}{1-p^{-s}} \cdots$$

Example 1.1. Leonhard Euler showed that this series equals the Euler product

$$\zeta(s) = \prod_{p \text{ prime}} \frac{1}{1-p^{-s}} = \frac{1}{1-2^{-s}} \cdot \frac{1}{1-3^{-s}} \cdot \frac{1}{1-5^{-s}} \cdot \frac{1}{1-7^{-s}} \cdots \frac{1}{1-p^{-s}} \cdots$$

Postulate 1.1. Leonhard Euler showed that this series equals the Euler product

$$\zeta(s) = \prod_{p \text{ prime}} \frac{1}{1-p^{-s}} = \frac{1}{1-2^{-s}} \cdot \frac{1}{1-3^{-s}} \cdot \frac{1}{1-5^{-s}} \cdot \frac{1}{1-7^{-s}} \cdots \frac{1}{1-p^{-s}} \cdots$$

Problem 1.1. Leonhard Euler showed that this series equals the Euler product

$$\zeta(s) = \prod_{p \text{ prime}} \frac{1}{1-p^{-s}} = \frac{1}{1-2^{-s}} \cdot \frac{1}{1-3^{-s}} \cdot \frac{1}{1-5^{-s}} \cdot \frac{1}{1-7^{-s}} \cdots \frac{1}{1-p^{-s}} \cdots$$

Remark. The Riemann zeta function is defined for complex s with real part greater than 1 by the absolutely convergent infinite series

$$\zeta(s) = \sum_{n=1}^{\infty} \frac{1}{n^s} = \frac{1}{1^s} + \frac{1}{2^s} + \frac{1}{3^s} + \cdots.$$

Note. The Riemann zeta function is defined for complex s with real part greater than 1 by the absolutely convergent infinite series

$$\zeta(s) = \sum_{n=1}^{\infty} \frac{1}{n^s} = \frac{1}{1^s} + \frac{1}{2^s} + \frac{1}{3^s} + \cdots.$$

Case 1.1. The Riemann zeta function is defined for complex s with real part greater than 1 by the absolutely convergent infinite series

$$\zeta(s) = \sum_{n=1}^{\infty} \frac{1}{n^s} = \frac{1}{1^s} + \frac{1}{2^s} + \frac{1}{3^s} + \cdots.$$

Proof. Leonhard Euler showed that this series equals the Euler product

$$\zeta(s) = \prod_{p \text{ prime}} \frac{1}{1-p^{-s}} = \frac{1}{1-2^{-s}} \cdot \frac{1}{1-3^{-s}} \cdot \frac{1}{1-5^{-s}} \cdot \frac{1}{1-7^{-s}} \cdots \frac{1}{1-p^{-s}} \cdots$$

□

Repeating once:

Theorem 1.2. *The Riemann zeta function is defined for complex s with real part greater than 1 by the absolutely convergent infinite series*

$$\zeta(s) = \sum_{n=1}^{\infty} \frac{1}{n^s} = \frac{1}{1^s} + \frac{1}{2^s} + \frac{1}{3^s} + \cdots.$$

Lemma. *The Riemann zeta function is defined for complex s with real part greater than 1 by the absolutely convergent infinite series*

$$\zeta(s) = \sum_{n=1}^{\infty} \frac{1}{n^s} = \frac{1}{1^s} + \frac{1}{2^s} + \frac{1}{3^s} + \cdots.$$

Proposition. *The Riemann zeta function is defined for complex s with real part greater than 1 by the absolutely convergent infinite series*

$$\zeta(s) = \sum_{n=1}^{\infty} \frac{1}{n^s} = \frac{1}{1^s} + \frac{1}{2^s} + \frac{1}{3^s} + \cdots.$$

Corollary. *The Riemann zeta function is defined for complex s with real part greater than 1 by the absolutely convergent infinite series*

$$\zeta(s) = \sum_{n=1}^{\infty} \frac{1}{n^s} = \frac{1}{1^s} + \frac{1}{2^s} + \frac{1}{3^s} + \cdots.$$

Definition 1.2. Leonhard Euler showed that this series equals the Euler product

$$\zeta(s) = \prod_{p \text{ prime}} \frac{1}{1-p^{-s}} = \frac{1}{1-2^{-s}} \cdot \frac{1}{1-3^{-s}} \cdot \frac{1}{1-5^{-s}} \cdot \frac{1}{1-7^{-s}} \cdots \frac{1}{1-p^{-s}} \cdots$$

Conjecture 1.2. Leonhard Euler showed that this series equals the Euler product

$$\zeta(s) = \prod_{p \text{ prime}} \frac{1}{1-p^{-s}} = \frac{1}{1-2^{-s}} \cdot \frac{1}{1-3^{-s}} \cdot \frac{1}{1-5^{-s}} \cdot \frac{1}{1-7^{-s}} \cdots \frac{1}{1-p^{-s}} \cdots$$

Example 1.2. Leonhard Euler showed that this series equals the Euler product

$$\zeta(s) = \prod_{p \text{ prime}} \frac{1}{1-p^{-s}} = \frac{1}{1-2^{-s}} \cdot \frac{1}{1-3^{-s}} \cdot \frac{1}{1-5^{-s}} \cdot \frac{1}{1-7^{-s}} \cdots \frac{1}{1-p^{-s}} \cdots$$

Postulate 1.2. Leonhard Euler showed that this series equals the Euler product

$$\zeta(s) = \prod_{p \text{ prime}} \frac{1}{1-p^{-s}} = \frac{1}{1-2^{-s}} \cdot \frac{1}{1-3^{-s}} \cdot \frac{1}{1-5^{-s}} \cdot \frac{1}{1-7^{-s}} \cdots \frac{1}{1-p^{-s}} \cdots$$

Problem 1.2. Leonhard Euler showed that this series equals the Euler product

$$\zeta(s) = \prod_{p \text{ prime}} \frac{1}{1-p^{-s}} = \frac{1}{1-2^{-s}} \cdot \frac{1}{1-3^{-s}} \cdot \frac{1}{1-5^{-s}} \cdot \frac{1}{1-7^{-s}} \cdots \frac{1}{1-p^{-s}} \cdots$$

Remark. The Riemann zeta function is defined for complex s with real part greater than 1 by the absolutely convergent infinite series

$$\zeta(s) = \sum_{n=1}^{\infty} \frac{1}{n^s} = \frac{1}{1^s} + \frac{1}{2^s} + \frac{1}{3^s} + \cdots .$$

Note. The Riemann zeta function is defined for complex s with real part greater than 1 by the absolutely convergent infinite series

$$\zeta(s) = \sum_{n=1}^{\infty} \frac{1}{n^s} = \frac{1}{1^s} + \frac{1}{2^s} + \frac{1}{3^s} + \cdots .$$

Case 1.2. The Riemann zeta function is defined for complex s with real part greater than 1 by the absolutely convergent infinite series

$$\zeta(s) = \sum_{n=1}^{\infty} \frac{1}{n^s} = \frac{1}{1^s} + \frac{1}{2^s} + \frac{1}{3^s} + \cdots .$$

Proof. Leonhard Euler showed that this series equals the Euler product

$$\zeta(s) = \prod_{p \text{ prime}} \frac{1}{1-p^{-s}} = \frac{1}{1-2^{-s}} \cdot \frac{1}{1-3^{-s}} \cdot \frac{1}{1-5^{-s}} \cdot \frac{1}{1-7^{-s}} \cdots \frac{1}{1-p^{-s}} \cdots$$

□

2 Second Heading

Theorem 2.1. *The Riemann zeta function is defined for complex s with real part greater than 1 by the absolutely convergent infinite series*

$$\zeta(s) = \sum_{n=1}^{\infty} \frac{1}{n^s} = \frac{1}{1^s} + \frac{1}{2^s} + \frac{1}{3^s} + \cdots .$$

Lemma. *The Riemann zeta function is defined for complex s with real part greater than 1 by the absolutely convergent infinite series*

$$\zeta(s) = \sum_{n=1}^{\infty} \frac{1}{n^s} = \frac{1}{1^s} + \frac{1}{2^s} + \frac{1}{3^s} + \cdots .$$

Proposition. *The Riemann zeta function is defined for complex s with real part greater than 1 by the absolutely convergent infinite series*

$$\zeta(s) = \sum_{n=1}^{\infty} \frac{1}{n^s} = \frac{1}{1^s} + \frac{1}{2^s} + \frac{1}{3^s} + \cdots .$$

Corollary. *The Riemann zeta function is defined for complex s with real part greater than 1 by the absolutely convergent infinite series*

$$\zeta(s) = \sum_{n=1}^{\infty} \frac{1}{n^s} = \frac{1}{1^s} + \frac{1}{2^s} + \frac{1}{3^s} + \cdots .$$

Definition 2.1. Leonhard Euler showed that this series equals the Euler product

$$\zeta(s) = \prod_{p \text{ prime}} \frac{1}{1-p^{-s}} = \frac{1}{1-2^{-s}} \cdot \frac{1}{1-3^{-s}} \cdot \frac{1}{1-5^{-s}} \cdot \frac{1}{1-7^{-s}} \cdots \frac{1}{1-p^{-s}} \cdots$$

Conjecture 2.1. Leonhard Euler showed that this series equals the Euler product

$$\zeta(s) = \prod_{p \text{ prime}} \frac{1}{1-p^{-s}} = \frac{1}{1-2^{-s}} \cdot \frac{1}{1-3^{-s}} \cdot \frac{1}{1-5^{-s}} \cdot \frac{1}{1-7^{-s}} \cdots \frac{1}{1-p^{-s}} \cdots$$

Example 2.1. Leonhard Euler showed that this series equals the Euler product

$$\zeta(s) = \prod_{p \text{ prime}} \frac{1}{1-p^{-s}} = \frac{1}{1-2^{-s}} \cdot \frac{1}{1-3^{-s}} \cdot \frac{1}{1-5^{-s}} \cdot \frac{1}{1-7^{-s}} \cdots \frac{1}{1-p^{-s}} \cdots$$

Postulate 2.1. Leonhard Euler showed that this series equals the Euler product

$$\zeta(s) = \prod_{p \text{ prime}} \frac{1}{1-p^{-s}} = \frac{1}{1-2^{-s}} \cdot \frac{1}{1-3^{-s}} \cdot \frac{1}{1-5^{-s}} \cdot \frac{1}{1-7^{-s}} \cdots \frac{1}{1-p^{-s}} \cdots$$

Problem 2.1. Leonhard Euler showed that this series equals the Euler product

$$\zeta(s) = \prod_{p \text{ prime}} \frac{1}{1-p^{-s}} = \frac{1}{1-2^{-s}} \cdot \frac{1}{1-3^{-s}} \cdot \frac{1}{1-5^{-s}} \cdot \frac{1}{1-7^{-s}} \cdots \frac{1}{1-p^{-s}} \cdots$$

Remark. The Riemann zeta function is defined for complex s with real part greater than 1 by the absolutely convergent infinite series

$$\zeta(s) = \sum_{n=1}^{\infty} \frac{1}{n^s} = \frac{1}{1^s} + \frac{1}{2^s} + \frac{1}{3^s} + \cdots .$$

Note. The Riemann zeta function is defined for complex s with real part greater than 1 by the absolutely convergent infinite series

$$\zeta(s) = \sum_{n=1}^{\infty} \frac{1}{n^s} = \frac{1}{1^s} + \frac{1}{2^s} + \frac{1}{3^s} + \cdots .$$

Case 2.1*.* The Riemann zeta function is defined for complex s with real part greater than 1 by the absolutely convergent infinite series

$$\zeta(s) = \sum_{n=1}^{\infty} \frac{1}{n^s} = \frac{1}{1^s} + \frac{1}{2^s} + \frac{1}{3^s} + \cdots .$$

Proof. Leonhard Euler showed that this series equals the Euler product

$$\zeta(s) = \prod_{p \text{ prime}} \frac{1}{1-p^{-s}} = \frac{1}{1-2^{-s}} \cdot \frac{1}{1-3^{-s}} \cdot \frac{1}{1-5^{-s}} \cdot \frac{1}{1-7^{-s}} \cdots \frac{1}{1-p^{-s}} \cdots$$

□

Subheading

Theorem 2.2. *The Riemann zeta function is defined for complex s with real part greater than* 1 *by the absolutely convergent infinite series*

$$\zeta(s) = \sum_{n=1}^{\infty} \frac{1}{n^s} = \frac{1}{1^s} + \frac{1}{2^s} + \frac{1}{3^s} + \cdots .$$

Lemma. *The Riemann zeta function is defined for complex s with real part greater than* 1 *by the absolutely convergent infinite series*

$$\zeta(s) = \sum_{n=1}^{\infty} \frac{1}{n^s} = \frac{1}{1^s} + \frac{1}{2^s} + \frac{1}{3^s} + \cdots .$$

Proposition. *The Riemann zeta function is defined for complex s with real part greater than 1 by the absolutely convergent infinite series*

$$\zeta(s) = \sum_{n=1}^{\infty} \frac{1}{n^s} = \frac{1}{1^s} + \frac{1}{2^s} + \frac{1}{3^s} + \cdots .$$

Corollary. *The Riemann zeta function is defined for complex s with real part greater than 1 by the absolutely convergent infinite series*

$$\zeta(s) = \sum_{n=1}^{\infty} \frac{1}{n^s} = \frac{1}{1^s} + \frac{1}{2^s} + \frac{1}{3^s} + \cdots .$$

Definition 2.2. Leonhard Euler showed that this series equals the Euler product

$$\zeta(s) = \prod_{p \text{ prime}} \frac{1}{1-p^{-s}} = \frac{1}{1-2^{-s}} \cdot \frac{1}{1-3^{-s}} \cdot \frac{1}{1-5^{-s}} \cdot \frac{1}{1-7^{-s}} \cdots \frac{1}{1-p^{-s}} \cdots$$

Conjecture 2.2. Leonhard Euler showed that this series equals the Euler product

$$\zeta(s) = \prod_{p \text{ prime}} \frac{1}{1-p^{-s}} = \frac{1}{1-2^{-s}} \cdot \frac{1}{1-3^{-s}} \cdot \frac{1}{1-5^{-s}} \cdot \frac{1}{1-7^{-s}} \cdots \frac{1}{1-p^{-s}} \cdots$$

Example 2.2. Leonhard Euler showed that this series equals the Euler product

$$\zeta(s) = \prod_{p \text{ prime}} \frac{1}{1-p^{-s}} = \frac{1}{1-2^{-s}} \cdot \frac{1}{1-3^{-s}} \cdot \frac{1}{1-5^{-s}} \cdot \frac{1}{1-7^{-s}} \cdots \frac{1}{1-p^{-s}} \cdots$$

Postulate 2.2. Leonhard Euler showed that this series equals the Euler product

$$\zeta(s) = \prod_{p \text{ prime}} \frac{1}{1-p^{-s}} = \frac{1}{1-2^{-s}} \cdot \frac{1}{1-3^{-s}} \cdot \frac{1}{1-5^{-s}} \cdot \frac{1}{1-7^{-s}} \cdots \frac{1}{1-p^{-s}} \cdots$$

Problem 2.2. Leonhard Euler showed that this series equals the Euler product

$$\zeta(s) = \prod_{p \text{ prime}} \frac{1}{1-p^{-s}} = \frac{1}{1-2^{-s}} \cdot \frac{1}{1-3^{-s}} \cdot \frac{1}{1-5^{-s}} \cdot \frac{1}{1-7^{-s}} \cdots \frac{1}{1-p^{-s}} \cdots$$

Remark. The Riemann zeta function is defined for complex s with real part greater than 1 by the absolutely convergent infinite series

$$\zeta(s) = \sum_{n=1}^{\infty} \frac{1}{n^s} = \frac{1}{1^s} + \frac{1}{2^s} + \frac{1}{3^s} + \cdots .$$

Note. The Riemann zeta function is defined for complex s with real part greater than 1 by the absolutely convergent infinite series

$$\zeta(s) = \sum_{n=1}^{\infty} \frac{1}{n^s} = \frac{1}{1^s} + \frac{1}{2^s} + \frac{1}{3^s} + \cdots .$$

Case 2.2. The Riemann zeta function is defined for complex s with real part greater than 1 by the absolutely convergent infinite series

$$\zeta(s) = \sum_{n=1}^{\infty} \frac{1}{n^s} = \frac{1}{1^s} + \frac{1}{2^s} + \frac{1}{3^s} + \cdots .$$

Proof. Leonhard Euler showed that this series equals the Euler product

$$\zeta(s) = \prod_{p \text{ prime}} \frac{1}{1-p^{-s}} = \frac{1}{1-2^{-s}} \cdot \frac{1}{1-3^{-s}} \cdot \frac{1}{1-5^{-s}} \cdot \frac{1}{1-7^{-s}} \cdots \frac{1}{1-p^{-s}} \cdots$$

$\square$