Lab Session 4 Context-free Grammars and LL(1) Parsing

Interpretation and Compilation of Languages

Nova School of Science and Technology Mário Pereira mjp.pereira@fct.unl.pt

Version of March 30, 2025

1 Context-Free Grammars

Exercise 1. Choose the correct answer: "The output of the lexical a	analyzer i	is
---	------------	----

A a set of string characters". **C** a set of regular expressions".

B an abstract syntax tree".

D a set of tokens".

Exercise 2. Consider the following grammar

 $S \quad \to \quad \text{int} \mid \text{bool} \mid \text{if } S \text{ then } S \mid \text{if } S \text{ then } S \text{ else } S$

where if, then, else, int, and bool are terminal symbols and S is the axiom of the grammar. Show that this grammar is ambiguous (so called "dangling else" problem) by giving two distinct parse trees for the word "if bool then if bool then int else int".

Exercise 3. Consider three simple grammars below that all recognize the same language of balanced parentheses, *i.e.* they recognize words such as ϵ , (), (()), (()()), and don't recognize words such as),)(, (()(.

Which grammar(s) is/are ambiguous? Show the ambiguity by providing two distinct derivation trees for the same word ()().

Exercise 4. Only one grammar among G_1, G_2, G_3 is LL(1). Which grammar is LL(1)?

Exercise 5. Explain why the two other grammars are not LL(1).

Exercise 6. For the grammar that is LL(1) assume that we add a non-terminal symbol A as a new axiom and we add a rule (where # is the end-of-file terminal symbol)

 $A \rightarrow P\#$

Give NULL, FIRST, FOLLOW, and the expansion tables for that grammar.

2 LL(1) Parsing for Roman Numbers

Consider the following grammar for roman numbers from 0 to 9:

Exercise 7. Write the derivation of the number viii.

Exercise 8. Is this grammar ambiguous? If no, explain why. If yes, give two derivation trees for the same word recognized by this grammar. \Box

Exercise 9. Is this grammar LL(1)? Motivate your answer by either explaining why it is not LL(1) or build an LL(1) parsing table.

Exercise 10. Consider another variant of the grammar:

$$\begin{array}{cccc} S & \rightarrow & N \; \text{EOF} \\ N & \rightarrow & iA \mid v\mathcal{I}_3 \mid \varepsilon \\ A & \rightarrow & \mathcal{I}_2 \mid v \mid x \\ \mathcal{I}_3 & \rightarrow & i\mathcal{I}_2 \mid \varepsilon \\ \mathcal{I}_2 & \rightarrow & i\mathcal{I}_1 \mid \varepsilon \\ \mathcal{I}_1 & \rightarrow & i \mid \varepsilon \end{array}$$

Give NULL, FIRST, FOLLOW, and the expansion table for that grammar.