CMS Physics Publications

May 13, 2020

- 935. Dependence of inclusive jet production on the anti- $k_{\rm T}$ distance parameter in pp collisions at $\sqrt{s}=13$ TeV, Submitted to JHEP, arXiv:2005.05159.
- 934. Observation of the $B_s^0 \to X(3872)\phi$ decay, Submitted to PRL, arXiv:2005.04764.
- 933. Combination of the W boson polarization measurements in top quark decays using ATLAS and CMS data at $\sqrt{s} = 8$ TeV, Submitted to JHEP, arXiv:2005.03799.
- 932. Measurements of production cross sections of WZ and same-sign WW boson pairs in association with two jets in proton-proton collisions at $\sqrt{s} = 13$ TeV, Submitted to PLB, arXiv:2005.01173.
- 931. Measurement of CKM matrix elements in single top quark t-channel production in proton-proton collisions at $\sqrt{s} = 13$ TeV, Submitted to PLB, arXiv:2004.12181.
- 930. Search for disappearing tracks in proton-proton collisions at \sqrt{s} = 13 TeV, Submitted to PLB, arXiv:2004.05153.
- 929. Measurement of quark- and gluon-like jet fractions using jet charge in PbPb and pp collisions at 5.02 TeV, Submitted to JHEP, arXiv:2004.00602.
- 928. The production of isolated photons in PbPb and pp collisions at $\sqrt{[b]s_{_{
 m NN}}}=5.02$ TeV, Submitted to JHEP, arXiv:2003.12797.
- 927. Measurements of ttH production and the CP structure of the Yukawa interaction between the Higgs boson and top quark in the diphoton decay channel,
 - Submitted to PRL, arXiv:2003.10866.
- 926. Measurement of the cross section for $t\bar{t}$ production with additional jets and b jets in pp collisions at $\sqrt{s} = 13$ TeV, Submitted to JHEP, arXiv:2003.06467.

- 925. Study of central exclusive $\pi^+\pi^-$ production in proton-proton collisions at $\sqrt{s}=5.02$ and 13 TeV, Submitted to EPJC, arXiv:2003.02811.
- 924. Measurement of single-diffractive dijet production in proton-proton collisions at $\sqrt{s}=8$ TeV with the CMS and TOTEM experiments, Submitted to EPJC, arXiv:2002.12146.
- 923. Measurement of the cross section for electroweak production of a Z boson, a photon and two jets in proton-proton collisions at $\sqrt{s} = 13$ TeV and constraints on anomalous quartic couplings, Accepted by JHEP, arXiv:2002.09902.
- 922. Measurement of the $\Upsilon(1\mathrm{S})$ pair production cross section and search for resonances decaying to $\Upsilon(1\mathrm{S})\mu^+\mu^-$ in proton-proton collisions at $\sqrt{s}=13~\mathrm{TeV},$ Submitted to PLB, arXiv:2002.06393.
- 921. A measurement of the Higgs boson mass in the diphoton decay channel,
 PLB 805 (2020) 135425, arXiv:2002.06398.
- 920. Search for physics beyond the standard model in events with jets and two same-sign or at least three charged leptons in proton-proton collisions at $\sqrt{s} = 13$ TeV, Submitted to EPJC, arXiv:2001.10086.
- 919. Search for charged Higgs bosons decaying into a top and a bottom quark in the all-jet final state of pp collisions at $\sqrt{s} = 13$ TeV, Submitted to JHEP, arXiv:2001.07763.
- 918. Measurement of the associated production of a Z boson with charm or bottom quark jets in proton-proton collisions at $\sqrt{s} = 13$ TeV, Submitted to PRD, arXiv:2001.06899.
- 917. Study of excited $\Lambda_{\rm b}^0$ states decaying to $\Lambda_{\rm b}^0\pi^+\pi^-$ in proton-proton collisions at $\sqrt{s}=13$ TeV, PLB 803 (2020) 135345, arXiv:2001.06533.
- 916. Search for an excited lepton that decays via a contact interaction to a lepton and two jets in proton-proton collisions at $\sqrt{s} = 13$ TeV, Accepted by JHEP, arXiv:2001.04521.
- 915. A deep neural network to search for new long-lived particles decaying to jets,
 Accepted by MLST, arXiv:1912.12238.
- 914. Measurement of the top quark forward-backward production asymmetry and the anomalous chromoelectric and chromomagnetic moments in pp collisions at $\sqrt{s} = 13$ TeV, Submitted to JHEP, arXiv:1912.09540.

• 913. Search for direct top squark pair production in events with one lepton, jets, and missing transverse momentum at 13 TeV with the CMS experiment,

Accepted by JHEP, arXiv:1912.08887.

• 912. Measurement of the χ_{c1} and χ_{c2} polarizations in proton-proton collisions at $\sqrt{s} = 8$ TeV, PRL 124 (2020) 162002, arXiv:1912.07706.

 911. A deep neural network for simultaneous estimation of b jet energy and resolution,
 Accepted by CSBS, arXiv:1912.06046.

- 910. Search for a narrow resonance lighter than 200 GeV decaying to a pair of muons in proton-proton collisions at $\sqrt{s} = 13$ TeV, PRL 124 (2020) 131802, arXiv:1912.04776.
- 909. Determination of the strong coupling constant $\alpha_S(m_Z)$ from measurements of inclusive W[±] and Z boson production cross sections in proton-proton collisions at $\sqrt{s} = 7$ and 8 TeV, Accepted by JHEP, arXiv:1912.04387.
- 908. A search for the standard model Higgs boson decaying to charm quarks, JHEP 03 (2020) 131, arXiv:1912.01662.
- 907. Search for a heavy Higgs boson decaying to a pair of W bosons in proton-proton collisions at $\sqrt{s} = 13$ TeV, JHEP 03 (2020) 034, arXiv:1912.01594.
- 906. Measurement of the top quark pair production cross section in dilepton final states containing one τ lepton in pp collisions at $\sqrt{s} = 13$ TeV, JHEP 02 (2020) 191, arXiv:1911.13204.
- 905. Search for lepton flavour violating decays of a neutral heavy Higgs boson to $\mu\tau$ and $e\tau$ in proton-proton collisions at $\sqrt{s}=13$ TeV, JHEP 03 (2020) 103, arXiv:1911.10267.
- 904. Search for supersymmetry in pp collisions at $\sqrt{s} = 13$ TeV with 137 fb⁻¹ in final states with a single lepton using the sum of masses of large-radius jets, PRD 1010 (2020) 052010, arXiv:1911.07558.
- 903. Search for physics beyond the standard model in multilepton final states in proton-proton collisions at $\sqrt{s} = 13$ TeV, JHEP 03 (2020) 051, arXiv:1911.04968.
- 902. Search for high mass dijet resonances with a new background prediction method in proton-proton collisions at $\sqrt{s}=13$ TeV, Accepted by JHEP, arXiv:1911.03947.
- 901. Search for dijet resonances using events with three jets in proton-proton collisions at $\sqrt{s}=13$ TeV, PLB 805 (2020) 135448, arXiv:1911.03761.

- 900. Observation of the $\Lambda_{\rm b}^0 \to {\rm J}/\psi \Lambda \phi$ decay in proton-proton collisions at $\sqrt{s}=13$ TeV, PLB 802 (2020) 135203, arXiv:1911.03789.
- 899. Measurement of the jet mass distribution and top quark mass in hadronic decays of boosted top quarks in pp collisions at $\sqrt{s} = 13$ TeV, Accepted by PRL, arXiv:1911.03800.
- 898. Search for new neutral Higgs bosons through the H $\to ZA \to \ell^+\ell^-b\bar{b}$ process in pp collisions at $\sqrt{s}=13$ TeV, JHEP 03 (2020) 055, arXiv:1911.03781.
- 897. Studies of charm quark diffusion inside jets using PbPb and pp collisions at $\sqrt{[b]s_{_{\rm NN}}}=5.02~{\rm TeV},$ Submitted to PRL, arXiv:1911.01461.
- 896. Search for top squark pair production in a final state with two tau leptons in proton-proton collisions at $\sqrt{s} = 13$ TeV, JHEP 02 (2020) 015, arXiv:1910.12932.
- 895. Measurement of properties of $B_s^0 \to \mu^+ \mu^-$ decays and search forf $B^0 \to \mu^+ \mu^-$ with the CMS experiment, JHEP 04 (2020) 188, arXiv:1910.12127.
- 894. Search for a heavy pseudoscalar Higgs boson decaying into a 125 GeV Higgs boson and a Z boson in final states with two tau and two light leptons at $\sqrt{s} = 13$ TeV, JHEP 03 (2020) 065, arXiv:1910.11634.
- 893. Bose-Einstein correlations of charged hadrons in proton-proton collisions at $\sqrt{s} = 13$ TeV, JHEP 03 (2020) 014, arXiv:1910.08815.
- 892. Mixed higher-order anisotropic flow and nonlinear response coefficients of charged particles in PbPb collisions at $\sqrt{[b]s_{\text{NN}}} = 2.76$ and 5.02 TeV, Accepted by EPJC, arXiv:1910.08789.
- 891. Strange hadron production in pp and pPb collisions at $\sqrt{[b]s_{\text{\tiny NN}}}=5.02~\text{TeV},$ Accepted by PRC, arXiv:1910.04812.
- 890. Study of J/ ψ meson production from jet fragmentation in pp collisions at $\sqrt{s} = 8$ TeV, PLB 804 (2020) 135409, arXiv:1910.01686.
- 889. Search for supersymmetry with a compressed mass spectrum in events with a soft τ lepton, a highly energetic jet, and large missing transverse momentum in proton-proton collisions at $\sqrt{s}=13$ TeV, PRL 124 (2020) 041803, arXiv:1910.01185.
- 888. Running of the top quark mass from proton-proton collisions at $\sqrt{s}=13$ TeV, PLB 803 (2020) 135263, arXiv:1909.09193.

- 887. Evidence for WW production from double-parton interactions in proton-proton collisions at $\sqrt{s} = 13$ TeV, EPJC 80 (2020) 41, arXiv:1909.06265.
- 886. Search for long-lived particles using delayed photons in proton-proton collisions at $\sqrt{s}=13$ TeV, PRD 100 (2019) 112003, arXiv:1909.06166.
- 885. Measurement of the $t\bar{t}b\bar{b}$ production cross section in the all-jet final state in pp collisions at $\sqrt{s} = 13$ TeV, PLB 803 (2020) 135285, arXiv:1909.05306.
- 884. Search for electroweak production of a vector-like T quark using fully hadronic final states,
 JHEP 01 (2020) 036, arXiv:1909.04721.
- 883. Search for low mass vector resonances decaying into quark-antiquark pairs in proton-proton collisions at $\sqrt{s} = 13$ TeV, PRD 100 (2019) 112007, arXiv:1909.04114.
- 882. Measurements of differential Z boson production cross sections in proton-proton collisions at $\sqrt{s} = 13$ TeV, JHEP 12 (2019) 061, arXiv:1909.04133.
- 881. Searches for physics beyond the standard model with the $M_{\rm T2}$ variable in hadronic final states with and without disappearing tracks in proton-proton collisions at $\sqrt{s} = 13$ TeV, EPJC 80 (2020) 3, arXiv:1909.03460.
- 880. Search for a charged Higgs boson decaying into top and bottom quarks in proton-proton collisions at $\sqrt{s} = 13$ TeV in events with electrons or muons, JHEP 01 (2020) 096, arXiv:1908.09206.
- 879. Search for supersymmetry using Higgs boson to diphoton decays at $\sqrt{s}=13$ TeV, JHEP 11 (2019) 109, arXiv:1908.08500.
- 878. Search for production of four top quarks in final states with samesign or multiple leptons in proton-proton collisions at $\sqrt{s} = 13$ TeV, EPJC 80 (2020) 75, arXiv:1908.06463.
- 877. Search for supersymmetry in proton-proton collisions at 13 TeV in final states with jets and missing transverse momentum, JHEP 10 (2019) 244, arXiv:1908.04722.
- 876. Search for dark photons in decays of Higgs bosons produced in association with Z bosons in proton-proton collisions at $\sqrt{s} = 13$ TeV, JHEP 10 (2019) 139, arXiv:1908.02699.
- 875. Measurement of the average very forward energy as a function of the track multiplicity at central pseudorapidities in proton-proton collisions at $\sqrt{s} = 13$ TeV, EPJC 79 (2019) 893, arXiv:1908.01750.

- 874. Search for dark matter particles produced in association with a Higgs boson in proton-proton collisions at $\sqrt{s} = 13$ TeV, JHEP 03 (2020) 025, arXiv:1908.01713.
- 873. Search for heavy Higgs bosons decaying to a top quark pair in proton-proton collisions at $\sqrt{s} = 13$ TeV, JHEP 04 (2020) 171, arXiv:1908.01115.
- 872. Search for direct pair production of supersymmetric partners to the τ lepton in proton-proton collisions at $\sqrt{s} = 13$ TeV, EPJC 80 (2020) 189, arXiv:1907.13179.
- 871. Measurement of top quark pair production in association with a Z boson in proton-proton collisions at $\sqrt{s} = 13$ TeV, JHEP 03 (2020) 056, arXiv:1907.11270.
- 870. Measurement of differential cross sections and charge ratios for t-channel single top quark production in proton-proton collisions at √s = 13 TeV,
 Accepted by EPJC, arXiv:1907.08330.
- 869. Search for anomalous triple gauge couplings in WW and WZ production in lepton + jet events in proton-proton collisions at $\sqrt{s} = 13$ TeV, JHEP 12 (2019) 062, arXiv:1907.08354.
- 868. Measurements of triple-differential cross sections for inclusive isolated-photon+jet events in pp collisions at $\sqrt{s} = 8$ TeV, EPJC 79 (2019) 969, arXiv:1907.08155.
- 867. Search for light pseudoscalar boson pairs produced from decays of the 125 GeV Higgs boson in final states with two muons and two nearby tracks in pp collisions at $\sqrt{s} = 13$ TeV, PLB 800 (2019) 135087, arXiv:1907.07235.
- 866. Search for physics beyond the standard model in events with overlapping photons and jets, PRL 123 (2019) 241801, arXiv:1907.06275.
- 865. Study of the B⁺ \rightarrow J/ $\psi\bar{\Lambda}$ p decay in proton-proton collisions at \sqrt{s} = 8 TeV, JHEP 12 (2019) 100, arXiv:1907.05461.
- 864. Measurement of the top quark polarization and $t\bar{t}$ spin correlations using dilepton final states in proton-proton collisions at $\sqrt{s}=13$ TeV, PRD 100 (2019) 072002, arXiv:1907.03729.
- 863. Search for MSSM Higgs bosons decaying to $\mu^+\mu^-$ in proton-proton collisions at $\sqrt{s}=13$ TeV, PLB 798 (2019) 134992, arXiv:1907.03152.
- 862. Measurement of the top quark Yukawa coupling from $t\bar{t}$ kinematic distributions in the lepton+jets final state in proton-proton collisions at $\sqrt{s} = 13$ TeV, PRD 100 (2019) 072007, arXiv:1907.01590.

• 861. Combined search for supersymmetry with photons in proton-proton collisions at $\sqrt{s} = 13$ TeV, PLB 801 (2020) 135183, arXiv:1907.00857.

 860. Search for pair production of vector-like quarks in the fully hadronic final state,
 PRD 100 (2019) 072001, arXiv:1906.11903.

- 859. Search for long-lived particles using nonprompt jets and missing transverse momentum with proton-proton collisions at $\sqrt{s} = 13$ TeV, PLB 797 (2019) 134876, arXiv:1906.06441.
- 858. A multi-dimensional search for new heavy resonances decaying to boosted WW, WZ, or ZZ boson pairs in the dijet final state at 13 TeV, EPJC 80 (2020) 237, arXiv:1906.05977.
- 857. Search for the production of four top quarks in the single-lepton and opposite-sign dilepton final states in proton-proton collisions at $\sqrt{s} = 13$ TeV, JHEP 11 (2019) 082, arXiv:1906.02805.
- 856. Production of $\Lambda_{\rm c}^+$ baryons in proton-proton and lead-lead collisions at $\sqrt{[b]s_{\scriptscriptstyle {\rm NN}}}=5.02$ TeV, PLB 803 (2020) 135328, arXiv:1906.03322.
- 855. Combination of CMS searches for heavy resonances decaying to pairs of bosons or leptons, PLB 798 (2019) 134952, arXiv:1906.00057.
- 854. Search for supersymmetry with a compressed mass spectrum in the vector boson fusion topology with 1-lepton and 0-lepton final states in proton-proton collisions at $\sqrt{s} = 13$ TeV, JHEP 08 (2019)150, arXiv:1905.13059.
- 853. Search for vector-like leptons in multilepton final states in proton-proton collisions at $\sqrt{s}=13$ TeV, PRD. 100 (2019) 052003, arXiv:1905.10853.
- 852. Search for Higgs and Z boson decays to J/ψ or Υ pairs in protonproton collisions at $\sqrt{s} = 13$ TeV, PLB 797 (2019) 134811, arXiv:1905.10408.
- 851. Search for low-mass quark-antiquark resonances produced in association with a photon at $\sqrt{s}=13$ TeV, PRL 123 (2019) 231803, arXiv:1905.10331.
- 850. Correlations of azimuthal anisotropy Fourier harmonics in pPb collisions at $\sqrt{[b]s_{_{\rm NN}}}=8.16$ TeV, Submitted to PRC, arXiv:1905.09935.
- 849. Search for a light charged Higgs boson decaying to a W boson and a CP-odd Higgs boson in final states with $e\mu\mu$ or $\mu\mu\mu$ in proton-proton collisions at $\sqrt{s}=13$ TeV, PRL 123 (2019) 131802, arXiv:1905.07453.

- 848. Search for anomalous electroweak production of vector boson pairs in association with two jets in proton-proton collisions at 13 TeV, PLB 798 (2019)134985, arXiv:1905.07445.
- 847. Search for the production of $W^{\pm}W^{\pm}W^{\mp}$ events at $\sqrt{s} = 13$ TeV, PRD 100 (2019) 012004, arXiv:1905.04246.
- 846. Observation of nuclear modifications in W[±] boson production in pPb collisions at $\sqrt{[b]s_{_{\rm NN}}}=8.16$ TeV, PLB 800 (2020) 135048, arXiv:1905.01486.
- 845. Multiparticle correlation studies in pPb collisions at $\sqrt{[b]s_{\rm NN}}=8.16$ TeV, PRC 101 (2020) 014912, arXiv:1904.11519.
- 844. Measurement of $t\bar{t}$ normalised multi-differential cross sections in pp collisions at $\sqrt{s}=13$ TeV, and simultaneous determination of the strong coupling strength, top quark pole mass, and parton distribution functions, Accepted by EPJC, arXiv:1904.05237.
- 843. Search for resonances decaying to a pair of Higgs bosons in the $b\bar{b}q\bar{q}'\ell\nu$ final state in proton-proton collisions at $\sqrt{s}=13$ TeV, JHEP 10 (2019) 125.
- 842. Search for new physics in top quark production in dilepton final states in proton-proton collisions at $\sqrt{s} = 13$ TeV, EPJC 79 (2019) 886, arXiv:1903.11144.
- 841. Search for a low-mass $\tau^-\tau^+$ resonance in association with a bottom quark in proton-proton collisions at $\sqrt{s} = 13$ TeV, JHEP 05 (2019) 210, arXiv:1903.10228.
- 840. Search for supersymmetry in final states with photons and missing transverse momentum in proton-proton collisions at 13 TeV, JHEP 06 (2019) 143, arXiv:1903.07070.
- 839. Constraints on anomalous HVV couplings from the production of Higgs bosons decaying to τ lepton pairs, PRD 100 (2019) 112002, arXiv:1903.06973.
- 838. Search for charged Higgs bosons in the $H^{\pm} \to \tau^{\pm} \nu_{\tau}$ decay channel in proton-proton collisions at $\sqrt{s} = 13$ TeV, JHEP 07 (2019) 142, arXiv:1903.04560.
- 837. Measurement of electroweak production of a W boson in association with two jets in proton-proton collisions at $\sqrt{s} = 13$ TeV, EPJC 80 (2020) 43, arXiv:1903.04040.
- 836. Search for a heavy pseudoscalar boson decaying to a Z and a Higgs boson at $\sqrt{s} = 13$ TeV, JHEP 06 (2019) 143, arXiv:1903.00941.

- 835. Combinations of single-top-quark production cross-section measurements and $|f_{\rm LV}V_{\rm tb}|$ determinations at $\sqrt{s}=7$ and 8 TeV with the ATLAS and CMS experiments, JHEP 05 (2019) 088, arXiv:1902.07158.
- 834. Azimuthal separation in nearly back-to-back jet topologies in inclusive 2- and 3-jet events in pp collisions at $\sqrt{s}=13$ TeV, EPJC 79 (2019) 773, arXiv:1902.04374.
- 833. Pseudorapidity distributions of charged hadrons in xenon-xenon collisions at $\sqrt{[b]s_{_{\rm NN}}}=5.44$ TeV, PLB 799 (2019) 135049, arXiv:1902.03603.
- 832. Measurement of exclusive $\rho(770)^0$ photoproduction in ultraperipheral pPb collisions at $\sqrt{[b]s_{_{\rm NN}}} = 5.02$ TeV, EPJC 79 (2019) 702, arXiv:1902.01339.
- 831. Observation of two excited B_c^+ states and measurement of the $B_c^+(2S)$ mass in pp collisions at $\sqrt{s} = 13$ TeV, PRL 122 (2019) 132001, arXiv:1902.00571.
- 830. Search for W boson decays to three charged pions, PRL 122 (2019) 151802, arXiv:1901.11201.
- 829. Charged-particle angular correlations in XeXe collisions at $\sqrt{[b]s_{\text{NN}}}=5.44$ TeV, PRC 100 (2019) 044902, arXiv:1901.07997.
- 828. Search for supersymmetry in events with a photon, jets, b-jets, and missing transverse momentum in proton-proton collisions at 13 TeV, EPJC 79 (2019) 444, arXiv:1901.06726.
- 827. Measurement of electroweak WZ boson production and search for new physics in WZ + two jets events in pp collisions at $\sqrt{s} = 13$ TeV, PLB 795 (2019) 281, arXiv:1901.04060.
- 826. Measurements of the pp \rightarrow WZ inclusive and differential production cross section and constraints on charged anomalous triple gauge couplings at $\sqrt{s} = 13$ TeV, JHEP 04 (2019) 122, arXiv:1901.03428.
- 825. Search for dark matter produced in association with a single top quark or a top quark pair in proton-proton collisions at $\sqrt{s} = 13$ TeV, JHEP 03 (2019) 141, arXiv:1901.01553.
- 824. Search for the pair production of light top squarks in the $e^{\pm}\mu^{\mp}$ final state in proton-proton collisions at $\sqrt{s} = 13$ TeV, JHEP 03 (2019) 101, arXiv:1901.01288.
- 823. Measurements of the Higgs boson width and anomalous HVV couplings from on-shell and off-shell production in the four-lepton final state, PRD 99 (2019) 112003, arXiv:1901.00174.

• 822. Measurement of the $\rm t\bar{t}$ production cross section, the top quark mass, and the strong coupling constant using dilepton events in pp collisions at $\sqrt{s}=13~{\rm TeV}$,

EPJC 79 (2019) 368, arXiv:1812.10505.

• 821. Measurement of the single top quark and antiquark production cross sections in the t channel and their ratio in proton-proton collisions at $\sqrt{s} = 13$ TeV,

PLB 800 (2019) 135042, arXiv:1812.10514.

- 820. Measurement of the top quark mass in the all-jets final state at \sqrt{s} = 13 TeV and combination with the lepton+jets channel, EPJC 79 (2019) 313, arXiv:1812.10534.
- 819. Measurement of the differential Drell-Yan cross section in protonproton collisions at $\sqrt{s} = 13$ TeV, JHEP 12 (2019) 059, arXiv:1812.10529.
- 818. Search for contact interactions and large extra dimensions in the dilepton mass spectra from proton-proton collisions at $\sqrt{s} = 13$ TeV, JHEP 04 (2019) 114, arXiv:1812.10443.
- 817. Search for vector-like quarks in events with two oppositely charged leptons and jets in proton-proton collisions at $\sqrt{s}=13$ TeV, EPJC 79 (2019) 364, arXiv:1812.09768.
- 816. Search for a heavy resonance decaying to a top quark and a vector-like top quark in the lepton+jets final state in pp collisions at $\sqrt{s} = 13$ TeV, EPJC 79 (2019) 208, arXiv:1812.06489.
- 815. Measurement and interpretation of differential cross sections for Higgs boson production at $\sqrt{s} = 13$ TeV, PLB 792 (2019) 369, arXiv:1812.06504.
- 814. Inclusive search for supersymmetry in pp collisions at $\sqrt{s} = 13$ TeV using razor variables and boosted object identification in zero and one lepton final states, JHEP 03 (2019) 031, arXiv:1812.06302.
- 813. Search for an exotic decay of the Higgs boson to a pair of light pseudoscalars in the final state with two muons and two b quarks in pp collisions at 13 TeV, PLB 795 (2019) 398, arXiv:1812.06359.
- 812. Observation of single top quark production in association with a Z boson in proton-proton collisions at $\sqrt{s} = 13$ TeV, PRL 122 (2019) 132003, arXiv:1812.05900.
- 811. Search for supersymmetry in events with a photon, a lepton, and missing transverse momentum in proton-proton collisions at $\sqrt{s} = 13$ TeV, JHEP 01 (2019) 154, arXiv:1812.04066.

- 810. Measurement of the energy density as a function of pseudorapidity in proton-proton collisions at $\sqrt{s}=13$ TeV, EPJC 79 (2019) 391, arXiv:1812.04095.
- 809. Measurement of inclusive very forward jet cross sections in proton-lead collisions at $\sqrt{[b]s_{\text{NN}}} = 5.02 \text{ TeV}$, JHEP 05 (2019) 043, arXiv:1812.01691.
- 808. A search for pair production of new light bosons decaying into muons in proton-proton collisions at 13 TeV, PLB 796 (2019) 131, arXiv:1812.00380.
- 807. Search for dark matter in events with a leptoquark and missing transverse momentum in proton-proton collisions at 13 TeV, PLB 795 (2019) 76, arXiv:1811.10151.
- 806. Measurement of associated production of a W boson and a charm quark in proton-proton collisions at $\sqrt{s} = 13$ TeV, EPJC 79 (2019) 269, arXiv:1811.10021.
- 805. Search for resonant production of second-generation sleptons with same-sign dimuon events in proton-proton collisions at $\sqrt{s} = 13$ TeV, EPJC 79 (2019) 305, arXiv:1811.09760.
- 804. Search for associated production of a Higgs boson and a single top quark in proton-proton collisions at $\sqrt{s} = 13$ TeV, PRD 99 (2019) 092005, arXiv:1811.09696.
- 803. Combination of searches for Higgs boson pair production in proton-proton collisions at $\sqrt{s} = 13$ TeV, PRL 122 (2019) 121803, arXiv:1811.09689.
- 802. Search for a standard model-like Higgs boson in the mass range between 70 and 110 GeV in the diphoton final state in proton-proton collisions at $\sqrt{s} = 8$ and 13 TeV, PLB 793 (2019) 320, arXiv:1811.08459.
- 801. Search for long-lived particles decaying into displaced jets in proton-proton collisions at $\sqrt{s}=13$ TeV, PRD 99 (2019) 032011, arXiv:1811.07991.
- 800. Measurements of tt̄ differential cross sections in proton-proton collisions at √s = 13 TeV using events containing two leptons, JHEP 02 (2019) 149, arXiv:1811.06625.
- 799. Search for a W' boson decaying to a vector-like quark and a top or bottom quark in the all-jets final state,
 JHEP 03 (2019) 127, arXiv:1811.07010.
- 798. Search for dark matter produced in association with a Higgs boson decaying to a pair of bottom quarks in proton-proton collisions at $\sqrt{s} = 13$ TeV, EPJC 79 (2019) 280, arXiv:1811.06562.

- 797. Search for excited leptons in $\ell\ell\gamma$ final states in proton-proton collisions at $\sqrt{s}=13$ TeV, JHEP 04 (2019) 015, arXiv:1811.03052.
- 796. Search for pair production of first-generation scalar leptoquarks at $\sqrt{s}=13$ TeV, PRD 99 (2019) 052002, arXiv:1811.01197.
- 795. Event shape variables measured using multijet final states in proton-proton collisions at $\sqrt{s} = 13$ TeV, JHEP 12 (2018) 117, arXiv:1811.00588.
- 794. Search for heavy neutrinos and third-generation leptoquarks in hadronic states of two τ leptons and two jets in proton-proton collisions at $\sqrt{s} = 13$ TeV, JHEP 03 (2019) 170, arXiv:1811.00806.
- 793. Search for nonresonant Higgs boson pair production in the bbbb final state at $\sqrt{s}=13$ TeV, JHEP 04 (2019) 112, arXiv:1810.11854.
- 792. Search for low-mass resonances decaying into bottom quark-antiquark pairs in proton-proton collisions at $\sqrt{s} = 13$ TeV, PRD 99 (2019) 012005, arXiv:1810.11822.
- 791. Studies of beauty suppression via nonprompt D^0 mesons in PbPb collisions a $\sqrt{[b]s_{NN}} = 5.02$ TeV, PRL 123 (2019) 022001, arXiv:1810.11102.
- 790. Search for rare decays of Z and Higgs bosons to J/ψ and a photon in proton-proton collisions at $\sqrt{s}=13$ TeV, EPJC 79 (2019)94, arXiv:1810.10056.
- 789. Search for new particles decaying to a jet and an emerging jet, JHEP 02 (2019) 179, arXiv:1810.10069.
- 788. Search for pair-produced three-jet resonances in proton-proton collisions at $\sqrt{s} = 13$ TeV, PRD 99 (2019) 012010, arXiv:1810.10092.
- 787. Search for resonant $t\bar{t}$ production in proton-proton collisions at $\sqrt{s}=13$ TeV, JHEP 04 (2019) 031, arXiv:1810.05905.
- 786. Centrality and pseudorapidity dependence of the transverse energy density in pPb collisions at $\sqrt{[b]s_{_{\rm NN}}} = 5.02$ TeV, PRC 100 (2019) 024902, arXiv:1810.05745.
- 785. Evidence for light-by-light scattering and searches for axion-like particles in ultraperipheral PbPb collisions at $\sqrt{[b]s_{_{\mathrm{NN}}}}=5.02$ TeV, PLB 797 (2019) 134826, arXiv:1810.04602.

• 784. Search for top quark partners with charge 5/3 in the same-sign dilepton and single-lepton final states in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$,

JHEP 03 (2019) 082, arXiv:1810.03188.

• 783. Measurement of B_s^0 meson production in pp and PbPb collisions at $\sqrt{[b]}s_{_{\rm NN}}=5.02$ TeV, PLB 796 (2019) 168, arXiv:1810.03022.

- 782. Observation of prompt J/ ψ meson elliptic flow in high-multiplicity pPb collisions at $\sqrt{[b]s_{_{\rm NN}}}=8.16$ TeV, PLB 791 (2019) 172, arXiv:1810.01473.
- 781. Search for new physics in final states with a single photon and missing transverse momentum in proton-proton collisions at $\sqrt{s} = 13$ TeV, JHEP 02 (2019) 074, arXiv:1810.00196.
- 780. Measurement of exclusive Υ photoproduction from protons in pPb collisions at $\sqrt{[b]s_{\text{NN}}} = 5.02 \text{ TeV}$, EPJC 79 (2019) 277, arXiv:1809.11080.
- 779. Combined measurements of Higgs boson couplings in proton-proton collisions at $\sqrt{s} = 13$ TeV, EPJC 79 (2019) 421, arXiv:1809.10733.
- 778. Jet shapes of isolated photon-tagged jets in PbPb and pp collisions at $\sqrt{[b]s_{_{\rm NN}}}=5.02$ TeV, PRL 122 (2019) 152001, arXiv:1809.08602.
- 777. Search for single production of vector-like quarks decaying to a top quark and a W boson in proton-proton collisions at $\sqrt{s} = 13$ TeV, EPJC 79 (2019) 90, arXiv:1809.08597.
- 776. Search for invisible decays of a Higgs boson produced through vector boson fusion in proton-proton collisions at $\sqrt{s} = 13$ TeV, PLB 793 (2019) 520, arXiv:1809.05937.
- 775. Search for leptoquarks coupled to third-generation quarks in proton-proton collisions at $\sqrt{s} = 13$ TeV, PRL 121, 241802 (2018), arXiv:1809.05558.
- 774. Studies of $B_{s2}^*(5840)^0$ and $B_{s1}(5830)^0$ mesons including the observation of the $B_{s2}^*(5840)^0 \to B^0 K_S^0$ decay in proton-proton collisions at $\sqrt{s} = 8$ TeV,

EPJC 78 (2018) 939, arXiv:1809.03578.

- 773. Search for the associated production of the Higgs boson and a vector boson in proton-proton collisions at $\sqrt{s} = 13$ TeV via Higgs boson decays to τ leptons,
 - JHEP 06 (2019) 093, arXiv:1809.03590.
- 772. Charged-particle nuclear modification factors in XeXe collisions at $\sqrt{[b]s_{_{\mathrm{NN}}}}=5.44~\mathrm{TeV},$ JHEP 10 (2018) 138, arXiv:1809.00201.

- 771. Search for physics beyond the standard model in high-mass diphoton events from proton-proton collisions at $\sqrt{s} = 13$ TeV, PRD 98 (2018) 092001, arXiv:1809.00327.
- 770. Observation of Higgs boson decay to bottom quarks, PRL 121 (2018) 121801, arXiv:1808.08242.
- 769. Measurement of jet substructure observables in $t\bar{t}$ events from protonproton collisions at $\sqrt{s} = 13$ TeV, PRD 98 (2018) 092014, arXiv:1808.07340.
- 768. Search for a charged Higgs boson decaying to charm and bottom quarks in proton-proton collisions at $\sqrt{s}=8$ TeV, JHEP 11 (2018) 115, arXiv:1808.06575.
- 767. Search for pair production of second-generation leptoquarks at $\sqrt{s} = 13$ TeV, PRD 99 (2019) 032014, arXiv:1808.05082.
- 766. Search for an $L_{\mu} L_{\tau}$ gauge boson using Z $\rightarrow 4\mu$ events in protonproton collisions at $\sqrt{s} = 13$ TeV, PLB 792 (2019) 345, arXiv:1808.03684.
- 765. Search for pair-produced resonances decaying to quark pairs in proton-proton collisions at $\sqrt{s} = 13$ TeV, PRD 98 (2018) 112014, arXiv:1808.03124.
- 764. Search for long-lived particles with displaced vertices in multijet events in proton-proton collisions at $\sqrt{s} = 13$ TeV, PRD 98 (2018) 092011, arXiv:1808.03078.
- 763. Evidence for the associated production of a single top quark and a photon in proton-proton collisions at $\sqrt{s}=13~{\rm TeV}$, PRL 121 (2018) 221802, arXiv:1808.02913.
- 762. Search for resonances in the mass spectrum of muon pairs produced in association with b quark jets in proton-proton collisions at $\sqrt{s} = 8$ and 13 TeV,

 JHEP 11 (2018) 161, arXiv:1808.01890.
- 761. Search for production of Higgs boson pairs in the four b quark final state using large-area jets in proton-proton collisions at $\sqrt{s} = 13$ TeV, JHEP 01 (2019) 040, arXiv:1808.01473.
- 760. Search for heavy resonances decaying into two Higgs bosons or into a Higgs boson and a W or Z boson in proton-proton collisions at 13 TeV, JHEP 01 (2019) 051, arXiv:1808.01365.
- 759. Search for narrow H γ resonances in proton-proton collisions at $\sqrt{s} = 13$ TeV, PRL 122 (2019) 081804, arXiv:1808.01257.
- 758. Search for a W' boson decaying to a τ lepton and a neutrino in proton-proton collisions at $\sqrt{s}=13$ TeV, PLB 792 (2019) 107, arXiv:1807.11421.

• 757. Searches for pair production of charginos and top squarks in final states with two oppositely charged leptons in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$,

JHEP 11 (2018) 079, arXiv:1807.07799.

• 756. Search for dark matter particles produced in association with a top quark pair at $\sqrt{s}=13$ TeV, PRL 122 (2019) 011803, arXiv:1807.06522.

• 755. Search for the Higgs boson decaying to two muons in proton-proton collisions at $\sqrt{s}=13$ TeV, PRL 122 (2019) 021801, arXiv:1807.06325.

- 754. Measurements of the differential jet cross section as a function of the jet mass in dijet events from proton-proton collisions at $\sqrt{s} = 13$ TeV, JHEP 11 (2018) 113, arXiv:1807.05974.
- 753. Measurement of inclusive and differential Higgs boson production cross sections in the diphoton decay channel in proton-proton collisions at $\sqrt{s} = 13$ TeV, JHEP 01 (2019) 183, arXiv:1807.03825.
- 752. Search for heavy resonances decaying into a vector boson and a Higgs boson in final states with charged leptons, neutrinos and b quarks at $\sqrt{s} = 13$ TeV, JHEP 11 (2018) 172, arXiv:1807.02826.
- 751. Study of the underlying event in top quark pair production in pp collisions at 13 TeV, EPJC 79 (2019) 123, arXiv:1807.02810.
- 750. Search for supersymmetry in events with a τ lepton pair and missing transverse momentum in proton-proton collisions at $\sqrt{s} = 13$ TeV, JHEP 11 (2018) 151, arXiv:1807.02048.
- 749. Measurement of differential cross sections for inclusive isolated-photon and photon+jets production in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$,

EPJC 79 (2019) 20, arXiv:1807.00782.

- 748. Measurement of charged particle spectra in minimum-bias events from proton-proton collisions at $\sqrt{s} = 13$ TeV, EPJC 78 (2018) 697, arXiv:1806.11245.
- 747. Measurement of differential cross sections for Z boson pair production in association with jets at $\sqrt{s} = 8$ and 13 TeV, PLB 789 (2019) 19, arXiv:1806.11073.
- 746. Search for heavy Majorana neutrinos in same-sign dilepton channels in proton-proton collisions at $\sqrt{s} = 13$ TeV, JHEP 01 (2019) 122, arXiv:1806.10905.
- 745. Search for the decay of a Higgs boson in the $\ell\ell\gamma$ channel in protonproton collisions at $\sqrt{s}=13$ TeV, JHEP 11 (2018) 152, arXiv:1806.05996.

- 744. Measurements of properties of the Higgs boson decaying to a W boson pair in pp collisions at $\sqrt{s} = 13$ TeV, PLB 791 (2019) 96, arXiv:1806.05246.
- 743. Search for supersymmetric partners of electrons and muons in proton-proton collisions at $\sqrt{s}=13$ TeV, PLB 790 (2019) 005, arXiv:1806.05264.
- 742. Search for dark matter produced in association with a Higgs boson decaying to $\gamma\gamma$ or $\tau^+\tau^-$ at $\sqrt{s}=13$ TeV, JHEP 09 (2018) 046, arXiv:1806.04771.
- 741. Observation of the Z $\rightarrow \psi \ell^+ \ell^-$ decay in pp collisions at $\sqrt{s}=13$ TeV, PRL 121 (2018) 141801, arXiv:1806.04213.
- 740. Search for resonant pair production of Higgs bosons decaying to bottom quark-antiquark pairs in proton-proton collisions at 13 TeV, JHEP 08 (2018) 152, arXiv:1806.03548.
- 739. Search for a singly produced third-generation scalar leptoquark decaying to a τ lepton and a bottom quark in proton-proton collisions at $\sqrt{s}=13$ TeV, JHEP 07 (2018) 115, arXiv:1806.03472.
- 738. Search for pair-produced resonances each decaying into at least four quarks in proton-proton collisions at $\sqrt{s}=13~{\rm TeV}$, PRL 121 (2018) 141802, arXiv:1806.01058.
- 737. Search for narrow and broad dijet resonances in proton-proton collisions at $\sqrt{s} = 13$ TeV and constraints on dark matter mediators and other new particles, JHEP 08 (2018) 130, arXiv:1806.00843.
- 736. Measurement of the weak mixing angle using the forward-backward asymmetry of Drell-Yan events in pp collisions at 8 TeV, EPJC 78 (2018) 701, arXiv:1806.00863.
- 735. Angular analysis of the decay $B^+ \to K^+ \mu^+ \mu^-$ in proton-proton collisions at $\sqrt{s} = 8$ TeV, PRD 98 (2018) 112011, arXiv:1806.00636.
- 734. Search for Higgs boson pair production in the $\gamma\gamma$ bb final state in pp collisions at $\sqrt{s} = 13$ TeV, PLB 788 (2018) 7, arXiv:1806.00408.
- 733. Search for beyond the standard model Higgs bosons decaying into a $b\bar{b}$ pair in pp collisions at $\sqrt{s}=13$ TeV, JHEP 08 (2018) 113, arXiv:1805.12191.
- 732. Observation of the $\chi_{b1}(3P)$ and $\chi_{b2}(3P)$ and measurement of their masses, PRL 121 (2018) 092002, arXiv:1805.11192.

- 731. Search for an exotic decay of the Higgs boson to a pair of light pseudoscalars in the final state with two b quarks and two τ leptons in proton-proton collisions at $\sqrt{s} = 13$ TeV, PLB 785 (2018) 462, arXiv:1805.10191.
- 730. Constraints on models of scalar and vector leptoquarks decaying to a quark and a neutrino at $\sqrt{s} = 13$ TeV, PRD 98 (2018) 032005, arXiv:1805.10228.
- 729. Measurement of nuclear modification factors of $\Upsilon(1S)$, $\Upsilon(2S)$, and $\Upsilon(3S)$ mesons in PbPb collisions at $\sqrt{[b]s_{_{\rm NN}}}=5.02$ TeV, PLB 790 (2019) 270, arXiv:1805.09215.
- 728. Measurement of the production cross section for single top quarks in association with W bosons in proton-proton collisions at $\sqrt{s} = 13$ TeV, JHEP 10 (2018) 117, arXiv:1805.07399.
- 727. Search for top squarks decaying via four-body or chargino-mediated modes in single-lepton final states in proton-proton collisions at $\sqrt{s}=13$ TeV, JHEP 09 (2018) 065, arXiv:1805.05784.
- 726. Search for black holes and sphalerons in high-multiplicity final states in proton-proton collisions at $\sqrt{s} = 13$ TeV, JHEP 11 (2018) 042, arXiv:1805.06013.
- 725. Measurement of the groomed jet mass in PbPb and pp collisions at $\sqrt{[b]s_{\scriptscriptstyle {
 m NN}}}=5.02$ TeV, JHEP 10 (2018) 161, arXiv:1805.05145.
- 724. Constraining gluon distributions in nuclei using dijets in proton-proton and proton-lead collisions at $\sqrt{[b]s_{_{\mathrm{NN}}}} = 5.02$ TeV, PRL 121 (2018) 062002, arXiv:1805.04736.
- 723. Search for an exotic decay of the Higgs boson to a pair of light pseudoscalars in the final state of two muons and two τ leptons in proton-proton collisions at $\sqrt{s}=13$ TeV, JHEP 11 (2018) 018, arXiv:1805.04865.
- 722. Search for vector-like T and B quark pairs in final states with leptons at $\sqrt{s} = 13$ TeV, JHEP 08 (2018) 177, arXiv:1805.04758.
- 721. Measurement of prompt $\psi(2S)$ production cross sections in proton-lead and proton-proton collisions at $\sqrt{[b]s_{\text{NN}}} = 5.02 \text{ TeV}$, PLB 790 (2019) 509, arXiv:1805.02248.
- 720. Measurement of the top quark mass with lepton+jets final states using pp collisions at $\sqrt{s}=13$ TeV, EPJC 78 (2018) 891, arXiv:1805.01428.
- 719. Elliptic flow of charm and strange hadrons in high-multiplicity pPb collisions at $\sqrt{[b]s_{_{\mathrm{NN}}}}=8.16~\mathrm{TeV}$, PRL 121 (2018) 082301, arXiv:1804.09767.

- 718. Search for disappearing tracks as a signature of new long-lived particles in proton-proton collisions at $\sqrt{s}=13$ TeV, JHEP 08 (2018) 016, arXiv:1804.07321.
- 717. Measurement of differential cross sections for Z boson production in association with jets in proton-proton collisions at $\sqrt{s} = 13$ TeV, EPJC 78 (2018) 965, arXiv:1804.05252.
- 716. Search for t̄tH production in the H → b̄b decay channel with leptonic t̄t decays in proton-proton collisions at √s = 13 TeV,
 JHEP 03 (2019) 026, arXiv:1804.03682.
- 715. Measurements of Higgs boson properties in the diphoton decay channel in proton-proton collisions at $\sqrt{s}=13$ TeV, JHEP 11 (2018) 185, arXiv:1804.02716.
- 714. Observation of ttH production, PRL 120 (2018) 231801, arXiv:1804.02610.
- 713. Search for a new scalar resonance decaying to a pair of Z bosons in proton-proton collisions at $\sqrt{s}=13$ TeV, JHEP 06 (2018) 127, arXiv:1804.01939.
- 712. Search for a heavy right-handed W boson and a heavy neutrino in events with two same-flavor leptons and two jets at $\sqrt{s} = 13$ TeV, JHEP 05 (2018) 148, arXiv:1803.11116.
- 711. Search for high-mass resonances in final states with a lepton and missing transverse momentum at $\sqrt{s}=13$ TeV, JHEP 06 (2018) 128, arXiv:1803.11133.
- 710. Search for a new heavy resonance decaying into a Z boson and a Z or W boson in $2\ell 2q$ final states at $\sqrt{s} = 13$ TeV, JHEP 09 (2018) 101, arXiv:1803.10093.
- 709. Measurement of differential cross sections for the production of top quark pairs and of additional jets in lepton+jets events from pp collisions at $\sqrt{s} = 13$ TeV, PRD 97 (2018) 112003, arXiv:1803.08856.
- 708. Search for new physics in dijet angular distributions using protonproton collisions at $\sqrt{s} = 13$ TeV and constraints on dark matter and other models, EPJC 78 (2018) 789, arXiv:1803.08030.
- 707. Search for ttH production in the all-jet final state in proton-proton collisions at $\sqrt{s} = 13$ TeV, JHEP 06 (2018) 101, arXiv:1803.06986.
- 706. Search for additional neutral MSSM Higgs bosons in the $\tau\tau$ final state in proton-proton collisions at $\sqrt{s}=13$ TeV, JHEP 09 (2018)007, arXiv:1803.06553.

- 705. Search for high-mass resonances in dilepton final states in proton-proton collisions at $\sqrt{s}=13$ TeV, JHEP 06 (2018) 120, arXiv:1803.06292.
- 704. Evidence for associated production of a Higgs boson with a top quark pair in final states with electrons, muons, and hadronically decaying τ leptons at $\sqrt{s}=13$ TeV, JHEP 08 (2018) 066, arXiv:1803.05485.
- 703. Observation of proton-tagged, central (semi)exclusive production of high-mass lepton pairs in pp collisions at 13 TeV with the CMS-TOTEM precision proton spectrometer, JHEP 07 (2018) 153, arXiv:1803.04496.
- 702. Measurements of differential cross sections of top quark pair production as a function of kinematic event variables in proton-proton collisions at $\sqrt{s} = 13$ TeV , JHEP 06 (2018) 002, arXiv:1803.03991.
- 701. Search for a heavy resonance decaying into a Z boson and a vector boson in the $\nu\bar{\nu}q\bar{q}$ final state, JHEP 07 (2018) 075, arXiv:1803.03838.
- 700. Search for third-generation scalar leptoquarks decaying to a top quark and a τ lepton at $\sqrt{s}=13$ TeV, EPJC 78 (2018) 707, arXiv:1803.02864.
- 699. Jet properties in PbPb and pp collisions at $\sqrt{[b]s_{\rm NN}}=5.02$ TeV, JHEP 05 (2018) 006, arXiv:1803.00042.
- 698. Search for a heavy resonance decaying to a pair of vector bosons in the lepton plus merged jet final state at $\sqrt{s}=13$ TeV, JHEP 05 (2018) 088, arXiv:1802.09407.
- 697. Search for narrow resonances in the b-tagged dijet mass spectrum in proton-proton collisions at $\sqrt{s} = 8$ TeV, PRL 120 (2018) 201801, arXiv:1802.06149.
- 696. Measurement of the Λ_b polarization and angular parameters in $\Lambda_b \to J/\psi \Lambda$ decays from pp collisions at $\sqrt{s} = 7$ and 8 TeV, PRD 97 (2018) 072010, arXiv:1802.04867.
- 695. Search for heavy neutral leptons in events with three charged leptons in proton-proton collisions at $\sqrt{s}=13$ TeV, PRL 120 (2018) 221801, arXiv:1802.02965.
- 694. Measurement of the inelastic proton-proton cross section at $\sqrt{s} = 13$ TeV, JHEP 07 (2018) 161, arXiv:1802.02613.
- 693. Search for natural and split supersymmetry in proton-proton collisions at $\sqrt{s} = 13$ TeV in final states with jets and missing transverse momentum, JHEP 05 (2018) 025, arXiv:1802.02110.

• 692. Search for single production of vector-like quarks decaying to a b quark and a Higgs boson, JHEP 06 (2018) 031, arXiv:1802.01486.

• 691. Search for lepton-flavor violating decays of heavy resonances and quantum black holes to $e\mu$ final states in proton-proton collisions at $\sqrt{s} = 13$ TeV,

JHEP 04 (2018) 073, arXiv:1802.01122.

- 690. Comparing transverse momentum balance of b jet pairs in pp and PbPb collisions at $\sqrt{[b]s_{\scriptscriptstyle {
 m NN}}}=5.02$ TeV, JHEP 03 (2018) 181, arXiv:1802.00707.
- 689. Search for dark matter in events with energetic, hadronically decaying top quarks and missing transverse momentum at $\sqrt{s} = 13$ TeV, JHEP 06 (2018) 027, arXiv:1801.08427.
- 688. Observation of medium induced modifications of jet fragmentation in PbPb collisions at $\sqrt{[b]s_{\scriptscriptstyle {\rm NN}}}=5.02$ TeV using isolated-photon-tagged jets,

PRL 121 (2018) 242301, arXiv:1801.04895.

- 687. Combined search for electroweak production of charginos and neutralinos in proton-proton collisions at $\sqrt{s} = 13$ TeV, JHEP 03 (2018) 160, arXiv:1801.03957.
- 686. Measurement of the $Z/\gamma^* \to \tau\tau$ cross section in pp collisions at $\sqrt{s} = 13$ TeV and validation of τ lepton analysis techniques, EPJC 78 (2018) 708, arXiv:1801.03535.
- 685. Search for new physics in events with two soft oppositely charged leptons and missing transverse momentum in proton-proton collisions at $\sqrt{s} = 13$ TeV,

PLB 782 (2018) 440, arXiv:1801.01846.

- 684. Search for decays of stopped exotic long-lived particles produced in proton-proton collisions at $\sqrt{s} = 13$ TeV, JHEP 05 (2018) 127, arXiv:1801.00359.
- 683. Electroweak production of two jets in association with a Z boson in proton-proton collisions at $\sqrt{s}=13$ TeV, EPJC 78 (2018) 589, arXiv:1712.09814.
- 682. Search for R-parity violating supersymmetry in pp collisions at $\sqrt{s} = 13$ TeV using b jets in a final state with a single lepton, many jets, and high sum of large-radius jet masses, PLB 783 (2018) 114, arXiv:1712.08920.
- 681. Measurement of prompt and nonprompt charmonium suppression in PbPb collisions at 5.02 TeV, EPJC 78 (2018) 509, arXiv:1712.08959.

• 680. Search for physics beyond the standard model in events with highmomentum Higgs bosons and missing transverse momentum in protonproton collisions at 13 TeV,

PRL 120 (2018) 241801, arXiv:1712.08501.

- 679. Search for lepton flavour violating decays of the Higgs boson to $\mu\tau$ and $e\tau$ in proton-proton collisions at $\sqrt{s}=13$ TeV, JHEP 06 (2018) 001, arXiv:1712.07173.
- 678. Study of Bose-Einstein correlations in pp, pPb, and PbPb collisions at the LHC, PRC 97 (2018) 064912, arXiv:1712.07198.
- 677. Search for the X(5568) state decaying into $B_s^0 \pi^{\pm}$ in proton-proton collisions at $\sqrt{s} = 8$ TeV, PRL 120 (2018) 202005, arXiv:1712.06144.
- 676. Azimuthal correlations for inclusive 2-jet, 3-jet, and 4-jet events in pp collisions at $\sqrt{s} = 13$ TeV, EPJC 78 (2018) 566, arXiv:1712.05471.
- 675. Search for $Z\gamma$ resonances using leptonic and hadronic final states in proton-proton collisions at $\sqrt{s}=13$ TeV, JHEP 09 (2018) 148, arXiv:1712.03143.
- 674. Measurement of the associated production of a single top quark and a Z boson in pp collisions at $\sqrt{s} = 13$ TeV, PLB 779 (2018) 358, arXiv:1712.02825.
- 673. Constraints on the double-parton scattering cross section from samesign W boson pair production in proton-proton collisions at $\sqrt{s} = 8$ TeV, JHEP 02 (2018) 032, arXiv:1712.02280.
- 672. Search for the flavor-changing neutral current interactions of the top quark and the Higgs boson which decays into a pair of b quarks at $\sqrt{s} = 13 \text{ TeV}$,

JHEP 06 (2018) 102, arXiv:1712.02399.

• 671. Search for new physics in final states with an energetic jet or a hadronically decaying W or Z boson and transverse momentum imbalance at $\sqrt{s} = 13$ TeV,

PRD 97 (2018) 092005, arXiv:1712.02345.

• 670. Search for pair production of excited top quarks in the lepton+jets final state,

PLB 778 (2018) 349, arXiv:1711.10949.

- 669. Study of jet quenching with isolated-photon+jet correlations in PbPb and pp collisions at $\sqrt{[b]}s_{\text{\tiny NN}}=5.02$ TeV, PLB 785 (2018) 14, arXiv:1711.09738.
- 668. Search for new long-lived particles at $\sqrt{s} = 13$ TeV, PLB 780 (2018) 432, arXiv:1711.09120.

• 667. Search for gauge-mediated supersymmetry in events with at least one photon and missing transverse momentum in pp collisions at $\sqrt{s} = 13$ TeV.

PLB 780 (2018) 118, arXiv:1711.08008.

 • 666. Non-Gaussian elliptic-flow fluctuations in PbPb collisions at $\sqrt{[b]s_{\mbox{\tiny NN}}}=5.02~\mbox{TeV},$

PLB 789 (2019) 643, arXiv:1711.05594.

- 665. Search for excited quarks of light and heavy flavor in γ +jet final states in proton-proton collisions at $\sqrt{s} = 13$ TeV, PLB 781 (2018) 390, arXiv:1711.04652.
- 664. Search for ZZ resonances in the $2\ell 2\nu$ final state in proton-proton collisions at 13 TeV, JHEP 03 (2018) 003, arXiv:1711.04370.
- 663. Measurement of the underlying event activity in inclusive Z boson production in proton-proton collisions at $\sqrt{s} = 13$ TeV, JHEP 07 (2018) 032, arXiv:1711.04299.
- 662. Measurement of the inclusive $t\bar{t}$ cross section in pp collisions at $\sqrt{s} = 5.02$ TeV using final states with at least one charged lepton, JHEP 03 (2018) 115, arXiv:1711.03143.
- 661. Measurement of the cross section for top quark pair production in association with a W or Z boson in proton-proton collisions at $\sqrt{s} = 13$ TeV, JHEP 08 (2018) 011, arXiv:1711.02547.
- 660. Measurement of associated Z+charm production in proton-proton collisions at $\sqrt{s}=8$ TeV, EPJC 78 (2018) 287, arXiv:1711.02143.
- 659. Search for top squarks and dark matter particles in opposite-charge dilepton final states at $\sqrt{s} = 13$ TeV, PRD 97 (2018) 032009, arXiv:1711.00752.
- 658. Search for new physics in events with a leptonically decaying Z boson and a large transverse momentum imbalance in proton-proton collisions at $\sqrt{s} = 13$ TeV, EPJC 78 (2018) 291, arXiv:1711.00431.
- 657. Search for standard model production of four top quarks with samesign and multilepton final states in proton-proton collisions at $\sqrt{s} = 13$ TeV, EPJC 78 (2018) 140, arXiv:1710.10614.
- 656. Search for supersymmetry in proton-proton collisions at 13 TeV using identified top quarks,
 PRD 97 (2018) 012007, arXiv:1710.11188.
- 655. Measurement of quarkonium production cross sections in pp collisions at $\sqrt{s}=13$ TeV, PLB 780 (2018) 251, arXiv:1710.11002.

- 654. Pseudorapidity distributions of charged hadrons in proton-lead collisions at $\sqrt{[b]s_{_{\rm NN}}}=5.02$ and 8.16 TeV, JHEP 01 (2018) 045, arXiv:1710.09355.
- 653. Measurement of b hadron lifetimes in pp collisions at $\sqrt{s} = 8$ TeV, EPJC 78 (2018) 457, arXiv:1710.08949.
- 652. Search for supersymmetry in events with at least three electrons or muons, jets, and missing transverse momentum in proton-proton collisions at $\sqrt{s} = 13$ TeV, JHEP 02 (2018) 067, arXiv:1710.09154.
- 651. Pseudorapidity and transverse momentum dependence of flow harmonics in pPb and PbPb collisions, PRC 98 (2018) 044902, arXiv:1710.07864.
- 650. Measurement of differential cross sections in the ϕ^* variable for inclusive Z boson production in pp collisions at $\sqrt{s} = 8$ TeV, JHEP 03 (2018) 172, arXiv:1710.07955.
- 649. Search for a massive resonance decaying to a pair of Higgs bosons in the four b quark final state in proton-proton collisions at $\sqrt{s} = 13$ TeV, PLB 781 (2018) 244.
- 648. Measurement of angular parameters from the decay $B^0 \to K^{*0} \mu^+ \mu^-$ in proton-proton collisions at $\sqrt{s} = 8$ TeV, PLB 781 (2018) 517, arXiv:1710.02846.
- 647. Study of dijet events with a large rapidity gap between the two leading jets in pp collisions at $\sqrt{s} = 7$ TeV, EPJC 78 (2018) 242, arXiv:1710.02586.
- 646. Search for pair production of vector-like quarks in the bWbW channel from proton-proton collisions at $\sqrt{s} = 13$ TeV, PLB 779 (2018) 82, arXiv:1710.01539.
- 645. Search for low mass vector resonances decaying into quark-antiquark pairs in proton-proton collisions at $\sqrt{s} = 13$ TeV, JHEP 01 (2018) 097, arXiv:1710.00159.
- 644. Search for supersymmetry in events with one lepton and multiple jets exploiting the angular correlation between the lepton and the missing transverse momentum in proton-proton collisions at $\sqrt{s} = 13$ TeV, PLB 780 (2018) 384, arXiv:1709.09814.
- 643. Observation of correlated azimuthal anisotropy Fourier harmonics in pp and pPb collisions at the LHC, PRL 120 (2018) 092301, arXiv:1709.09189.
- 642. Search for new phenomena in final states with two opposite-charge, same-flavor leptons, jets, and missing transverse momentum in pp collisions at $\sqrt{s} = 13$ TeV, JHEP 03 (2018) 076, arXiv:1709.08908.

- 641. Measurements of the pp \to ZZ production cross section and the Z \to 4 ℓ branching fraction, and constraints on anomalous triple gauge couplings at $\sqrt{s}=13$ TeV, EPJC 78 (2018) 165, arXiv:1709.08601.
- 640. Observation of top quark production in proton-nucleus collisions, PRL 119 (2017) 242001, arXiv:1709.07411.
- 639. Evidence for the Higgs boson decay to a bottom quark-antiquark pair,
 PLB 780 (2018) 501, arXiv:1709.07497.
- 638. Observation of electroweak production of same-sign W boson pairs in the two jet and two same-sign lepton final state in proton-proton collisions at $\sqrt{s} = 13$ TeV, PRL 120 (2018) 081801, arXiv:1709.05822.
- 637. Inclusive search for a highly boosted Higgs boson decaying to a bottom quark-antiquark pair, PRL 120 (2018) 071802, arXiv:1709.05543.
- 636. Search for electroweak production of charginos and neutralinos in multilepton final states in proton-proton collisions at $\sqrt{s} = 13$ TeV, JHEP 03 (2018) 166, arXiv:1709.05406.
- 635. Combination of inclusive and differential $t\bar{t}$ charge asymmetry measurements using ATLAS and CMS data at $\sqrt{s}=7$ and 8 TeV, JHEP 04 (2018) 033, arXiv:1709.05327.
- 634. Search for higgsino pair production in pp collisions at $\sqrt{s} = 13$ TeV in final states with large missing transverse momentum and two Higgs bosons decaying via H \rightarrow b $\bar{\rm b}$, PRD 97 (2018) 032007, arXiv:1709.04896.
- 633. Search for supersymmetry with Higgs boson to diphoton decays using the razor variables at $\sqrt{s} = 13$ TeV, PLB 779 (2018) 166, arXiv:1709.00384.
- 632. Measurement of the splitting function in pp and PbPb collisions at $\sqrt{[b]s_{_{\mathrm{NN}}}}=5.02~\mathrm{TeV},$ PRL 120 (2018) 142302, arXiv:1708.09429.
- 631. Challenges to the chiral magnetic wave using charge-dependent azimuthal anisotropies in pPb and PbPb collisions at $\sqrt{[b]}s_{\scriptscriptstyle {\rm NN}}=5.02$ TeV, PRC 100 (2019) 064908, arXiv:1708.08901.
- 630. Search for heavy resonances decaying to a top quark and a bottom quark in the lepton+jets final state in proton-proton collisions at 13 TeV, PLB 777 (2017) 39, arXiv:1708.08539.
- 629. Measurement of normalized differential $t\bar{t}$ cross sections in the dilepton channel from pp collisions at $\sqrt{s}=13~{\rm TeV}$, JHEP 04 (2018) 060, arXiv:1708.07638.

- 628. Search for evidence of the type-III seesaw mechanism in multilepton final states in proton-proton collisions at $\sqrt{s} = 13$ TeV, PRL 119 (2017) 221802, arXiv:1708.07962.
- 627. Principal-component analysis of two-particle azimuthal correlations in PbPb and pPb collisions at CMS, PRC 96 (2017) 064902, arXiv:1708.07113.
- 626. Search for massive resonances decaying into WW, WZ, ZZ, qW, and qZ with dijet final states at $\sqrt{s} = 13$ TeV, PRD 97 (2018) 072006, arXiv:1708.05379.
- 625. Nuclear modification factor of D⁰ mesons in PbPb collisions at $\sqrt{s_{_{\mathrm{NN}}}} = 5.02 \text{ TeV}$, PLB 782 (2018) 474, arXiv:1708.04962.
- 624. Search for resonant and nonresonant Higgs boson pair production in the $b\bar{b}\ell\nu\ell\nu$ final state in proton-proton collisions at $\sqrt{s}=13$ TeV, JHEP 01 (2018) 054, arXiv:1708.04188.
- 623. Measurement of prompt D⁰ meson azimuthal anisotropy in PbPb collisions at $\sqrt{s_{_{\mathrm{NN}}}}=5.02~\mathrm{TeV},$ PRL 120 (2018) 202301, arXiv:1708.03497.
- 622. Measurement of vector boson scattering and constraints on anomalous quartic couplings from events with four leptons and two jets in proton-proton collisions at $\sqrt{s} = 13$ TeV, PLB 774 (2017) 682, arXiv:1708.02812.
- 621. Search for vector-like light-flavor quark partners in proton-proton collisions at $\sqrt{s} = 8$ TeV, PRD 97 (2018) 072008, arXiv:1708.02510.
- 620. Constraints on the chiral magnetic effect using charge-dependent azimuthal correlations in pPb and PbPb collisions at the LHC, PRC 97 (2018) 044912, arXiv:1708.01602.
- 619. Search for single production of a vector-like T quark decaying to a Z boson and a top quark in proton-proton collisions at $\sqrt{s} = 13$ TeV, PLB 781 (2018) 574, arXiv:1708.01062.
- 618. Observation of the Higgs boson decay to a pair of τ leptons, PLB 779 (2018) 283, arXiv:1708.00373.
- 617. Search for a light pseudoscalar Higgs boson produced in association with bottom quarks in pp collisions at $\sqrt{s}=8$ TeV, JHEP 11 (2017) 010, arXiv:1707.07283.
- 616. Search for the pair production of third-generation squarks with two-body decays to a bottom or charm quark and a neutralino in proton-proton collisions at $\sqrt{s} = 13$ TeV, PLB 778 (2018) 263, arXiv:1707.07274.

- 615. Search for supersymmetry in events with at least one photon, missing transverse momentum, and large transverse event activity in proton-proton collisions at $\sqrt{s} = 13$ TeV, JHEP 12 (2017) 142, arXiv:1707.06193.
- 614. Measurement of the differential cross sections for the associated production of a W boson and jets in proton-proton collisions at $\sqrt{s} = 13$ TeV, PRD 96 (2017) 072005, arXiv:1707.05979.
- 613. Search for natural supersymmetry in events with top quark pairs and photons in pp collisions at $\sqrt{s} = 8$ TeV, JHEP 03 (2018) 167, arXiv:1707.03325.
- 612. Search for Higgs boson pair production in events with two bottom quarks and two tau leptons in proton-proton collisions at $\sqrt{s} = 13$ TeV, PLB 778 (2018) 101, arXiv:1707.02909.
- 611. Search for direct production of supersymmetric partners of the top quark in the all-jets final state in proton-proton collisions at $\sqrt{s} = 13$ TeV, JHEP 10 (2017) 005, arXiv:1707.03316.
- 610. Search for heavy resonances that decay into a vector boson and a Higgs boson in hadronic final states at $\sqrt{s} = 13$ TeV, EPJC 77 (2017) 636, arXiv:1707.01303.
- 609. Constraints on anomalous Higgs boson couplings using production and decay information in the four-lepton final state, PLB 775 (2017) 1, arXiv:1707.00541.
- 608. A search for Higgs boson pair production in the $bb\tau\tau$ final state in proton-proton collisions at $\sqrt{s} = 8$ TeV, PRD 96 (2017) 072004, arXiv:1707.00350.
- 607. Search for electroweak production of charginos and neutralinos in WH events in proton-proton collisions at $\sqrt{s}=13$ TeV, JHEP 11 (2017) 029, arXiv:1706.09933.
- 606. Measurements of properties of the Higgs boson decaying into the four-lepton final state in pp collisions at $\sqrt{s} = 13$ TeV, JHEP 11 (2017) 047, arXiv:1706.09936.
- 605. Measurement of charged pion, kaon, and proton production in protonproton collisions at √s = 13 TeV, PRD 96 (2017) 112003, arXiv:1706.10194.
- 604. Search for a heavy composite Majorana neutrino in the final state with two leptons and two quarks at $\sqrt{s} = 13$ TeV, PLB 775 (2017) 315, arXiv:1706.08578.
- 603. Exclusive and semi-exclusive $\pi^+\pi^-$ production in proton-proton collisions at $\sqrt{s}=7$ TeV, Superseded by ja href="../FSQ-16-006/index.html"; FSQ-16-006j/a;, arXiv:1706.08310.

- 602. Measurement of the semileptonic $t\bar{t}+\gamma$ production cross section in pp collisions at $\sqrt{s}=8$ TeV, JHEP 10 (2017) 006, arXiv:1706.08128.
- 601. Suppression of excited Υ states relative to the ground state in PbPb collisions at $\sqrt{s_{_{\rm NN}}}=5.02$ TeV, PRL 120 (2018) 142301, arXiv:1706.05984.
- 600. Measurements of jet charge with dijet events in pp collisions at $\sqrt{s} = 8$ TeV, JHEP 10 (2017) 131, arXiv:1706.05868.
- 599. Search for top squark pair production in pp collisions at $\sqrt{s} = 13$ TeV using single lepton events, JHEP 10 (2017) 019, arXiv:1706.04402.
- 598. Searches for W' bosons decaying to a top quark and a bottom quark in proton-proton collisions at 13 TeV, JHEP 08 (2017) 029, arXiv:1706.04260.
- 597. Search for pair production of vector-like T and B quarks in single-lepton final states using boosted jet substructure techniques at $\sqrt{s}=13$ TeV, JHEP 11 (2017) 085, arXiv:1706.03408.
- 596. Search for new physics in the monophoton final state in proton-proton collisions at $\sqrt{s} = 13$ TeV, JHEP 10 (2017) 073, arXiv:1706.03794.
- 595. Search for dark matter produced in association with heavy-flavor quark pairs in proton-proton collisions at $\sqrt{s} = 13$ TeV, EPJC 77 (2017) 845, arXiv:1706.02581.
- 594. Search for top quark partners with charge 5/3 in proton-proton collisions at $\sqrt{s} = 13$ TeV, JHEP 08 (2017) 073, arXiv:1705.10967.
- 593. Search for low mass vector resonances decaying to quark-antiquark pairs in proton-proton collisions at $\sqrt{s} = 13$ TeV, PRL 119 (2017) 111802, arXiv:1705.10532.
- 592. Measurements of $t\bar{t}$ cross sections in association with b jets and inclusive jets and their ratio using dilepton final states in pp collisions at $\sqrt{s} = 13 \text{ TeV}$, PLB 776 (2018) 355, arXiv:1705.10141.
- 591. Combination of searches for heavy resonances decaying to WW, WZ, ZZ, WH, and ZH boson pairs in proton-proton collisions at $\sqrt{s}=8$ and 13 TeV,
 - PLB 774 (2017) 533, arXiv:1705.09171.
- 590. Measurement of B[±] mesons differential production cross sections in pp and PbPb collisions at $\sqrt{s_{_{\mathrm{NN}}}} = 5.02$ TeV, PRL 119 (2017) 152301, arXiv:1705.04727.

- 589. Search for new phenomena with the M_{T2} variable in the all-hadronic final state produced in proton-proton collisions at $\sqrt{s} = 13$ TeV, EPJC 77 (2017) 710, arXiv:1705.04650.
- 588. Search for supersymmetry in pp collisions at $\sqrt{s} = 13$ TeV in the single-lepton final state using the sum of masses of large-radius jets, PRL 119 (2017) 151802, arXiv:1705.04673.
- 587. Search for charged Higgs bosons produced via vector boson fusion and decaying into a pair of W and Z bosons using proton-proton collisions at $\sqrt{s} = 13$ TeV, PRL 119 (2017) 141802, arXiv:1705.02942.
- 586. Measurement of the triple-differential dijet cross section in protonproton collisions at $\sqrt{s} = 8$ TeV and constraints on parton distribution functions, EPJC 77 (2017) 746, arXiv:1705.02628.
- 585. Search for black holes in high-multiplicity final states in proton-proton collisions at $\sqrt{s} = 13$ TeV, PLB 774 (2017) 279, arXiv:1705.01403.
- 584. Search for supersymmetry in multijet events with missing transverse momentum in proton-proton collisions at 13 TeV, PRD 96 (2017) 032003, arXiv:1704.07781.
- 583. Search for physics beyond the standard model in events with two leptons of same sign, missing transverse momentum, and jets in proton-proton collisions at $\sqrt{s} = 13$ TeV, EPJC 77 (2017) 578, arXiv:1704.07323.
- 582. Measurement of the top quark mass in the dileptonic $t\bar{t}$ decay channel using the mass observables $M_{\rm b\ell}$, $M_{\rm T2}$, and $M_{\rm b\ell\nu}$ in pp collisions at $\sqrt{s}=8$ TeV, PRD 96 (2017) 032002, arXiv:1704.06142.
- 581. Search for tt resonances in highly-boosted lepton+jets and fully hadronic final states in proton-proton collisions at $\sqrt{s} = 13$ TeV, JHEP 07 (2017) 001, arXiv:1704.03366.
- 580. Measurements of the pp \rightarrow W $\gamma\gamma$ and pp \rightarrow Z $\gamma\gamma$ cross sections and limits on anomalous quartic gauge couplings at $\sqrt{s}=8$ TeV, JHEP 10 (2017) 072, arXiv:1704.00366.
- 579. Search for new physics with dijet angular distributions in proton-proton collisions at $\sqrt{s}=13$ TeV, JHEP 07 (2017) 013, arXiv:1703.09986.
- 578. Search for a heavy resonance decaying to a top quark and a vector-like top quark at $\sqrt{s}=13$ TeV, JHEP 09 (2017) 053, arXiv:1703.06352.
- 577. Measurement of the jet mass in highly boosted $t\bar{t}$ events from pp collisions at $\sqrt{s}=8$ TeV, EPJC 77 (2017) 467, arXiv:1703.06330.

- 576. Search for anomalous couplings in boosted WW/WZ $\rightarrow \ell\nu q\bar{q}$ production in proton-proton collisions at $\sqrt{s}=8$ TeV, PLB 772 (2017) 21, arXiv:1703.06095.
- 575. Search for associated production of dark matter with a Higgs boson decaying to $b\bar{b}$ or $\gamma\gamma$ at $\sqrt{s}=13$ TeV, JHEP 10 (2017) 180, arXiv:1703.05236.
- 574. Search for third-generation scalar leptoquarks and heavy right-handed neutrinos in final states with two tau leptons and two jets in proton-proton collisions at $\sqrt{s} = 13$ TeV, JHEP 07 (2017) 121, arXiv:1703.03995.
- 573. Measurement of the top quark mass using single top quark events in proton-proton collisions at $\sqrt{s} = 8$ TeV, EPJC 77 (2017) 354, arXiv:1703.02530.
- 572. Measurement of double-differential cross sections for top quark pair production in pp collisions at $\sqrt{s} = 8$ TeV and impact on parton distribution functions, EPJC 77 (2017) 459, arXiv:1703.01630.
- 571. Search for dark matter produced with an energetic jet or a hadronically decaying W or Z boson at $\sqrt{s} = 13$ TeV, JHEP 07 (2017) 014, arXiv:1703.01651.
- 570. Search for standard model production of four top quarks in protonproton collisions at $\sqrt{s} = 13$ TeV, PLB 772 (2017) 336, arXiv:1702.06164.
- 569. Measurement of the cross section for electroweak production of $Z\gamma$ in association with two jets and constraints on anomalous quartic gauge couplings in proton-proton collisions at $\sqrt{s} = 8$ TeV, PLB 770 (2017) 380, arXiv:1702.03025.
- 568. Measurement of prompt and nonprompt J/ ψ production in pp and pPb collisions at $\sqrt{s_{\rm NN}} = 5.02$ TeV, EPJC 77 (2017) 269, arXiv:1702.01462.
- 567. Search for associated production of a Z boson with a single top quark and for tZ flavour-changing interactions in pp collisions at $\sqrt{s} = 8$ TeV, JHEP 07 (2017) 003, arXiv:1702.01404.
- 566. Study of jet quenching with Z+jet correlations in PbPb and pp collisions at $\sqrt{s_{\rm NN}} = 5.02$ TeV, PRL 119 (2017) 082301, arXiv:1702.01060.
- 565. Azimuthal anisotropy of charged particles with transverse momentum up to 100 GeV/c in PbPb collisions at $\sqrt{s_{\mathrm{NN}}} = 5.02$ TeV, PLB 776 (2017) 195, arXiv:1702.00630.
- 564. Measurement of the inclusive energy spectrum in the very forward direction in proton-proton collisions at $\sqrt{s}=13$ TeV, JHEP 08 (2017) 046, arXiv:1701.08695.

- 563. Search for single production of vector-like quarks decaying into a b quark and a W boson in proton-proton collisions at $\sqrt{s} = 13$ TeV, PLB 772 (2017) 634, arXiv:1701.08328.
- 562. Search for single production of vector-like quarks decaying to a Z boson and a top or a bottom quark in proton-proton collisions at \sqrt{s} = 13 TeV, JHEP 05 (2017) 029, arXiv:1701.07409.
- 561. Search for new phenomena with multiple charged leptons in proton-proton collisions at $\sqrt{s} = 13$ TeV, EPJC 77 (2017) 635, arXiv:1701.06940.
- 560. Measurement of the $\rm t\bar{t}$ production cross section using events with one lepton and at least one jet in pp collisions at $\sqrt{s}=13$ TeV, JHEP 09 (2017) 051, arXiv:1701.06228.
- 559. Search for supersymmetry in the all-hadronic final state using top quark tagging in pp collisions at $\sqrt{s} = 13$ TeV, PRD 96 (2017) 012004, arXiv:1701.01954.
- 558. Search for dark matter and unparticles in events with a Z boson and missing transverse momentum in proton-proton collisions at $\sqrt{s} = 13$ TeV, JHEP 03 (2017) 061 [Erratum: JHEP 09 (2017) 106], arXiv:1701.02042.
- 557. Search for light bosons in decays of the 125 GeV Higgs boson in proton-proton collisions at $\sqrt{s}=8$ TeV, JHEP 10 (2017) 076, arXiv:1701.02032.
- 556. Search for leptophobic Z' bosons decaying into four-lepton final states in proton-proton collisions at $\sqrt{s}=8$ TeV, PLB 773 (2017) 563, arXiv:1701.01345.
- 555. Search for high-mass $Z\gamma$ resonances in proton-proton collisions at $\sqrt{s}=8$ and 13 TeV using jet substructure techniques, PLB 772 (2017) 363, arXiv:1612.09516.
- 554. Search for heavy gauge W' bosons in events with an energetic lepton and large missing transverse momentum at √s = 13 TeV, PLB 770 (2017) 278, arXiv:1612.09274.
- 553. Search for massive resonances decaying into WW, WZ or ZZ bosons in proton-proton collisions at $\sqrt{s}=13$ TeV, JHEP 03 (2017) 162, arXiv:1612.09159.
- 552. Measurements of the charm jet cross section and nuclear modification factor in pPb collisions at $\sqrt{s_{\rm NN}} = 5.02$ TeV, PLB 772 (2017) 306, arXiv:1612.08972.
- 551. Measurement of electroweak-induced production of W γ with two jets in pp collisions at $\sqrt{s} = 8$ TeV and constraints on anomalous quartic gauge couplings, JHEP 06 (2017) 106, arXiv:1612.09256.

 550. Search for electroweak production of a vector-like quark decaying to a top quark and a Higgs boson using boosted topologies in fully hadronic final states,

JHEP 04 (2017) 136, arXiv:1612.05336.

• 549. Searches for pair production of third-generation squarks in $\sqrt{s}=13$ TeV pp collisions, EPJC 77 (2017) 327, arXiv:1612.03877.

- 548. Search for heavy neutrinos or third-generation leptoquarks in final states with two hadronically decaying τ leptons and two jets in proton-proton collisions at $\sqrt{s} = 13$ TeV, JHEP 03 (2017) 077, arXiv:1612.01190.
- 547. Search for single production of a heavy vector-like T quark decaying to a Higgs boson and a top quark with a lepton and jets in the final state, PLB 771 (2017) 80, arXiv:1612.00999.
- 546. Search for CP violation in $t\bar{t}$ production and decay in proton-proton collisions at $\sqrt{s}=8$ TeV, JHEP 03 (2017) 101, arXiv:1611.08931.
- 545. Search for heavy resonances decaying to tau lepton pairs in proton-proton collisions at $\sqrt{s}=13$ TeV, JHEP 02 (2017) 048, arXiv:1611.06594.
- 544. Search for supersymmetry in events with photons and missing transverse energy in pp collisions at 13 TeV, PLB 769 (2017) 391, arXiv:1611.06604.
- 543. Measurements of the associated production of a Z boson and b jets in pp collisions at $\sqrt{s}=8$ TeV, EPJC 77 (2017) 751, arXiv:1611.06507.
- 542. Measurement of the $t\bar{t}$ production cross section using events in the e μ final state in pp collisions at $\sqrt{s} = 13$ TeV, EPJC 77 (2017) 172, arXiv:1611.04040.
- 541. Search for dijet resonances in proton-proton collisions at $\sqrt{s} = 13$ TeV and constraints on dark matter and other models, PLB 769 (2017) 520, arXiv:1611.03568.
- 540. Measurements of differential production cross sections for a Z boson in association with jets in pp collisions at $\sqrt{s}=8$ TeV, JHEP 04 (2017) 022, arXiv:1611.03844.
- 539. Charged-particle nuclear modification factors in PbPb and pPb collisions at $\sqrt{s_{\rm NN}}=5.02$ TeV, JHEP 04 (2017) 039, arXiv:1611.01664.
- 538. Relative modification of prompt $\psi(2S)$ and J/ψ yields from pp to PbPb collisions at $\sqrt{s_{\rm NN}} = 5.02$ TeV, PRL 118 (2017) 162301, arXiv:1611.01438.

- 537. Suppression of $\Upsilon(1S)$, $\Upsilon(2S)$, and $\Upsilon(3S)$ quarkonium states in PbPb collisions at $\sqrt{s_{_{\mathrm{NN}}}} = 2.76$ TeV, PLB 770 (2017) 357, arXiv:1611.01510.
- 536. A search for new phenomena in pp collisions at $\sqrt{s} = 13$ TeV in final states with missing transverse momentum and at least one jet using the $\alpha_{\rm T}$ variable,

EPJC 77 (2017) 294, arXiv:1611.00338.

- 535. Measurement of the mass difference between top quark and antiquark in pp collisions at $\sqrt{s}=8$ TeV, PLB 770 (2017) 50, arXiv:1610.09551.
- 534. Searches for invisible decays of the Higgs boson in pp collisions at $\sqrt{s} = 7$, 8, and 13 TeV, JHEP 02 (2017) 135, arXiv:1610.09218.
- 533. Search for heavy resonances decaying into a vector boson and a Higgs boson in final states with charged leptons, neutrinos, and b quarks, PLB 768 (2017) 137, arXiv:1610.08066.
- 532. Observation of $\Upsilon(1S)$ pair production in proton-proton collisions at $\sqrt{s}=8$ TeV, JHEP 05 (2017) 013, arXiv:1610.07095.
- 531. Search for R-parity violating supersymmetry with displaced vertices in proton-proton collisions at $\sqrt{s} = 8$ TeV, PRD 95 (2017) 012009, arXiv:1610.05133.
- 530. Search for electroweak production of charginos in final states with two τ leptons in pp collisions at $\sqrt{s} = 8$ TeV, JHEP 04 (2017) 018, arXiv:1610.04870.
- 529. Search for top quark decays via Higgs-boson-mediated flavor-changing neutral currents in pp collisions at $\sqrt{s} = 8$ TeV, JHEP 02 (2017) 079, arXiv:1610.04857.
- 528. Measurement of differential cross sections for top quark pair production using the lepton+jets final state in proton-proton collisions at 13 TeV,

PRD 95 (2017) 092001, arXiv:1610.04191.

- 527. Measurements of differential cross sections for associated production of a W boson and jets in proton-proton collisions at $\sqrt{s}=8$ TeV, PRD 95 (2017) 052002, arXiv:1610.04222.
- 526. Search for anomalous Wtb couplings and flavour-changing neutral currents in t-channel single top quark production in pp collisions at $\sqrt{s} = 7$ and 8 TeV, JHEP 02 (2017) 028, arXiv:1610.03545.
- 525. Search for high-mass $Z\gamma$ resonances in $e^+e^-\gamma$ and $\mu^+\mu^-\gamma$ final states in proton-proton collisions at $\sqrt{s}=8$ and 13 TeV, JHEP 01 (2017) 076, arXiv:1610.02960.

- 524. Cross section measurement of t-channel single top quark production in pp collisions at $\sqrt{s} = 13$ TeV, PLB 772 (2017) 752, arXiv:1610.00678.
- 523. Suppression and azimuthal anisotropy of prompt and nonprompt J/ ψ production in PbPb collisions at $\sqrt{s_{\rm NN}} = 2.76$ TeV, EPJC 77 (2017) 252, arXiv:1610.00613.
- 522. Observation of charge-dependent azimuthal correlations in pPb collisions and its implication for the search for the chiral magnetic effect, PRL 118 (2017) 122301, arXiv:1610.00263.
- 521. Search for supersymmetry in events with one lepton and multiple jets in proton-proton collisions at $\sqrt{s} = 13$ TeV, PRD 95 (2017) 012011, arXiv:1609.09386.
- 520. Search for long-lived charged particles in proton-proton collisions at $\sqrt{s}=13$ TeV, PRD 94 (2016) 112004, arXiv:1609.08382.
- 519. Inclusive search for supersymmetry using razor variables in pp collisions at $\sqrt{s} = 13$ TeV, PRD 95 (2017) 012003, arXiv:1609.07658.
- 518. Measurement of the WZ production cross section in pp collisions at $\sqrt{s}=7$ and 8 TeV and search for anomalous triple gauge couplings at $\sqrt{s}=8$ TeV, EPJC 77 (2017) 236, arXiv:1609.05721.
- 517. Search for narrow resonances in dilepton mass spectra in protonproton collisions at $\sqrt{s} = 13$ TeV and combination with 8 TeV data, PLB 768 (2017) 57, arXiv:1609.05391.
- 516. Measurement of inclusive jet cross sections in pp and PbPb collisions at $\sqrt{s_{\rm NN}}=2.76$ TeV, PRC 96 (2017) 015202, arXiv:1609.05383.
- 515. Measurement and QCD analysis of double-differential inclusive jet cross sections in pp collisions at $\sqrt{s}=8$ TeV and ratios to 2.76 and 7 TeV, JHEP 03 (2017) 156, arXiv:1609.05331.
- 514. Studies of inclusive four-jet production with two b-tagged jets in proton-proton collisions at 7 TeV, PRD 94 (2016) 112005, arXiv:1609.03489.
- 513. Search for high-mass diphoton resonances in proton-proton collisions at 13 TeV and combination with 8 TeV search, PLB 767 (2017) 147, arXiv:1609.02507.
- 512. Decomposing transverse momentum balance contributions for quenched jets in PbPb collisions at $\sqrt{s_{\rm NN}}=2.76$ TeV, JHEP 11 (2016) 055, arXiv:1609.02466.

- 511. Measurement of the differential inclusive B⁺ hadron cross sections in pp collisions at $\sqrt{s} = 13$ TeV, PLB 771 (2017) 435, arXiv:1609.00873.
- 510. Measurement of the production cross section of a W boson in association with two b jets in pp collisions at $\sqrt{s} = 8 \text{ TeV}$, EPJC 77 (2017) 92, arXiv:1608.07561.
- 509. Measurement of the mass of the top quark in decays with a J/ψ meson in pp collisions at 8 TeV, JHEP 12 (2016) 123, arXiv:1608.03560.
- 508. Search for new phenomena in events with high jet multiplicity and low missing transverse momentum in proton-proton collisions at $\sqrt{s} = 8$ TeV, PLB 770 (2017) 257, arXiv:1608.01224.
- 507. Measurement of the ZZ production cross section and Z $\rightarrow \ell^+\ell^-\ell'^+\ell'^-$ branching fraction in pp collisions at $\sqrt{s}=13$ TeV, PLB 763 (2016) 280, arXiv:1607.08834.
- 506. Measurement of electroweak production of a W boson and two forward jets in proton-proton collisions at $\sqrt{s} = 8$ TeV, JHEP 11 (2016) 147, arXiv:1607.06975.
- 505. Measurement of the WZ production cross section in pp collisions at $\sqrt{s}=13$ TeV, PLB 766 (2017) 268, arXiv:1607.06943.
- 504. Search for dark matter in proton-proton collisions at 8 TeV with missing transverse momentum and vector boson tagged jets, JHEP 12 (2016) 083 [Erratum: JHEP 08 (2017) 035], arXiv:1607.05764.
- 503. Search for lepton flavour violating decays of the Higgs boson to $e\tau$ and $e\mu$ in proton-proton collisions at $\sqrt{s} = 8$ TeV, PLB 763C (2016) 472, arXiv:1607.03561.
- 502. Observation of the decay B⁺ $\to \psi(2S)\phi(1020)K^+$ in pp collisions at $\sqrt{s} = 8$ TeV, PLB 764 (2017) 66, arXiv:1607.02638.
- 501. Search for new physics in final states with two opposite-sign, same-flavor leptons, jets, and missing transverse momentum in pp collisions at $\sqrt{s} = 13 \text{ TeV}$, JHEP 12 (2016) 013, arXiv:1607.00915.
- 500. Measurement of the differential cross sections for top quark pair production as a function of kinematic event variables in pp collisions at $\sqrt{s} = 7$ and 8 TeV, PRD 94 (2016) 052006, arXiv:1607.00837.
- 499. Searches for R-parity-violating supersymmetry in pp collisions at $\sqrt{s} = 8$ TeV in final states with 0-4 leptons, PRD 94 (2016) 112009, arXiv:1606.08076.

- 498. Evidence for collectivity in pp collisions at the LHC, PLB 765 (2017) 193, arXiv:1606.06198.
- 497. Measurement of the transverse momentum spectra of weak vector bosons produced in proton-proton collisions at $\sqrt{s} = 8$ TeV, JHEP 02 (2017) 096, arXiv:1606.05864.
- 496. Search for resonant production of high-mass photon pairs in protonproton collisions at $\sqrt{s} = 8$ and 13 TeV, PRL 117 (2016) 051802, arXiv:1606.04093.
- 495. Phenomenological MSSM interpretation of CMS searches in pp collisions at $\sqrt{s}=7$ and 8 TeV, JHEP 10 (2016) 129, arXiv:1606.03577.
- 494. Measurements of the Higgs boson production and decay rates and constraints on its couplings from a combined ATLAS and CMS analysis of the LHC pp collision data at $\sqrt{s} = 7$ and 8 TeV, JHEP 08 (2016) 045, arXiv:1606.02266.
- 493. Measurement of the transverse momentum spectrum of the Higgs boson produced in pp collisions at $\sqrt{s} = 8$ TeV using H \rightarrow WW decays, JHEP 03 (2017) 032, arXiv:1606.01522.
- 492. Search for dark matter and supersymmetry with a compressed mass spectrum in the vector boson fusion topology in proton-proton collisions at $\sqrt{s} = 8 \text{ TeV}$, PRL 118 (2017) 021802, arXiv:1605.09305.
- 491. Measurement of the W boson helicity fractions in the decays of top quark pairs to lepton+jets final states produced in pp collisions at $\sqrt{s} = 8$ TeV, PLB 762 (2016) 512, arXiv:1605.09047.
- 490. Search for top squark pair production in compressed-mass-spectrum scenarios in proton-proton collisions at $\sqrt{s} = 8$ TeV using the $\alpha_{\rm T}$ variable, PLB 767 (2017) 403, arXiv:1605.08993.
- 489. Coherent J/ ψ photoproduction in ultra-peripheral PbPb collisions at $\sqrt{s_{\rm NN}} = 2.76$ TeV with the CMS experiment, PLB 772 (2017) 489, arXiv:1605.06966.
- 488. Multiplicity and rapidity dependence of strange hadron production in pp, pPb, and PbPb collisions at the LHC, PLB 768 (2017) 103, arXiv:1605.06699.
- 487. Search for supersymmetry in pp collisions at $\sqrt{s} = 13$ TeV in the single-lepton final state using the sum of masses of large-radius jets, JHEP 08 (2016) 122, arXiv:1605.04608.
- 486. Measurement of the double-differential inclusive jet cross section in proton-proton collisions at $\sqrt{s} = 13$ TeV, EPJC 76 (2016) 451, arXiv:1605.04436.

- 485. Search for new physics in same-sign dilepton events in proton-proton collisions at $\sqrt{s} = 13$ TeV, EPJC 76 (2016) 439, arXiv:1605.03171.
- 484. Search for Higgs boson off-shell production in proton-proton collisions at 7 and 8 TeV and derivation of constraints on its total decay width, JHEP 09 (2016) 051, arXiv:1605.02329.
- 483. Measurement of the integrated and differential $t\bar{t}$ production cross sections for high- $p_{\rm T}$ top quarks in pp collisions at $\sqrt{s}=8$ TeV, PRD 94 (2016) 072002, arXiv:1605.00116.
- 482. Search for narrow resonances in dijet final states at $\sqrt{s} = 8$ TeV with the novel CMS technique of data scouting, PRL 117 (2016) 031802, arXiv:1604.08907.
- 481. Pseudorapidity dependence of long-range two-particle correlations in pPb collisions at $\sqrt{[b]s_{_{\rm NN}}}=5.02$ TeV, PRC 96 (2017) 014915, arXiv:1604.05347.
- 480. Search for lepton flavour violating decays of heavy resonances and quantum black holes to an e μ pair in proton-proton collisions at $\sqrt{s}=8$ TeV, EPJC 76 (2016) 317, arXiv:1604.05239.
- 479. Evidence for exclusive $\gamma\gamma \to W^+W^-$ production and constraints on anomalous quartic gauge couplings in pp collisions at $\sqrt{s} = 7$ and 8 TeV, JHEP 08 (2016) 119, arXiv:1604.04464.
- 478. Search for dark matter particles in proton-proton collisions at $\sqrt{s}=8$ TeV using the razor variables, JHEP 12 (2016) 088, arXiv:1603.08914.
- 477. Search for two Higgs bosons in final states containing two photons and two bottom quarks, PRD 94 (2016) 052012, arXiv:1603.06896.
- 476. Measurement of the top quark mass using charged particles in pp collisions at $\sqrt{s}=8$ TeV, PRD 93 (2016) 092006, arXiv:1603.06536.
- 475. Measurements of $t\bar{t}$ charge asymmetry using dilepton final states in pp collisions at $\sqrt{s}=8$ TeV, PLB 760 (2016) 365, arXiv:1603.06221.
- 474. Search for new physics with the $M_{\rm T2}$ variable in all-jets final states produced in pp collisions at $\sqrt{s}=13$ TeV, JHEP 10 (2016) 006, arXiv:1603.04053.
- 473. $\Upsilon(nS)$ polarizations versus particle multiplicity in pp collisions at $\sqrt{s}=7$ TeV, PLB 761 (2016) 31, arXiv:1603.02913.

- 472. Search for neutral resonances decaying into a Z boson and a pair of b jets or τ leptons,
 PLB 759 (2016) 369, arXiv:1603.02991.
- 471. Search for s channel single top quark production in pp collisions at $\sqrt{s}=7$ and 8 TeV , JHEP 09 (2016) 027, arXiv:1603.02555.
- 470. Search for heavy Majorana neutrinos in $e^{\pm}e^{\pm}$ + jets and $e^{\pm}\mu^{\pm}$ + jets events in proton-proton collisions at $\sqrt{s} = 8$ TeV, JHEP 04 (2016) 169, arXiv:1603.02248.
- 469. Measurement of the $t\bar{t}$ production cross section in the $e\mu$ channel in proton-proton collisions at $\sqrt{s} = 7$ and 8 TeV, JHEP 08 (2016) 029, arXiv:1603.02303.
- 468. Measurement of the differential cross section and charge asymmetry for inclusive pp \rightarrow W[±] + X production at $\sqrt{s} = 8$ TeV, EPJC 76 (2016) 469, arXiv:1603.01803.
- 467. Search for direct pair production of supersymmetric top quarks decaying to all-hadronic final states in pp collisions at $\sqrt{s}=8~{\rm TeV}$, EPJC 76 (2016) 460, arXiv:1603.00765.
- 466. Measurements of the tt production cross section in lepton+jets final states in pp collisions at 8 TeV and ratio of 8 to 7 TeV cross sections, EPJC 77 (2017) 15, arXiv:1602.09024.
- 465. Search for supersymmetry in electroweak production with photons and large missing transverse energy in pp collisions at $\sqrt{s} = 8 \text{ TeV}$, PLB 759 (2016) 479, arXiv:1602.08772.
- 464. Search for heavy resonances decaying to two Higgs bosons in final states containing four b quarks, EPJC 76 (2016) 371, arXiv:1602.08762.
- 463. Measurement of the $Z\gamma \to \nu\bar{\nu}\gamma$ production cross section in pp collisions at $\sqrt{s}=8$ TeV and limits on anomalous $ZZ\gamma$ and $Z\gamma\gamma$ trilinear gauge boson couplings, PLB 760 (2016) 448, arXiv:1602.07152.
- 462. Search for supersymmetry in the multijet and missing transverse momentum final state in pp collisions at 13 TeV , PLB 758 (2016) 152, arXiv:1602.06581.
- 461. Measurement of dijet azimuthal decorrelation in pp collisions at \sqrt{s} = 8 TeV, EPJC 76 (2016) 536, arXiv:1602.04384.
- 460. Search for R-parity violating decays of a top squark in proton-proton collisions at $\sqrt{s}=8$ TeV, PLB 760 (2016) 178, arXiv:1602.04334.

- 459. Combined search for anomalous pseudoscalar HVV couplings in VH production and H \rightarrow VV decay, PLB 759 (2016) 672, arXiv:1602.04305.
- 458. Search for direct pair production of scalar top quarks in the singleand dilepton channels in proton-proton collisions at $\sqrt{s} = 8$ TeV, JHEP 07 (2016) 027, arXiv:1602.03169.
- 457. Search for supersymmetry in pp collisions at $\sqrt{s} = 8$ TeV in final states with boosted W bosons and b jets using razor variables, PRD 93 (2016) 092009, arXiv:1602.02917.
- 456. Azimuthal decorrelation of jets widely separated in rapidity in pp collisions at $\sqrt{s}=7$ TeV , JHEP 08 (2016) 139, arXiv:1601.06713.
- 455. Search for massive WH resonances decaying into the $\ell\nu$ bb final state at $\sqrt{s}=8$ TeV , EPJC 76 (2016) 237, arXiv:1601.06431.
- 454. Forward-backward asymmetry of Drell-Yan lepton pairs in pp collisions at $\sqrt{s} = 8$ TeV, EPJC 76 (2016) 325, arXiv:1601.04768.
- 453. Measurement of inclusive jet production and nuclear modifications in pPb collisions at $\sqrt{s_{\rm NN}}=5.02$ TeV, EPJC 76 (2016) 372, arXiv:1601.02001.
- 452. Measurements of tt̄ spin correlations and top quark polarization using dilepton final states in pp collisions at √s = 8 TeV, PRD 93 (2016) 052007, arXiv:1601.01107.
- 451. Correlations between jets and charged particles in PbPb and pp collisions at $\sqrt{s_{\rm NN}}=2.76$ TeV, JHEP 02 (2016) 156, arXiv:1601.00079.
- 450. Measurement of differential and integrated fiducial cross sections for Higgs boson production in the four-lepton decay channel in pp collisions at $\sqrt{s} = 7$ and 8 TeV, JHEP 04 (2016) 005, arXiv:1512.08377.
- 449. Search for supersymmetry in events with soft leptons, low jet multiplicity, and missing transverse energy in proton-proton collisions at $\sqrt{s} = 8 \text{ TeV}$,
 - PLB 759 (2016) 9, arXiv:1512.08002.
- 448. Study of Z boson production in pPb collisions at $\sqrt{s_{NN}}=5.02~{\rm TeV}$, PLB 759 (2016) 36, arXiv:1512.06461.
- 447. Measurement of the inclusive jet cross section in pp collisions at $\sqrt{s}=2.76$ TeV, EPJC 76 (2016) 265, arXiv:1512.06212.

• 446. Search for narrow resonances decaying to dijets in proton-proton collisions at $\sqrt{s}=13$ TeV, PRL 116 (2016) 071801, arXiv:1512.01224.

- 445. Search for dark matter and unparticles produced in association with a Z boson in proton-proton collisions at $\sqrt{s} = 8$ TeV, PRD 93 (2016) 052011, arXiv:1511.09375.
- 444. Measurement of spin correlations in $t\bar{t}$ production using the matrix element method in the muon+jets final state in pp collisions at $\sqrt{s}=8$ TeV,

PLB 758 (2016) 321, arXiv:1511.06170.

- 443. Search for anomalous single top quark production in association with a photon in pp collisions at $\sqrt{s} = 8$ TeV, JHEP 04 (2016) 035, arXiv:1511.03951.
- 442. Search for a low-mass pseudoscalar Higgs boson produced in association with a $b\bar{b}$ pair in pp collisions at $\sqrt{s}=8$ TeV, PLB 758 (2016) 296, arXiv:1511.03610.
- 441. Measurement of top quark polarisation in t-channel single top quark production,
 JHEP 04 (2016) 073, arXiv:1511.02138.
- 440. Search for excited leptons in proton-proton collisions at $\sqrt{s} = 8$ TeV, JHEP 03 (2016) 125, arXiv:1511.01407.
- 439. Search for a very light NMSSM Higgs boson produced in decays of the 125 GeV scalar boson and decaying into τ leptons in pp collisions at $\sqrt{s}=8$ TeV, JHEP 01 (2016) 079, arXiv:1510.06534.
- 438. Measurement of the top quark pair production cross section in proton-proton collisions at $\sqrt{s} = 13$ TeV, PRL 116 (2016) 052002, arXiv:1510.05302.
- 437. Search for a light charged Higgs boson decaying to $c\bar{s}$ in pp collisions at $\sqrt{s}=8$ TeV, JHEP 12 (2015) 1, arXiv:1510.04252.
- 436. Transverse momentum spectra of b jets in pPb collisions at $\sqrt{s_{\rm NN}}=5.02~{\rm TeV},$ PLB 754 (2016) 59, arXiv:1510.03373.
- 435. Measurement of long-range near-side two-particle angular correlations in pp collisions at $\sqrt{s} = 13$ TeV, PRL 116 (2016) 172302, arXiv:1510.03068.
- 434. Measurement of $t\bar{t}$ production with additional jet activity, including b quark jets, in the dilepton decay channel using pp collisions at $\sqrt{s} = 8$ TeV,

EPJC 76 (2016) 379, arXiv:1510.03072.

- 433. Observation of top quark pairs produced in association with a vector boson in pp collisions at $\sqrt{s} = 8$ TeV, JHEP 01 (2016) 096, arXiv:1510.01131.
- 432. Searches for a heavy scalar boson H decaying to a pair of 125 GeV Higgs bosons hh or for a heavy pseudoscalar boson A decaying to Zh, in the final states with h $\rightarrow \tau\tau$, PLB 755 (2016) 217, arXiv:1510.01181.
- 431. Measurement of transverse momentum relative to dijet systems in PbPb and pp collisions at $\sqrt{s_{\rm NN}}=2.76~{\rm TeV},$ JHEP 01 (2016) 006, arXiv:1509.09029.
- 430. Search for the associated production of a Higgs boson with a single top quark in proton-proton collisions at $\sqrt{s} = 8 \text{ TeV}$, JHEP 06 (2016) 177, arXiv:1509.08159.
- 429. Search for the production of an excited bottom quark decaying to tW in proton-proton collisions at $\sqrt{s} = 8$ TeV, JHEP 01 (2016) 166, arXiv:1509.08141.
- 428. Measurement of the $t\bar{t}$ production cross section in the all-jets final state in pp collisions at $\sqrt{s}=8$ TeV, EPJC 76 (2016) 128, arXiv:1509.06076.
- 427. Search for W' \to tb in proton-proton collisions at $\sqrt{s}=8$ TeV , JHEP 02 (2016) 122, arXiv:1509.06051.
- 426. Measurement of the top quark mass using proton-proton data at $\sqrt{s}=7$ and 8 TeV, PRD 93 (2016) 072004, arXiv:1509.04044.
- 425. Search for vector-like charge 2/3 T quarks in proton-proton collisions at $\sqrt{s}=8$ TeV, PRD 93 (2016) 012003, arXiv:1509.04177.
- 424. Measurement of the inelastic cross section in proton-lead collisions at $\sqrt{s_{_{\rm NN}}}=5.02$ TeV, PLB 759 (2016) 641, arXiv:1509.03893.
- 423. Search for pair production of first and second generation leptoquarks in proton-proton collisions at $\sqrt{s} = 8$ TeV, PRD 93 (2016) 032004, arXiv:1509.03744.
- 422. Search for single production of scalar leptoquarks in proton-proton collisions at $\sqrt{s}=8$ TeV, PRD 93 (2016) 032005, arXiv:1509.03750.
- 421. Search for a charged Higgs boson in pp collisions at $\sqrt{s} = 8$ TeV, JHEP 11 (2015) 018, arXiv:1508.07774.
- 420. Search for supersymmetry in the vector-boson fusion topology in proton-proton collisions at $\sqrt{s}=8$ TeV, JHEP 11 (2015) 189, arXiv:1508.07628.

- 419. Measurement of differential cross sections for Higgs boson production in the diphoton decay channel in pp collisions at $\sqrt{s} = 8$ TeV, EPJC 76 (2016) 13, arXiv:1508.07819.
- 418. Study of B meson production in pPb collisions at $\sqrt{s_{\rm NN}}=5.02~{\rm TeV}$ using exclusive hadronic decays, PRL 116 (2016) 032301, arXiv:1508.06678.
- 417. Search for W' decaying to tau lepton and neutrino in proton-proton collisions at $\sqrt{s} = 8$ TeV, PLB 755 (2016) 196, arXiv:1508.04308.
- 416. Measurement of the charge asymmetry in top quark pair production in pp collisions at √s = 8 TeV using a template method, PRD 93 (2016) 034014, arXiv:1508.03862.
- 415. Search for neutral MSSM Higgs bosons decaying to $\mu^+\mu^-$ in pp collisions at $\sqrt{s} = 7$ and 8 TeV, PLB 752 (2016) 221, arXiv:1508.01437.
- 414. Search for supersymmetry in events with a photon, a lepton, and missing transverse momentum in pp collisions at $\sqrt{s} = 8$ TeV, PLB 757 (2016) 6, arXiv:1508.01218.
- 413. Angular analysis of the decay $B^0 \to K^{*0} \mu^+ \mu^-$ from pp collisions at $\sqrt{s}=8$ TeV, PLB 753 (2016) 424, arXiv:1507.08126.
- 412. Measurement of the CP-violating weak phase ϕ_s and the decay width difference $\Delta\Gamma_s$ using the $B_s^0 \to J/\psi\phi(1020)$ decay channel in pp collisions at $\sqrt{s}=8$ TeV, PLB 757 (2016) 97, arXiv:1507.07527.
- 411. Measurement of the underlying event activity using charged-particle jets in proton-proton collisions at $\sqrt{s} = 2.76$ TeV, JHEP 09 (2015) 137, arXiv:1507.07229.
- 410. Search for pair-produced vectorlike B quarks in proton-proton collisions at $\sqrt{s} = 8$ TeV, PRD 93 (2016) 112009, arXiv:1507.07129.
- 409. Limits on the Higgs boson lifetime and width from its decay to four charged leptons,
 PRD 92 (2015) 072010, arXiv:1507.06656.
- 408. Pseudorapidity distribution of charged hadrons in proton-proton collisions at $\sqrt{s}=13$ TeV, PLB 751 (2015) 143, arXiv:1507.05915.
- 407. Measurement of the WW cross section in pp collisions at $\sqrt{s}=8$ TeV and limits on anomalous gauge couplings, EPJC 76 (2016) 401, arXiv:1507.03268.

- 406. Inclusive and differential measurements of the $t\bar{t}$ charge asymmetry in pp collisions at $\sqrt{s}=8$ TeV, PLB 757 (2016) 154, arXiv:1507.03119.
- 405. Search for a Higgs boson decaying into $\gamma^* \gamma \to \ell \ell \gamma$ with low dilepton mass in pp collisions at $\sqrt{s} = 8$ TeV, PLB 753 (2016) 341, arXiv:1507.03031.
- 404. Search for supersymmetry with photons in pp collisions at $\sqrt{s} = 8$ TeV, PRD 92 (2015) 072006, arXiv:1507.02898.
- 403. Search for exotic decays of a Higgs boson into undetectable particles and photons,
 PLB 753 (2016) 363, arXiv:1507.00359.
- 402. Production of leading charged particles and leading charged-particle jets at small transverse momenta in pp collisions at $\sqrt{s} = 8 \text{ TeV}$, PRD 92 (2015) 112001, arXiv:1507.00233.
- 401. Search for neutral MSSM Higgs bosons decaying into a pair of bottom quarks,
 JHEP 11 (2015) 071, arXiv:1506.08329.
- 400. Search for resonant $t\bar{t}$ production in proton-proton collisions at $\sqrt{s}=8$ TeV, PRD 93 (2016) 012001, arXiv:1506.03062.
- 399. Search for diphoton resonances in the mass range from 150 to 850 GeV in pp collisions at $\sqrt{s}=8$ TeV, PLB 750 (2015) 494, arXiv:1506.02301.
- 398. Search for a massive resonance decaying into a Higgs boson and a W or Z boson in hadronic final states in proton-proton collisions at $\sqrt{s}=8$ TeV, JHEP 02 (2016) 145, arXiv:1506.01443.
- 397. Search for the standard model Higgs boson produced through vector boson fusion and decaying to bb, PRD 92 (2015) 032008, arXiv:1506.01010.
- 396. A search for pair production of new light bosons decaying into muons , PLB 752 (2016) 146, arXiv:1506.00424.
- 395. Search for neutral color-octet weak-triplet scalar particles in proton-proton collisions at $\sqrt{s}=8$ TeV, JHEP 09 (2015) 201, arXiv:1505.08118.
- 394. Comparison of the Z/ γ^* +jets to γ +jets cross sections in pp collisions at $\sqrt{s}=8$ TeV, JHEP 10 (2015) 128 [Err: JHEP 04 (2016) 010], arXiv:1505.06520.

- 393. Measurement of the differential cross section for top quark pair production in pp collisions at √s = 8 TeV, EPJC 75 (2015) 542, arXiv:1505.04480.
- 392. Search for a pseudoscalar boson decaying into a Z boson and the 125 GeV Higgs boson in ℓ⁺ℓ⁻b̄b̄ final states,
 PLB 748 (2015) 221, arXiv:1504.04710.
- 391. Angular coefficients of Z bosons produced in pp collisions at $\sqrt{s} = 8$ TeV and decaying to $\mu^+\mu^-$ as a function of transverse momentum and rapidity , PLB 750 (2015) 154, arXiv:1504.03512.
- 390. Search for the production of dark matter in association with topquark pairs in the single-lepton final state in proton-proton collisions at $\sqrt{s} = 8 \text{ TeV}$, JHEP 06 (2015) 121, arXiv:1504.03198.
- 389. Measurement of the Z boson differential cross section in transverse momentum and rapidity in proton-proton collisions at 8 TeV, PLB 749 (2015) 187, arXiv:1504.03511.
- 388. Search for a Higgs boson in the mass range from 145 to 1000 GeV decaying to a pair of W or Z bosons,
 JHEP 10 (2015) 144, arXiv:1504.00936.
- 387. Search for third-generation scalar leptoquarks in the $t\tau$ channel in proton-proton collisions at $\sqrt{s} = 8$ TeV, JHEP 07 (2015) 042 [Err: JHEP 11 (2016) 056], arXiv:1503.09049.
- 386. Measurement of diffractive dissociation cross sections in pp collisions at $\sqrt{s}=7$ TeV, PRD 92 (2015) 012003, arXiv:1503.08689 .
- 385. Searches for third generation squark production in fully hadronic final states in proton-proton collisions at $\sqrt{s} = 8$ TeV, JHEP 06 (2015) 116, arXiv:1503.08037.
- 384. Combined measurement of the Higgs boson mass in pp collisions at $\sqrt{s} = 7$ and 8 TeV with the ATLAS and CMS experiments, PRL 114 (2015) 191803, arXiv:1503.07589.
- 383. Study of W boson production in pPb collisions at $\sqrt{s_{\rm NN}}=5.02$ TeV, PLB 750 (2015) 565, arXiv:1503.05825.
- 382. Measurements of the ZZ production cross sections in the $2\ell 2\nu$ channel in proton-proton collisions at $\sqrt{s}=7$ and 8 TeV and combined constraints on triple gauge couplings, EPJC 75 (2015) 511, arXiv:1503.05467.
- 381. Search for resonant pair production of Higgs bosons decaying to two bottom quark-antiquark pairs in proton-proton collisions at 8 TeV, PLB 749 (2015) 560, arXiv:1503.04114.

- 380. Search for vector-like T quarks decaying to top quarks and Higgs bosons in the all-hadronic channel using jet substructure, JHEP 06 (2015) 080, arXiv:1503.01952.
- 379. Evidence for transverse momentum and pseudorapidity dependent event plane fluctuations in PbPb and pPb collisions, PRC 92 (2015) 034911, arXiv:1503.01692.
- 378. A study of final-state radiation in decays of Z bosons produced in pp collisions at 7 TeV, PRD 91 (2015) 092012, arXiv:1502.07940.
- 377. Search for lepton-flavour-violating decays of the Higgs boson, PLB 749 (2015) 337, arXiv:1502.07400.
- 376. Search for physics beyond the standard model in events with two leptons, jets, and missing transverse momentum in pp collisions at $\sqrt{s} = 8$ TeV, JHEP 04 (2015) 124, arXiv:1502.06031.
- 375. Measurement of the Zγ production cross section in pp collisions at 8
 TeV and search for anomalous triple gauge boson couplings,
 JHEP 04 (2015) 164, arXiv:1502.05664.
- 374. Nuclear effects on the transverse momentum spectra of charged particles in pPb collisions at $\sqrt{s_{\rm NN}}=5.02$ TeV, EPJC 75 (2015) 237, arXiv:1502.05387.
- 373. Evidence for collective multi-particle correlations in pPb collisions, PRL 115 (2015) 012301, arXiv:1502.05382.
- 372. Search for narrow high-mass resonances in proton-proton collisions at $\sqrt{s} = 8$ TeV decaying to Z and Higgs bosons, PLB 748 (2015) 255, arXiv:1502.04994.
- 371. Distributions of topological observables in inclusive three- and four-jet events in pp collisions at $\sqrt{s}=7$ TeV, EPJC 75 (2015) 302, arXiv:1502.04785.
- 370. Searches for supersymmetry using the $M_{\rm T2}$ variable in hadronic events produced in pp collisions at 8 TeV, JHEP 05 (2015) 078, arXiv:1502.04358.
- 369. Measurement of J/ ψ and $\psi(2S)$ prompt double-differential cross sections in pp collisions at $\sqrt{s} = 7$ TeV, PRL 114 (2015) 191802, arXiv:1502.04155.
- 368. Constraints on the pMSSM, AMSB model and on other models from the search for long-lived charged particles in proton-proton collisions at $\sqrt{s}=8$ TeV, EPJC 75 (2015) 325, arXiv:1502.02522.

• 367. Search for a standard model Higgs boson produced in association with a top-quark pair and decaying to bottom quarks using a matrix element method,

EPJC 75 (2015) 251, arXiv:1502.02485.

- 366. Search for supersymmetry using razor variables in events with b-tagged jets in pp collisions at $\sqrt{s}=8$ TeV, PRD 91 (2015) 052018, arXiv:1502.00300.
- 365. Measurements of the $\Upsilon(1S)$, $\Upsilon(2S)$, and $\Upsilon(3S)$ differential cross sections in pp collisions at $\sqrt{s}=7$ TeV, PLB 749 (2015) 14, arXiv:1501.07750.
- 364. Measurement of the ratio $\mathcal{B}(B_s^0 \to J/\psi f_0(980))/\mathcal{B}(B_s^0 \to J/\psi \phi(1020))$ in pp collisions at $\sqrt{s} = 7$ TeV, PLB 756 (2016) 84, arXiv:1501.06089.
- 363. Search for heavy Majorana neutrinos in μ[±]μ[±]+jets events in protonproton collisions at √s = 8 TeV, PLB 748 (2015) 144, arXiv:1501.05566.
- 362. Search for decays of stopped long-lived particles produced in protonproton collisions at $\sqrt{s} = 8$ TeV, EPJC 75 (2015) 151, arXiv:1501.05603.
- 361. Search for resonances and quantum black holes using dijet mass spectra in proton-proton collisions at $\sqrt{s} = 8$ TeV, PRD 91 (2015) 052009, arXiv:1501.04198.
- 360. Precise determination of the mass of the Higgs boson and tests of compatibility of its couplings with the standard model predictions using proton collisions at 7 and 8 TeV, EPJC 75 (2015) 212, arXiv:1412.8662.
- 359. Search for pair-produced resonances decaying to jet pairs in proton-proton collisions at $\sqrt{s}=8$ TeV, PLB 747 (2015) 98, arXiv:1412.7706.
- 358. Search for physics beyond the standard model in dilepton mass spectra in proton-proton collisions at $\sqrt{s} = 8$ TeV, JHEP 04 (2015) 025, arXiv:1412.6302.
- 357. Searches for supersymmetry based on events with b jets and four W bosons in pp collisions at 8 TeV,
 PLB 745 (2015) 5, arXiv:1412.4109.
- 356. Measurement of the inclusive 3-jet production differential cross section in proton-proton collisions at 7 TeV and determination of the strong coupling constant in the TeV range, EPJC 75 (2015) 186, arXiv:1412.1633.
- 355. Measurements of differential and double-differential Drell-Yan cross sections in proton-proton collisions at $\sqrt{s}=8$ TeV, EPJC 75 (2015) 147, arXiv:1412.1115.

• 354. Search for stealth supersymmetry in events with jets, either photons or leptons, and low missing transverse momentum in pp collisions at 8 TeV,

PLB 743 (2015) 503, arXiv:1411.7255.

- 353. Search for long-lived neutral particles decaying to quark-antiquark pairs in proton-proton collisions at $\sqrt{s}=8$ TeV, PRD 91 (2015) 012007, arXiv:1411.6530.
- 352. Search for long-lived particles that decay into final states containing two electrons or two muons in proton-proton collisions at $\sqrt{s} = 8$ TeV, PRD 91 (2015) 052012, arXiv:1411.6977.
- 351. Search for disappearing tracks in proton-proton collisions at $\sqrt{s}=8$ TeV, JHEP 01 (2015) 096, arXiv:1411.6006.
- 350. Measurement of the cross section ratio $\sigma_{t\bar{t}b\bar{b}}/\sigma_{t\bar{t}jj}$ in pp collisions at $\sqrt{s}=8 \text{TeV}$, PLB 746 (2015) 132, arXiv:1411.5621.
- 349. Observation of the rare $B_s^0 \to \mu^+\mu^-$ decay from the combined analysis of CMS and LHCb data, Nature (2015) 14474, arXiv:1411.4413.
- 348. Constraints on the spin-parity and anomalous HVV couplings of the Higgs boson in proton collisions at 7 and 8 TeV, PRD 92 (2015) 012004, arXiv:1411.3441.
- 347. Search for quark contact interactions and extra spatial dimensions using dijet angular distributions in proton-proton collisions at $\sqrt{s} = 8$ TeV, PLB 746 (2015) 79, arXiv:1411.2646.
- 346. Search for new phenomena in monophoton final states in protonproton collisions at $\sqrt{s} = 8$ TeV, PLB 755 (2016) 102, arXiv:1410.8812.
- 345. Constraints on parton distribution functions and extraction of the strong coupling constant from the inclusive jet cross section in pp collisions at $\sqrt{s} = 7$ TeV, EPJC 75 (2015) 288, arXiv:1410.6765.
- 344. Search for a standard model-like Higgs boson in the $\mu^+\mu^-$ and e⁺e⁻ decay channels at the LHC , PLB 744 (2015) 184, arXiv:1410.6679.
- 343. Study of vector boson scattering and search for new physics in events with two same-sign leptons and two jets, PRL 114 (2015) 051801, arXiv:1410.6315.
- 342. Measurement of the ratio $\mathcal{B}(B_c^+ \to J/\psi \pi^+ \pi^+ \pi^-)/\mathcal{B}(B_c^+ \to J/\psi \pi^+)$ and the production cross sections times branching fractions of $B_c^+ \to J/\psi \pi^+$ and $B^+ \to J/\psi K^+$ in pp collisions at $\sqrt{s} = 7$ TeV, JHEP 01 (2015) 063, arXiv:1410.5729.

- 341. Study of Z production in PbPb and pp collisions at $\sqrt{s_{NN}} = 2.76$ TeV in the dimuon and dielectron decay channels, JHEP 03 (2015) 022, arXiv:1410.4825.
- 340. Measurement of electroweak production of two jets in association with a Z boson in proton-proton collisions at $\sqrt{s} = 8$ TeV, EPJC 75 (2015) 66, arXiv:1410.3153.
- 339. Searches for heavy Higgs bosons in two-Higgs-doublet models and for t → ch decay using multilepton and diphoton final states in pp collisions at 8 TeV, PRD 90 (2014) 112013, arXiv:1410.2751.
- 338. Measurement of prompt $\psi(2S)$ to J/ψ yield ratios in PbPb and pp collisions at $\sqrt{s_{\rm NN}}=2.76$ TeV, PRL 113 (2014) 262301, arXiv:1410.1804.
- 337. Measurement of the W boson helicity in events with a single reconstructed top quark in pp collisions at $\sqrt{s}=8$ TeV, JHEP 01 (2015) 053, arXiv:1410.1154.
- 336. Search for monotop signatures in proton-proton collisions at $\sqrt{s}=8$ TeV, PRL 114 (2015) 101801, arXiv:1410.1149.
- 335. Search for standard model production of four top quarks in the lepton + jets channel in pp collisions at $\sqrt{s}=8$ TeV, JHEP 11 (2014) 154, arXiv:1409.7339.
- 334. Measurement of the production cross section ratio $\sigma(\chi_{b2}(1P))/\sigma(\chi_{b1}(1P))$ in pp collisions at $\sqrt{s} = 8$ TeV, PLB 743 (2015) 383, arXiv:1409.5761.
- 333. Search for Displaced Supersymmetry in events with an electron and a muon with large impact parameters, PRL 114 (2015) 061801, arXiv:1409.4789.
- 332. Long-range two-particle correlations of strange hadrons with charged particles in pPb and PbPb collisions at LHC energies, PLB 742 (2015) 200, arXiv:1409.3392.
- 331. Searches for electroweak neutralino and chargino production in channels with Higgs, Z, and W bosons in pp collisions at 8 TeV, PRD 90 (2014) 092007, arXiv:1409.3168.
- 330. Determination of the top-quark pole mass and strong coupling constant from the $t\bar{t}$ production cross section in pp collisions at $\sqrt{s} = 7$ TeV, PLB 728 (2014) 496 [Corr PLB 738 (2014) 526], arXiv:1307.1907.
- 329. Search for dark matter, extra dimensions, and unparticles in monojet events in proton-proton collisions at $\sqrt{s}=8$ TeV, EPJC 75 (2015) 235, arXiv:1408.3583.

- 328. Search for neutral MSSM Higgs bosons decaying to a pair of tau leptons in pp collisions, JHEP 10 (2014) 160, arXiv:1408.3316.
- 327. Measurements of jet multiplicity and differential production cross sections of Z+jets events in proton-proton collisions at $\sqrt{s} = 7$ TeV, PRD 91 (2015) 052008, arXiv:1408.3104.
- 326. Search for physics beyond the standard model in final states with a lepton and missing transverse energy in proton-proton collisions at $\sqrt{s} = 8$ TeV, PRD 91 (2015) 092005, arXiv:1408.2745.
- 325. Search for the associated production of the Higgs boson with a topquark pair, JHEP 09 (2014) 087, arXiv:1408.1682.
- 324. Search for pair production of third-generation scalar leptoquarks and top squarks in proton-proton collisions at $\sqrt{s} = 8$ TeV, PLB 739 (2014) 229, arXiv:1408.0806.
- 323. Measurement of the $t\bar{t}$ production cross section in pp collisions at $\sqrt{s}=8$ TeV in dilepton final states containing one τ lepton, PLB 739 (2014) 23, arXiv:1407.6643.
- 322. Search for heavy neutrinos and W bosons with right-handed couplings in proton-proton collisions at √s = 8 TeV, EPJC 74 (2014) 3149, arXiv:1407.3683.
- 321. Search for new resonances decaying via WZ to leptons in protonproton collisions at $\sqrt{s} = 8$ TeV, PLB 740 (2015) 83, arXiv:1407.3476.
- 320. Study of hadronic event-shape variables in multijet final states in pp collisions at $\sqrt{s} = 7$ TeV, JHEP 10 (2014) 087, arXiv:1407.2856.
- 319. Observation of the diphoton decay of the Higgs boson and measurement of its properties,
 EPJC 74 (2014) 3076, arXiv:1407.0558.
- 318. Differential cross section measurements for the production of a W boson in association with jets in proton-proton collisions at $\sqrt{s} = 7$ TeV, PLB 741 (2015) 12, arXiv:1406.7533.
- 317. Measurement of top quark-antiquark pair production in association with a W or Z boson in pp collisions at $\sqrt{s} = 8$ TeV, EPJC 74 (2014) 3060, arXiv:1406.7830.
- 316. Search for excited quarks in the γ +jet final state in proton-proton collisions at $\sqrt{s}=8$ TeV, PLB 738 (2014) 274, arXiv:1406.5171.

• 315. Measurement of jet fragmentation in PbPb and pp collisions at $\sqrt{s_{NN}}$ = 2.76 TeV,

PRC 90 (2014) 024908, arXiv:1406.0932.

• 314. Measurement of prompt J/ ψ pair production in pp collisions at \sqrt{s} = 7 TeV, JHEP 09 (2014) 094, arXiv:1406.0484.

• 313. Measurement of the ratio of inclusive jet cross sections using the anti- $k_{\rm T}$ algorithm with radius parameters R = 0.5 and 0.7 in pp collisions at $\sqrt{s} = 7$ TeV, PRD 90 (2014) 072006, arXiv:1406.0324.

• 312. Measurement of the pp \to ZZ production cross section and constraints on anomalous triple gauge couplings in four-lepton final states at $\sqrt{s}=8$ TeV,

PLB 740 (2015) 250 [Corr: PLB 757 (2016) 569], arXiv:1406.0113.

- 311. Search for jet extinction in the inclusive jet-p_T spectrum from protonproton collisions at √s = 8 TeV, PRD 90 (2014) 032005, arXiv:1405.7653.
- 310. Searches for electroweak production of charginos, neutralinos, and sleptons decaying to leptons and W, Z, and Higgs bosons in pp collisions at 8 TeV, EPJC 74 (2014) 3036, arXiv:1405.7570.
- 309. Measurement of differential cross sections for the production of a pair of isolated photons in pp collisions at $\sqrt{s} = 7$ TeV, EPJC 74 (2014) 3129, arXiv:1405.7225.
- 308. Search for top-squark pairs decaying into Higgs or Z bosons in pp collisions at $\sqrt{s}=8$ TeV, PLB 736 (2014) 371, arXiv:1405.3886.
- 307. Search for supersymmetry with razor variables in pp collisions at \sqrt{s} = 7 TeV, PRD 90 (2014) 112001, arXiv:1405.3961.
- 306. Constraints on the Higgs boson width from off-shell production and decay to Z-boson pairs, PLB 736 (2014) 64, arXiv:1405.3455.
- 305. Search for massive resonances decaying into pairs of boosted bosons in semi-leptonic final states at $\sqrt{s} = 8$ TeV, JHEP 08 (2014) 174, arXiv:1405.3447.
- 304. Search for massive resonances in dijet systems containing jets tagged as W or Z boson decays in pp collisions at $\sqrt{s} = 8$ TeV, JHEP 08 (2014) 173, arXiv:1405.1994.
- 303. Measurement of pseudorapidity distributions of charged particles in proton-proton collisions at $\sqrt{s}=8$ TeV by the CMS and TOTEM experiments,

EPJC 74 (2014) 3053, arXiv:1405.0722.

- 302. Search for anomalous production of events with three or more leptons in pp collisions at $\sqrt{s}=8$ TeV, PRD 90 (2014) 032006, arXiv:1404.5801.
- 301. A search for WW γ and WZ γ production and constraints on anomalous quartic gauge couplings in pp collisions at $\sqrt{s}=8$ TeV, PRD 90 (2014) 032008, arXiv:1404.4619.
- 300. Measurement of jet multiplicity distributions in $t\bar{t}$ production in pp collisions at $\sqrt{s} = 7$ TeV, EPJC 74 (2014) 3014 [Corr EPJC 75 (2015) 216], arXiv:1404.3171.
- 299. Measurement of the ratio $B(t \to Wb)/B(t \to Wq)$ in pp collisions at $\sqrt{s} = 8$ TeV, PLB 736 (2014) 33, arXiv:1404.2292.
- 298. Search for invisible decays of Higgs bosons in the vector boson fusion and associated ZH production modes, EPJC 74 (2014) 2980, arXiv:1404.1344.
- 297. Measurement of the t-channel single-top-quark production cross section and of the $|V_{\rm tb}|$ CKM matrix element in pp collisions at $\sqrt{s}=8$ TeV, JHEP 06 (2014) 090, arXiv:1403.7366.
- 296. Measurement of WZ and ZZ production in pp collisions at $\sqrt{s} = 8$ TeV in final states with b-tagged jets, EPJC 74 (2014) 2973, arXiv:1403.3047.
- 295. Search for new physics in the multijet and missing transverse momentum final state in proton-proton collisions at $\sqrt{s} = 8$ TeV, JHEP 06 (2014) 055, arXiv:1402.4770.
- 294. Measurements of the $t\bar{t}$ charge asymmetry using the dilepton decay channel in pp collisions at $\sqrt{s}=7$ TeV, JHEP 04 (2014) 191, arXiv:1402.3803.
- 293. Search for W' \rightarrow tb decays in the lepton + jets final state in pp collisions at $\sqrt{s}=8$ TeV, JHEP 05 (2014) 108, arXiv:1402.2176.
- 292. Measurement of the production cross sections for a Z boson and one or more b jets in pp collisions at $\sqrt{s} = 7$ TeV, JHEP 06 (2014) 120, arXiv:1402.1521.
- 291. Measurement of inclusive W and Z boson production cross sections in pp collisions at $\sqrt{s}=8$ TeV, PRL 112 (2014) 191802, arXiv:1402.0923.
- 290. Evidence for the direct decay of the 125 GeV Higgs boson to fermions, NP 10 (2014) 557-560, arXiv:1401.6527.
- 289. Evidence for the 125 GeV Higgs boson decaying to a pair of τ leptons, JHEP 05 (2014) 104, arXiv:1401.5041.

- 288. Studies of dijet pseudorapidity distributions and transverse momentum balance in pPb collisions at $\sqrt{s_{NN}}=5.02$ TeV, EPJC 74 (2014) 2951, arXiv:1401.4433.
- 287. Observation of the associated production of a single top quark and a W boson in pp collisions at $\sqrt{s} = 8$ TeV, PRL 112 (2014) 231802, arXiv:1401.2942.
- 286. Measurement of the $t\bar{t}$ production cross section in the dilepton channel in pp collisions at $\sqrt{s}=8$ TeV, JHEP 02 (2014) 024, arXiv:1312.7582.
- 285. Measurement of four-jet production in proton-proton collisions at \sqrt{s} = 7 TeV, PRD 89 (2014) 092010, arXiv:1312.6440.
- 284. Measurement of the production cross section for a W boson and two b jets in pp collisions at $\sqrt{s} = 7$ TeV, PLB 735 (2014) 204, arXiv:1312.6608.
- 283. Measurement of the muon charge asymmetry in inclusive pp → W
 + X production at √s = 7 TeV and an improved determination of light
 parton distribution functions,
 PRD 90 (2014) 032004, arXiv:1312.6283.
- 282. Event activity dependence of Y(nS) production in $\sqrt{s_{NN}}$ =5.02 TeV pPb and \sqrt{s} =2.76 TeV pp collisions, JHEP 04 (2014) 103, arXiv:1312.6300.
- 281. Measurement of the properties of a Higgs boson in the four-lepton final state, PRD 89 (2014) 092007, arXiv:1312.5353.
- 280. Study of double parton scattering using W + 2-jet events in protonproton collisions at $\sqrt{s} = 7$ TeV, JHEP 03 (2014) 032, arXiv:1312.5729.
- 279. Search for flavor-changing neutral currents in top-quark decays t → Zq in pp collisions at √s = 8 TeV, PRL 112 (2014) 171802, arXiv:1312.4194.
- 278. Evidence of b-jet quenching in PbPb collisions at $\sqrt{s_{NN}} = 2.76$ TeV, PRL 113 (2014) 132301 [Err: PRL 115 (2015) 029903], arXiv:1312.4198.
- 277. Search for stop and higgsino production using diphoton Higgs boson decays,
 PRL 112 (2014) 161802, arXiv:1312.3310.
- 276. Search for top-quark partners with charge 5/3 in the same-sign dilepton final state,
 PRL 112 (2014) 171801, arXiv:1312.2391.
- 275. Studies of azimuthal dihadron correlations in ultra-central PbPb collisions at $\sqrt{s_{NN}}=2.76$ TeV, JHEP 02 (2014) 088, arXiv:1312.1845.

- 274. Measurement of Higgs boson production and properties in the WW decay channel with leptonic final states,
 JHEP 01 (2014) 096, arXiv:1312.1129.
- 273. Inclusive search for a vector-like T quark with charge 2/3 in pp collisions at $\sqrt{s}=8$ TeV, PLB 729 (2014) 149, arXiv:1311.7667.
- 272. Search for new physics in events with same-sign dileptons and jets in pp collisions at $\sqrt{s}=8$ TeV, JHEP 01 (2014) 163, arXiv:1311.6736.
- 271. Measurement of the triple-differential cross section for photon+jets production in proton-proton collisions at $\sqrt{s} = 7$ TeV, JHEP 06 (2014) 009, arXiv:1311.6141.
- 270. Probing color coherence effects in pp collisions at $\sqrt{s}=7$ TeV, EPJC 74 (2014) 2901, arXiv:1311.5815.
- 269. Search for pair production of excited top quarks in the lepton+jets final state, JHEP 06 (2014) 125, arXiv:1311.5357.
- 268. Search for supersymmetry in pp collisions at $\sqrt{s} = 8$ TeV in events with a single lepton, large jet multiplicity, and multiple b jets, PLB 733 (2014) 328-353, arXiv:1311.4937.
- 267. Measurements of $t\bar{t}$ spin correlations and top-quark polarization using dilepton final states in pp collisions at $\sqrt{s}=7$ TeV, PRL 112 (2014) 182001, arXiv:1311.3924.
- 266. Searches for light- and heavy-flavour three-jet resonances in pp collisions at $\sqrt{s}=8$ TeV, PLB 730 (2014) 193, arXiv:1311.1799.
- 265. Measurement of higher-order harmonic azimuthal anisotropy in PbPb collisions at $\sqrt{s_{\rm NN}}=2.76$ TeV, PRC 89 (2014) 044906, arXiv:1310.8651.
- 264. Measurement of the differential and double-differential Drell-Yan cross sections in proton-proton collisions at $\sqrt{s}=7$ TeV, JHEP 12 (2013) 030, arXiv:1310.7291.
- 263. Jet and underlying event properties as a function of charged-particle multiplicity in proton–proton collisions at $\sqrt{s} = 7$ TeV, EPJC 73 (2013) 2674, arXiv:1310.4554.
- 262. Search for the standard model Higgs boson produced in association with a W or a Z boson and decaying to bottom quarks, PRD 89 (2014) 012003, arXiv:1310.3687.
- 261. Rapidity distributions in exclusive Z + jet and photon + jet events in pp collisions at $\sqrt{s} = 7$ TeV, PRD 88 (2013) 112009, arXiv:1310.3082.

- 260. Search for baryon number violation in top quark decays, PLB 731 (2014) 173, arXiv:1310.1618.
- 259. Measurement of associated W + charm production in pp collisions at $\sqrt{s} = 7$ TeV, JHEP 02 (2014) 013, arXiv:1310.1138.
- 258. Measurement of the cross section and angular correlations for associated production of a Z boson with b hadrons in pp collisions at $\sqrt{s} = 7$ TeV, JHEP 12 (2013) 039, arXiv:1310.1349.
- 257. Modification of jet shapes in PbPb collisions at $\sqrt{s_{NN}}=2.76$ TeV, PLB 730 (2014) 243, arXiv:1310.0878.
- 256. Observation of a peaking structure in the $J/\psi\phi$ mass spectrum from $B^{\pm} \to J/\psi\phi K^{\pm}$ decays, PLB 734 (2014) 261-281, arXiv:1309.6920.
- 255. Searches for new physics using the $t\bar{t}$ invariant mass distribution in pp collisions at \sqrt{s} =8 TeV, PRL 111 (2013) 211804, arXiv:1309.2030.
- 254. Measurement of the production cross section for $Z\gamma \to \nu \bar{\nu} \gamma$ in pp collisions at $\sqrt{s}=7$ TeV and limits on $ZZ\gamma$ and $Z\gamma\gamma$ triple gauge boson couplings, JHEP 10 (2013) 164, arXiv:1309.1117.
- 253. Search for a new bottomonium state decaying to $\Upsilon(1S)\pi^+\pi^-$ in pp collisions at $\sqrt{s}=8$ TeV, PLB 727 (2013) 57, arXiv:1309.0250.
- 252. Measurement of the W γ and Z γ inclusive cross sections in pp collisions at $\sqrt{s} = 7$ TeV and limits on anomalous triple gauge boson couplings, PRD 89 (2014) 092005, arXiv:1308.6832.
- 251. Measurement of the W-boson helicity in top-quark decays from $t\bar{t}$ production in lepton+jets events in pp collisions at $\sqrt{s} = 7$ TeV, JHEP 10 (2013) 167, arXiv:1308.3879.
- 250. Angular analysis and branching fraction measurement of the decay B⁰ \to K*⁰ $\mu^+\mu^-$, PLB 727 (2013) 77-100, arXiv:1308.3409.
- 249. Search for top-squark pair production in the single-lepton final state in pp collisions at $\sqrt{s}=8$ TeV, EPJC 73 (2013) 2677, arXiv:1308.1586.
- 248. Measurement of the prompt J/ ψ and $\psi(2S)$ polarizations in pp collisions at $\sqrt{s}=7$ TeV, PLB 727 (2013) 381, arXiv:1307.6070.
- 247. Search for a Higgs boson decaying into a Z and a photon in pp collisions at $\sqrt{s}=7$ and 8 TeV, PLB 726 (2013) 587, arXiv:1307.5515.

- 246. Measurement of the $B_s^0 \to \mu^+\mu^-$ branching fraction and search for $B^0 \to \mu^+\mu^-$ with the CMS Experiment, PRL 111 (2013) 101804, arXiv:1307.5025.
- 245. Measurement of the top-quark mass in all-jets $t\bar{t}$ events in pp collisions at $\sqrt{s}=7$ TeV, EPJC 74 (2014) 2758, arXiv:1307.4617.
- 244. Study of the production of charged pions, kaons, and protons in pPb collisions at $\sqrt{s_{NN}} = 5.02$ TeV, EPJC 74 (2014) 2847, arXiv:1307.3442.
- 243. Search for top squarks in R-parity-violating supersymmetry using three or more leptons and b-tagged jets, PRL 111 (2013) 221801, arXiv:1306.6643.
- 242. Measurement of the W⁺W⁻ cross section in pp collisions at $\sqrt{s} = 7$ TeV and limits on anomalous WW γ and WWZ couplings, EPJC 73 (2013) 2610, arXiv:1306.1126.
- 241. Measurement of the hadronic activity in events with a Z and two jets and extraction of the cross section for the electroweak production of a Z with two jets in pp collisions at $\sqrt{s} = 7$ TeV, JHEP 10 (2013) 062, arXiv:1305.7389.
- 240. Measurement of neutral strange particle production in the underlying event in proton-proton collisions at $\sqrt{s} = 7$ TeV, PRD 88 (2013) 052001, arXiv:1305.6016.
- 239. Study of exclusive two-photon production of W⁺W⁻ in pp collisions at $\sqrt{s} = 7$ TeV and constraints on anomalous quartic gauge couplings, JHEP 07 (2013) 116, arXiv:1305.5596.
- 238. Search for gluino mediated bottom- and top-squark production in multijet final states in pp collisions at 8 TeV, PLB 725 (2013) 243, arXiv:1305.2390.
- 237. Multiplicity and transverse momentum dependence of two- and fourparticle correlations in pPb and PbPb collisions, PLB 724 (2013) 213, arXiv:1305.0609.
- 236. Searches for long-lived charged particles in pp collisions at $\sqrt{s}=7$ and 8 TeV, JHEP 07 (2013) 122, arXiv:1305.0491.
- 235. Measurement of the Λ_b^0 lifetime in pp collisions at $\sqrt{s}=7$ TeV, JHEP 07 (2013) 163, arXiv:1304.7495.
- 234. Measurement of the ratio of the inclusive 3-jet cross section to the inclusive 2-jet cross section in pp collisions at √s = 7 TeV and first determination of the strong coupling constant in the TeV range, EPJC 73 (2013) 2604, arXiv:1304.7498.

- 233. Measurement of masses in the $t\bar{t}$ system by kinematic endpoints in pp collisions at $\sqrt{s}=7$ TeV, EPJC 73 (2013) 2494, arXiv:1304.5783.
- 232. Search for a standard-model-like Higgs boson with a mass in the range 145 to 1000 GeV at the LHC, EPJC 73 (2013) 2469, arXiv:1304.0213.
- 231. Measurement of the $\Upsilon(1S)$, $\Upsilon(2S)$, and $\Upsilon(3S)$ cross sections in pp collisions at $\sqrt{s}=7$ TeV, PLB 727 (2013) 101, arXiv:1303.5900.
- 230. Search for microscopic black holes in pp collisions at $\sqrt{s}=8$ TeV, JHEP 07 (2013) 178, arXiv:1303.5338.
- 229. Studies of jet mass in dijet and W/Z+jet events, JHEP 05 (2013) 090, arXiv:1303.4811.
- 228. Observation of a new boson with mass near 125 GeV in pp collisions at $\sqrt{s} = 7$ and 8 TeV, JHEP 06 (2013) 081, arXiv:1303.4571.
- 227. Measurement of associated production of vector bosons and $t\bar{t}$ at \sqrt{s} = 7 TeV, PRL 110 (2013) 172002, arXiv:1303.3239.
- 226. Search for supersymmetry in hadronic final states with missing transverse energy using the variables α_T and b-quark multiplicity in pp collisions at $\sqrt{s} = 8$ TeV, EPJC 73 (2013) 2568, arXiv:1303.2985.
- 225. Search for the standard model Higgs boson produced in association with a top-quark pair in pp collisions at the LHC, JHEP 05 (2013) 145, arXiv:1303.0763.
- 224. Search for narrow resonances using the dijet mass spectrum in pp collisions at $\sqrt{s}=8$ TeV, PRD 87 (2013) 114015, arXiv:1302.4794.
- 223. Measurement of the X(3872) production cross section via decays to $J/\psi\pi^+\pi^-$ in pp collisions at $\sqrt{s}=7$ TeV, JHEP 04 (2013) 154, arXiv:1302.3968.
- 222. Search for a Higgs boson decaying into a b-quark pair and produced in association with b quarks in proton-proton collisions at 7 TeV, PLB 722 (2013) 207-232, arXiv:1302.2892.
- 221. Search for new physics in final states with a lepton and missing transverse energy in pp collisions at the LHC, PRD 87 (2013) 072005, arXiv:1302.2812.
- 220. Study of the underlying event at forward rapidity in pp collisions at $\sqrt{s}=0.9,\,2.76,\,\mathrm{and}\,\,7\,\,\mathrm{TeV},\,$ JHEP 04 (2013) 072, arXiv:1302.2394.

- 219. Searches for Higgs bosons in pp collisions at $\sqrt{s} = 7$ and 8 TeV in the context of four-generation and fermiophobic models, PLB 725 (2013) 36-59, arXiv:1302.1764.
- 218. Search for pair-produced dijet resonances in four-jet final states in pp collisions at $\sqrt{s} = 7$ TeV, PRL 110 (2013) 141802, arXiv:1302.0531.
- 217. Measurement of the $t\bar{t}$ production cross section in the all-jet final state in pp collisions at $\sqrt{s}=7$ TeV, JHEP 05 (2013) 065, arXiv:1302.0508.
- 216. Measurement of the tt production cross section in the τ+jets channel in pp collisions at √s = 7 TeV, EPJC 73 (2013) 2386, arXiv:1301.5755.
- 215. Search for contact interactions using the inclusive jet $p_{\rm T}$ spectrum in pp collisions at $\sqrt{s}=7$ TeV, PRD 87 (2013) 052017, arXiv:1301.5023.
- 214. Measurement of W⁺W⁻ and ZZ production cross sections in pp collisions at $\sqrt{s} = 8$ TeV, PLB 721 (2013) 190, arXiv:1301.4698.
- 213. Search for physics beyond the standard model in events with τ leptons, jets, and large transverse momentum imbalance in pp collisions at \sqrt{s} = 7 TeV, EPJC 73 (2013) 2493, arXiv:1301.3792.
- 212. Interpretation of searches for supersymmetry with simplified models, PRD 88 (2013) 052017, arXiv:1301.2175.
- 211. Event shapes and azimuthal correlations in Z + jets events in pp collisions at \sqrt{s} =7 TeV, PLB 722 (2013) 238, arXiv:1301.1646.
- 210. Search for supersymmetry in events with opposite-sign dileptons and missing transverse energy using an artificial neural network, PRD 87 (2013) 072001, arXiv:1301.0916.
- 209. Inclusive search for supersymmetry using the razor variables in pp collisions at $\sqrt{s} = 7$ TeV, PRL 111 (2013) 081802, arXiv:1212.6961.
- 208. Measurement of the $t\bar{t}$ production cross section in pp collisions at $\sqrt{s} = 7$ TeV with lepton + jets final states, PLB 720 (2013) 83, arXiv:1212.6682.
- 207. Measurements of differential jet cross sections in proton-proton collisions at $\sqrt{s}=7$ TeV with the CMS detector, PRD 87 (2013) 112002, arXiv:1212.6660.
- 206. Study of the Mass and Spin-Parity of the Higgs Boson Candidate via Its Decays to Z Boson Pairs, PRL 110 (2013) 081803, arXiv:1212.6639.

- 205. Search for supersymmetry in pp collisions at $\sqrt{s} = 7$ TeV in events with a single lepton, jets, and missing transverse momentum, EPJC 73 (2013) 2404, arXiv:1212.6428.
- 204. Search for new physics in events with same-sign dileptons and b jets in pp collisions at √s = 8 TeV, JHEP 03 (2013) 037, arXiv:1212.6194.
- 203. Search for heavy narrow dilepton resonances in pp collisions at \sqrt{s} = 7 TeV and \sqrt{s} = 8 TeV, PLB 720 (2013) 63, arXiv:1212.6175.
- 202. Search for contact interactions in $\mu^+\mu^-$ events in pp collisions at \sqrt{s} = 7 TeV, PRD 87 (2013) 032001, arXiv:1212.4563.
- 201. Search for heavy resonances in the W/Z-tagged dijet mass spectrum in pp collisions at 7 TeV, PLB 723 (2013) 280, arXiv:1212.1910.
- 200. Search for long-lived particles in events with photons and missing energy in proton-proton collisions at $\sqrt{s} = 7$ TeV, PLB 722 (2013) 273, arXiv:1212.1838.
- 199. Search for exotic resonances decaying into WZ/ZZ in pp collisions at $\sqrt{s}=7$ TeV, JHEP 02 (2013) 036, arXiv:1211.5779.
- 198. Measurement of the ZZ production cross section and search for anomalous couplings in $2\ell 2\ell'$ final states in pp collisions at $\sqrt{s} = 7$ TeV, JHEP 01 (2013) 063, arXiv:1211.4890.
- 197. Search for new physics in events with photons, jets, and missing transverse energy in pp collisions at $\sqrt{s} = 7$ TeV, JHEP 03 (2013) 111, arXiv:1211.4784.
- 196. Search for supersymmetry in final states with a single lepton, b-quark jets, and missing transverse energy in proton-proton collisions at $\sqrt{s}=7$ TeV,
 - PRD 87 (2013) 052006, arXiv:1211.3143.
- 195. Search for Z' resonances decaying to tt̄ in dilepton+jets final states in pp collisions at √s = 7 TeV, PRD 87 (2013) 072002, arXiv:1211.3338.
- 194. Search in leptonic channels for heavy resonances decaying to long-lived neutral particles, JHEP 02 (2013) 085, arXiv:1211.2472.
- 193. Measurement of differential top-quark pair production cross sections in pp colisions at $\sqrt{s}=7$ TeV, EPJC 73 (2013) 2339, arXiv:1211.2220.

- 192. Search for supersymmetry in final states with missing transverse energy and 0, 1, 2, or at least 3 b-quark jets in 7 TeV pp collisions using the variable α_T ,
 - JHEP 01 (2013) 077, arXiv:1210.8115.
- 191. Measurement of the sum of WW and WZ production with W+dijet events in pp collisions at $\sqrt{s} = 7$ TeV, EPJC 73 (2013) 2283, arXiv:1210.7544.
- 190. Search for heavy quarks decaying into a top quark and a W or Z boson using lepton + jets events in pp collisions at $\sqrt{s} = 7$ TeV, JHEP 01 (2013) 154, arXiv:1210.7471.
- 189. Measurement of the inelastic proton-proton cross section at $\sqrt{s}=7$ TeV, PLB 722 (2013) 5-27, arXiv:1210.6718.
- 188. Search for a non-standard-model Higgs boson decaying to a pair of new light bosons in four-muon final states, PLB 726 (2013) 564, arXiv:1210.7619.
- 187. Search for third-generation leptoquarks and scalar bottom quarks in pp collisions at $\sqrt{s} = 7$ TeV, JHEP 12 (2012) 055, arXiv:1210.5627.
- 186. Search for pair production of third-generation leptoquarks and top squarks in pp collisions at $\sqrt{s} = 7$ TeV, PRL 110 (2013) 081801, arXiv:1210.5629.
- 185. Observation of long-range, near-side angular correlations in pPb collisions at the LHC, PLB 718 (2013) 795-814, arXiv:1210.5482.
- 184. Observation of Z decays to four leptons with the CMS detector at the LHC,
 JHEP 12 (2012) 034, arXiv:1210.3844.
- 183. Search for narrow resonances and quantum black holes in inclusive and b-tagged dijet mass spectra from pp collisions at $\sqrt{s} = 7$ TeV, JHEP 01 (2013) 013, arXiv:1210.2387.
- 182. Search for heavy neutrinos and W_R bosons with right-handed couplings in a left-right symmetric model in pp collisions at 7 TeV, PRL 109 (2012) 261802, arXiv:1210.2402.
- 181. Search for fractionally charged particles in pp collisions at $\sqrt{s}=7$ TeV, PRD 87 (2013) 092008, arXiv:1210.2311.
- 180. Search for supersymmetry in events with photons and low missing transverse energy in pp collisions at $\sqrt{s} = 7$ TeV, PLB 719 (2013) 42-61, arXiv:1210.2052.
- 179. Search for excited leptons in pp collisions at $\sqrt{s}=7$ TeV, PLB 720 (2013) 309-329, arXiv:1210.2422.

- 178. Search for heavy lepton partners of neutrinos in proton-proton collisions in the context of the type III seesaw mechanism, PLB 718 (2012) 348-368, arXiv:1210.1797.
- 177. Measurement of the relative prompt production rate of χ_{c2} and χ_{c1} in pp collisions at $\sqrt{s} = 7$ TeV, EPJC 72 (2012) 2251, arXiv:1210.0875.
- 176. Search for anomalous production of highly boosted Z bosons decaying to μ⁺μ[−] in proton–proton collisions at √s = 7 TeV, PLB 722 (2013) 28-47, arXiv:1210.0867.
- 175. A New Boson with a Mass of 125 GeV Observed with the CMS Experiment at the Large Hadron Collider, Science 338 (2012) 1569.
- 174. Search for electroweak production of charginos and neutralinos using leptonic final states in pp collisions at $\sqrt{s} = 7$ TeV, JHEP 11 (2012) 147, arXiv:1209.6620.
- 173. Measurement of the single-top-quark t-channel cross section in pp collisions at $\sqrt{s} = 7$ TeV, JHEP 12 (2012) 035, arXiv:1209.4533.
- 172. Search for resonant tt̄ production in lepton+jets events in pp collisions at √s = 7 TeV,
 JHEP 12 (2012) 015, arXiv:1209.4397.
- 171. Search for the standard model Higgs boson produced in association with W and Z bosons in pp collisions at $\sqrt{s} = 7$ TeV, JHEP 11 (2012) 088, arXiv:1209.3937.
- 170. Search for a narrow, spin-2 resonance decaying to a pair of Z bosons in the qqℓ+ℓ⁻ final state, PLB 718 (2013) 1208, arXiv:1209.3807.
- 169. Evidence for associated production of a single top quark and W boson in pp collisions at $\sqrt{s} = 7$ TeV, PRL 110 (2013) 022003, arXiv:1209.3489.
- 168. Measurement of the $\Upsilon(1S)$, $\Upsilon(2S)$ and $\Upsilon(3S)$ polarizations in pp collisions at $\sqrt{s}=7$ TeV, PRL 110 (2013) 081802, arXiv:1209.2922.
- 167. Measurement of the top-quark mass in $t\bar{t}$ events with lepton+jets final states in pp collisions at $\sqrt{s}=7$ TeV, JHEP 12 (2012) 105, arXiv:1209.2319.
- 166. Measurement of the top-quark mass in $t\bar{t}$ events with dilepton final states in pp collisions at $\sqrt{s}=7$ TeV, EPJC 72 (2012) 2202, arXiv:1209.2393.
- 165. Observation of a diffractive contribution to dijet production in protonproton collisions at $\sqrt{s}=7$ TeV, PRD 87 (2013) 012006, arXiv:1209.1805.

- 164. Search for exclusive or semi-exclusive $\gamma\gamma$ production and observation of exclusive and semi-exclusive e^+e^- production in pp collisions at $\sqrt{s}=7$ TeV, JHEP 11 (2012) 080, arXiv:1209.1666.
- 163. Combined search for the quarks of a sequential fourth generation, PRD 86 (2012) 112003, arXiv:1209.1062.
- 162. Search for pair produced fourth-generation up-type quarks in pp collisions at $\sqrt{s} = 7$ TeV with a lepton in the final state, PLB 718 (2012) 307-328, arXiv:1209.0471.
- 161. Search for supersymmetry in events with b-quark jets and missing transverse energy in pp collisions at 7 TeV, PRD 86 (2012) 072010, arXiv:1208.4859.
- 160. Study of the dijet mass spectrum in pp \rightarrow W + jets events at \sqrt{s} = 7 TeV, PRL 109 (2012) 251801, arXiv:1208.3477.
- 159. Measurement of the $t\bar{t}$ production cross section in the dilepton channel in pp collisions at $\sqrt{s} = 7$ TeV, JHEP 11 (2012) 067, arXiv:1208.2671.
- 158. Search for three-jet resonances in pp collisions at $\sqrt{s}=7$ TeV, PLB 718 (2012) 329-347, arXiv:1208.2931.
- 157. Observation of sequential Upsilon suppression in PbPb collisions, PRL 109 (2012) 222301, arXiv:1208.2826.
- 156. Measurement of the azimuthal anisotropy of neutral pions in PbPb collisions at $\sqrt{s_{NN}}=2.76$ TeV, PRL 110 (2013) 042301, arXiv:1208.2470.
- 155. Search for flavor changing neutral currents in top quark decays in pp collisions at 7 TeV, PLB 718 (2013) 1252-1272, arXiv:1208.0957.
- 154. Search for a W' boson decaying to a bottom quark and a top quark in pp collisions at $\sqrt{s}=7$ TeV, PLB 718 (2013) 1229-1251, arXiv:1208.0956.
- 153. Observation of a new boson at a mass of 125 GeV with the CMS experiment at the LHC, PLB 716 (2012) 30, arXiv:1207.7235.
- 152. Search for pair production of first- and second-generation scalar leptoquarks in pp collisions at \sqrt{s} = 7 TeV, PRD 86 (2012) 052013, arXiv:1207.5406.
- 151. Search for heavy Majorana neutrinos in $\mu^{\pm}\mu^{\pm}$ + jets and $e^{\pm}e^{\pm}$ + jets events in pp collisions at $\sqrt{s} = 7$ TeV, PLB 717 (2012) 109-128, arXiv:1207.6079.

- 150. Study of the inclusive production of charged pions, kaons, and protons in pp collisions at $\sqrt{s}=0.9$, 2.76, and 7 TeV, EPJC 72 (2012) 2164, arXiv:1207.4724.
- 149. Forward-backward asymmetry of Drell-Yan lepton pairs in pp collisions at $\sqrt{s} = 7$ TeV, PLB 718 (2013) 752-772, arXiv:1207.3973.
- 148. A search for a doubly-charged Higgs boson in pp collisions at $\sqrt{s} = 7$ TeV, EPJC 72 (2012) 2189, arXiv:1207.2666.
- 147. Measurement of the underlying event activity in pp collisions at \sqrt{s} = 0.9 and 7 TeV with the novel jet-area/median approach, JHEP 08 (2012) 130, arXiv:1207.2392.
- 146. Search for supersymmetry in hadronic final states using M_{T2} in pp collisions at $\sqrt{s} = 7$ TeV, JHEP 10 (2012) 018, arXiv:1207.1798.
- 145. Search for new physics in the multijet and missing transverse momentum final state in proton-proton collisions at $\sqrt{s} = 7$ TeV, PRL 109 (2012) 171803, arXiv:1207.1898.
- 144. Search for a fermiophobic Higgs boson in pp collisions at $\sqrt{s}=7$ TeV, JHEP 09 (2012) 111, arXiv:1207.1130.
- 143. Search for new physics with long-lived particles decaying to photons and missing energy in pp collisions at $\sqrt{s} = 7$ TeV, JHEP 11 (2012) 172, arXiv:1207.0627.
- 142. Inclusive and differential measurements of the tt̄ charge asymmetry in proton-proton collisions at √s = 7 TeV, PLB 717 (2012) 129-150, arXiv:1207.0065.
- 141. Search for stopped long-lived particles produced in pp collisions at \sqrt{s} =7 TeV, JHEP 08 (2012) 026, arXiv:1207.0106.
- 140. Search for a light pseudoscalar Higgs boson in the dimuon decay channel in pp collisions at $\sqrt{s} = 7$ TeV, PRL 109 (2012) 121801, arXiv:1206.6326.
- 139. Search for dark matter and large extra dimensions in monojet events in pp collisions at \sqrt{s} = 7 TeV, JHEP 09 (2012) 094, arXiv:1206.5663.
- 138. Search for new physics in events with opposite-sign leptons, jets, and missing transverse energy in pp collisions at $\sqrt{s} = 7$ TeV, PLB 718 (2013) 815-840, arXiv:1206.3949.
- 137. Search for charge-asymmetric production of W' bosons in top pair + jet events from pp collisions at $\sqrt{s} = 7$ TeV, PLB 717 (2012) 351-370, arXiv:1206.3921.

- 136. Measurement of the electron charge asymmetry in inclusive W production in pp collisions at $\sqrt{s} = 7$ TeV, PRL 109 (2012) 111806, arXiv:1206.2598.
- 135. Search for narrow resonances in dilepton mass spectra in pp collisions at $\sqrt{s}=7$ TeV, PLB 714 (2012) 158-179, arXiv:1206.1849.
- 134. Search for high mass resonances decaying into τ lepton pairs in pp collisions at $\sqrt{s}=7$ TeV, PLB 716 (2012) 82-102, arXiv:1206.1725.
- 133. Search for a W' or Techni- ρ Decaying into WZ in pp Collisions at $\sqrt{s}=7$ TeV, PRL 109 (2012) 141801, arXiv:1206.0433.
- 132. Search for new physics with same-sign isolated dilepton events with jets and missing transverse energy, PRL 109 (2012) 071803, arXiv:1205.6615.
- 131. Study of W boson production in PbPb and pp collisions at $\sqrt{s_{\rm NN}}=2.76$ TeV, PLB 715 (2012) 66-87, arXiv:1205.6334.
- 130. Measurement of jet fragmentation into charged particles in pp and PbPb collisions at $\sqrt{s_{NN}}$ = 2.76 TeV, JHEP 10 (2012) 087, arXiv:1205.5872.
- 129. Search for a light charged Higgs boson in top quark decays in pp collisions at $\sqrt{s}=7$ TeV, JHEP 07 (2012) 143, arXiv:1205.5736.
- 128. Search for new physics in events with same-sign dileptons and b-tagged jets in pp collisions at $\sqrt{s}=7$ TeV, JHEP 08 (2012) 110, arXiv:1205.3933.
- 127. Measurement of the pseudorapidity and centrality dependence of the transverse energy density in PbPb collisions at $\sqrt{s_{NN}} = 2.76$ TeV, PRL 109 (2012) 152303, arXiv:1205.2488.
- 126. Measurement of the Λ_b cross section and the $\overline{\Lambda}_b$ to Λ_b ratio with $J/\psi\Lambda$ decays in pp collisions at $\sqrt{s} = 7$ TeV, PLB 714 (2012) 136-157, arXiv:1205.0594.
- 125. Search for heavy long-lived charged particles in pp collisions at \sqrt{s} = 7 TeV, PLB 713 (2012) 408-433, arXiv:1205.0272.
- 124. Studies of jet quenching using isolated-photon+jet correlations in PbPb and pp collisions at $\sqrt{s_{NN}} = 2.76$ TeV, PLB 718 (2013) 773-794, arXiv:1205.0206.
- 123. Observation of a New Ξ_b Baryon, PRL 108 (2012) 252002, arXiv:1204.5955.

- 122. Search for anomalous production of multilepton events in pp collisions at $\sqrt{s}=7$ TeV, JHEP 06 (2012) 169, arXiv:1204.5341.
- 121. Search for leptonic decays of W' bosons in pp collisions at $\sqrt{s}=7$ TeV, JHEP 08 (2012) 023, arXiv:1204.4764.
- 120. Search for physics beyond the standard model in events with a Z boson, jets, and missing transverse energy in pp collisions at $\sqrt{s} = 7$ TeV, PLB 716 (2012) 260-284, arXiv:1204.3774.
- 119. Shape, transverse size, and charged hadron multiplicity of jets in pp collisions at $\sqrt{s} = 7$ TeV, JHEP 06 (2012) 160, arXiv:1204.3170.
- 118. Measurement of the mass difference between top and antitop quarks, JHEP 06 (2012) 109, arXiv:1204.2807.
- 117. Search for anomalous tt production in the highly-boosted all-hadronic final state,
 JHEP 09 (2012) 029, arXiv:1204.2488.
- 116. Azimuthal anisotropy of charged particles at high transverse momenta in PbPb collisions at $\sqrt{s_{\rm NN}}=2.76$ TeV, PRL 109 (2012) 022301, arXiv:1204.1850.
- 115. Measurement of the Z/ γ^* +b-jet cross section in pp collisions at \sqrt{s} = 7 TeV, JHEP 06 (2012) 126, arXiv:1204.1643.
- 114. Measurement of the underlying event in the Drell-Yan process in proton-proton collisions at $\sqrt{s} = 7$ TeV, EPJC 72 (2012) 2080, arXiv:1204.1411.
- 113. Measurement of the elliptic anisotropy of charged particles produced in PbPb collisions at $\sqrt{s_{NN}} = 2.76$ TeV, PRC 87 (2013) 014902, arXiv:1204.1409.
- 112. Search for heavy bottom-like quarks in 4.9 inverse femtobarns of pp collisions at $\sqrt{s}=7$ TeV, JHEP 05 (2012) 123, arXiv:1204.1088.
- 111. Search for Dark Matter and Large Extra Dimensions in pp Collisions Yielding a Photon and Missing Transverse Energy, PRL 108 (2012) 261803, arXiv:1204.0821.
- 110. Ratios of dijet production cross sections as a function of the absolute difference in rapidity between jets in proton-proton collisions at $\sqrt{s} = 7$ TeV, EPJC 72 (2012) 2216, arXiv:1204.0696.
- 109. Measurement of the top quark pair production cross section in pp collisions at $\sqrt{s}=7$ TeV in dilepton final states containing a τ , PRD 85 (2012) 112007, arXiv:1203.6810.

- 108. Search for heavy, top-like quark pair production in the dilepton final state in pp collisions at $\sqrt{s}=7$ TeV, PLB 716 (2012) 103-121, arXiv:1203.5410.
- 107. Search for $B_s^0 \to \mu^+ \mu^-$ and $B^0 \to \mu^+ \mu^-$ decays, JHEP 04 (2012) 033, arXiv:1203.3976.
- 106. Measurement of the cross section for production of b b-bar X, decaying to muons in pp collisions at $\sqrt{s} = 7$ TeV, JHEP 06 (2012) 110, arXiv:1203.3458.
- 105. Search for microscopic black holes in pp collisions at $\sqrt{s}=7$ TeV, JHEP 04 (2012) 061, arXiv:1202.6396.
- 104. Search for quark compositeness in dijet angular distributions from pp collisions at $\sqrt{s}=7$ TeV, JHEP 05 (2012) 055, arXiv:1202.5535.
- 103. Jet momentum dependence of jet quenching in PbPb collisions at $\sqrt{s_{NN}}$ =2.76 TeV, PLB 712 (2012) 176-197, arXiv:1202.5022.
- 102. Inclusive b-jet production in pp collisions at $\sqrt{s}=7$ TeV, JHEP 04 (2012) 084, arXiv:1202.4617.
- 101. Search for the standard model Higgs boson decaying to bottom quarks in pp collisions at $\sqrt{s} = 7$ TeV, PLB 710 (2012) 284-306, arXiv:1202.4195.
- 100. Search for neutral Higgs bosons decaying to tau pairs in pp collisions at $\sqrt{s} = 7$ TeV, PLB 713 (2012) 68-90, arXiv:1202.4083.
- 99. Search for large extra dimensions in dimuon and dielectron events in pp collisions at $\sqrt{s} = 7$ TeV, PLB 711 (2012) 15-34, arXiv:1202.3827.
- 98. Search for the standard model Higgs boson in the H \rightarrow ZZ \rightarrow 2l2 ν channel in pp collisions at $\sqrt{s}=7$ TeV, JHEP 03 (2012) 040, arXiv:1202.3478.
- 97. Search for the standard model Higgs boson in the H \to ZZ $\to \ell^+\ell^-\tau^+\tau^-$ decay channel in pp collisions at $\sqrt{s}=7$ TeV, JHEP 03 (2012) 081, arXiv:1202.3617.
- 96. Study of high- $p_{\rm T}$ charged particle suppression in PbPb compared to pp collisions at $\sqrt{s_{NN}}$ =2.76 TeV, EPJC 72 (2012) 1945, arXiv:1202.2554.
- 95. Search for the standard model Higgs boson in the decay channel $H \to ZZ \to 4\ell$ in pp collisions at $\sqrt{s} = 7$ TeV, PRL 108 (2012) 111804, arXiv:1202.1997.

- 94. Search for a Higgs boson in the decay channel $H \to ZZ^{(*)} \to q\bar{q}\ell^-\ell^+$ in pp collisions at $\sqrt{s} = 7$ TeV, JHEP 04 (2012) 036, arXiv:1202.1416.
- 93. Search for the standard model Higgs boson decaying into two photons in pp collisions at √s = 7 TeV, PLB 710 (2012) 403-425, arXiv:1202.1487.
- 92. Combined results of searches for the standard model Higgs boson in pp collisions at $\sqrt{s} = 7$ TeV, PLB 710 (2012) 26-48, arXiv:1202.1488.
- 91. Search for the standard model Higgs boson decaying to W⁺W⁻ in the fully leptonic final state in pp collisions at $\sqrt{s} = 7$ TeV, PLB 710 (2012) 91-113, arXiv:1202.1489.
- 90. Measurement of the inclusive production cross sections for forward jets and for dijet events with one forward and one central jet in pp collisions at $\sqrt{s} = 7$ TeV, JHEP 06 (2012) 036, arXiv:1202.0704.
- 89. Suppression of non-prompt J ψ , prompt J ψ , and $\Upsilon(1S)$ in PbPb collisions at $\sqrt{s_{NN}} = 2.76$ TeV, JHEP 05 (2012) 063, arXiv:1201.5069.
- 88. Centrality dependence of dihadron correlations and azimuthal anisotropy harmonics in PbPb collisions at $\sqrt{s_{NN}} = 2.76$ TeV, EPJC 72 (2012) 2012, arXiv:1201.3158.
- 87. Measurement of isolated photon production in pp and PbPb collisions at $\sqrt{s_{NN}}=2.76$ TeV, PLB 710 (2012) 256-277, arXiv:1201.3093.
- 86. Measurement of the charge asymmetry in top-quark pair production in proton-proton collisions at $\sqrt{s} = 7$ TeV, PLB 709 (2012) 28-49, arXiv:1112.5100.
- 85. Search for signatures of extra dimensions in the diphoton mass spectrum at the Large Hadron Collider, PRL 108 (2012) 111801, arXiv:1112.0688.
- 84. Exclusive $\gamma\gamma \to \mu^+\mu^-$ production in proton-proton collisions at $\sqrt{s}=7$ TeV, JHEP 01 (2012) 052, arXiv:1111.5536.
- 83. J/ ψ and $\psi(2S)$ production in pp collisions at $\sqrt{s}=7$ TeV, JHEP 02 (2012) 011, arXiv:1111.1557.
- 82. Measurement of the Production Cross Section for Pairs of Isolated Photons in pp collisions at $\sqrt{s}=7$ TeV, JHEP 01 (2012) 133, arXiv:1110.6461.
- 81. Measurement of the Rapidity and Transverse Momentum Distributions of Z Bosons in pp Collisions at $\sqrt{s}=7$ TeV, PRD 85 (2012) 032002, arXiv:1110.4973.

- 80. Jet Production Rates in Association with W and Z Bosons in pp Collisions at $\sqrt{s} = 7$ TeV, JHEP 01 (2012) 010, arXiv:1110.3226.
- 79. Measurement of the weak mixing angle with the Drell-Yan process in proton-proton collisions at the LHC, PRD 84 (2011) 112002, arXiv:1110.2682.
- 78. Measurement of energy flow at large pseudorapidities in pp collisions at $\sqrt{s} = 0.9$ and 7 TeV, JHEP 11 (2011) 148, arXiv:1110.0211.
- 77. Forward Energy Flow, Central Charged-Particle Multiplicities, and Pseudorapidity Gaps in W and Z Boson Events from pp Collisions at √s = 7 TeV, EPJC 72 (2012) 1839, arXiv:1110.0181.
- 76. Search for a Vectorlike Quark with Charge 2/3 in t + Z Events from pp Collisions at $\sqrt{s} = 7$ TeV, PRL 107 (2011) 271802, arXiv:1109.4985.
- 75. Search for Supersymmetry at the LHC in Events with Jets and Missing Transverse Energy,
 PRL 107 (2011) 221804, arXiv:1109.2352.
- 74. Measurement of the tt Production Cross Section in pp Collisions at 7
 TeV in Lepton + Jets Events Using b-quark Jet Identification,
 PRD 84 (2011) 092004, arXiv:1108.3773.
- 73. Measurement of the Differential Cross Section for Isolated Prompt Photon Production in pp Collisions at 7 TeV, PRD 84 (2011) 052011, arXiv:1108.2044.
- 72. Measurement of the Drell-Yan Cross Section in pp Collisions at $\sqrt{s} = 7$ TeV, JHEP 10 (2011) 007, arXiv:1108.0566.
- 71. Search for $B_s^0 \to \mu^+ \mu^-$ and $B^0 \to \mu^+ \mu^-$ decays in pp collisions at \sqrt{s} = 7 TeV, PRL 107 (2011) 191802, arXiv:1107.5834.
- 70. Measurement of the Inclusive W and Z Production Cross Sections in pp Collisions at $\sqrt{s} = 7$ TeV with the CMS experiment, JHEP 10 (2011) 132, arXiv:1107.4789.
- 69. Search for Resonances in the Dijet Mass Spectrum from 7 TeV pp Collisions at CMS, PLB 704 (2011) 123-142, arXiv:1107.4771.
- 68. Dependence on pseudorapidity and on centrality of charged hadron production in PbPb collisions at $\sqrt{s_{NN}} = 2.76$ TeV, JHEP 08 (2011) 141, arXiv:1107.4800.
- 67. Search for Three-Jet Resonances in pp Collisions at $\sqrt{s}=7$ TeV, PRL 107 (2011) 101801, arXiv:1107.3084.

- 66. A search for excited leptons in pp Collisions at $\sqrt{s}=7$ TeV, PLB 704 (2011) 143-162, arXiv:1107.1773.
- 65. Search for supersymmetry in pp collisions at $\sqrt{s} = 7$ TeV in events with a single lepton, jets, and missing transverse momentum, JHEP 08 (2011) 156, arXiv:1107.1870.
- 64. Inclusive search for squarks and gluinos in pp collisions at $\sqrt{s}=7$ TeV, PRD 85 (2012) 012004, arXiv:1107.1279.
- 63. Measurement of the Underlying Event Activity at the LHC with \sqrt{s} = 7 TeV and Comparison with \sqrt{s} = 0.9 TeV, JHEP 09 (2011) 109, arXiv:1107.0330.
- 62. Search for New Physics with a Monojet and Missing Transverse Energy in pp Collisions at $\sqrt{s} = 7$ TeV, PRL 107 (2011) 201804, arXiv:1106.4775.
- 61. Search for New Physics with Jets and Missing Transverse Momentum in pp collisions at $\sqrt{s}=7$ TeV, JHEP 08 (2011) 155, arXiv:1106.4503.
- 60. Measurement of the B_s^0 Production Cross Section with $B_s^0 \to J/\psi \phi$ Decays in pp Collisions at $\sqrt{s} = 7$ TeV, PRD 84 (2011) 052008, arXiv:1106.4048.
- 59. Search for Supersymmetry in Events with b Jets and Missing Transverse Momentum at the LHC, JHEP 07 (2011) 113, arXiv:1106.3272.
- 58. Measurement of the t-channel single top quark production cross section in pp collisions at $\sqrt{s} = 7$ TeV, PRL 107 (2011) 091802, arXiv:1106.3052.
- 57. Search for Light Resonances Decaying into Pairs of Muons as a Signal of New Physics,
 JHEP 07 (2011) 098, arXiv:1106.2375.
- 56. Search for Same-Sign Top-Quark Pair Production at $\sqrt{s} = 7$ TeV and Limits on Flavour Changing Neutral Currents in the Top Sector, JHEP 08 (2011) 005, arXiv:1106.2142.
- 55. Search for Physics Beyond the Standard Model Using Multilepton Signatures in pp Collisions at $\sqrt{s} = 7$ TeV, PLB 704 (2011) 411-433, arXiv:1106.0933.
- 54. Measurement of the $t\bar{t}$ Production Cross Section in pp Collisions at $\sqrt{s} = 7$ TeV using the Kinematic Properties of Events with Leptons and Jets,
 - EPJC 71 (2011) 1721, arXiv:1106.0902.
- 53. Measurement of the Ratio of the 3-jet to 2-jet Cross Sections in pp Collisions at $\sqrt{s} = 7$ TeV, PLB 702 (2011) 336-354, arXiv:1106.0647.

• 52. Measurement of the Inclusive Jet Cross Section in pp Collisions at \sqrt{s} = 7 TeV,

PRL 107 (2011) 132001, arXiv:1106.0208.

- 51. Measurement of the $t\bar{t}$ production cross section and the top quark mass in the dilepton channel in pp collisions at $\sqrt{s}=7$ TeV, JHEP 07 (2011) 049, arXiv:1105.5661.
- 50. Search for First Generation Scalar Leptoquarks in the e ν jj Channel in pp Collisions at $\sqrt{s}=7$ TeV, PLB 703 (2011) 246-266, arXiv:1105.5237.
- 49. Indications of Suppression of Excited Υ States in Pb-Pb Collisions at $\sqrt{s_{NN}} = 2.76$ TeV, PRL 107 (2011) 052302, arXiv:1105.4894.
- 48. Search for supersymmetry in events with a lepton, a photon, and large missing transverse energy in pp collisions at $\sqrt{s} = 7$ TeV, JHEP 06 (2011) 093, arXiv:1105.3152.
- 47. Measurement of W γ and Z γ production in pp collisions at $\sqrt{s}=7$ TeV, PLB 701 (2011) 535-555, arXiv:1105.2758.
- 46. Long-range and short-range dihadron angular correlations in central PbPb collisions at $\sqrt{s_{NN}}=2.76$ TeV, JHEP 07 (2011) 076, arXiv:1105.2438.
- 45. Measurement of the Polarization of W Bosons with Large Transverse Momenta in W+Jets Events at the LHC, PRL 107 (2011) 021802, arXiv:1104.3829.
- 44. Search for new physics with same-sign isolated dilepton events with jets and missing transverse energy at the LHC, JHEP 06 (2011) 077, arXiv:1104.3168.
- 43. Charged particle transverse momentum spectra in pp collisions at \sqrt{s} = 0.9 and 7 TeV, JHEP 08 (2011) 086, arXiv:1104.3547.
- 42. Measurement of the B⁰ Production Cross Section in pp Collisions at $\sqrt{s} = 7$ TeV, PRL 106 (2011) 252001, arXiv:1104.2892.
- 41. Measurement of the differential dijet production cross section in proton-proton collisions at $\sqrt{s}=7$ TeV, PLB 700 (2011) 187-206, arXiv:1104.1693.
- 40. Measurement of the Inclusive Z Cross Section via Decays to Tau Pairs in pp Collisions at $\sqrt{s}=7$ TeV, JHEP 08 (2011) 117, arXiv:1104.1617.
- 39. Search for Neutral Minimal Supersymmetric Standard Model Higgs Bosons Decaying to Tau Pairs in pp Collisions at $\sqrt{s}=7$ TeV, PRL 106 (2011) 231801, arXiv:1104.1619.

- 38. Search for Large Extra Dimensions in the Diphoton Final State at the Large Hadron Collider, JHEP 05 (2011) 085, arXiv:1103.4279.
- 37. Measurement of the lepton charge asymmetry in inclusive W production in pp collisions at $\sqrt{s} = 7$ TeV, JHEP 04 (2011) 050, arXiv:1103.3470.
- 36. Search for Physics Beyond the Standard Model in Opposite-sign Dilepton Events in pp Collisions at $\sqrt{s} = 7$ TeV, JHEP 06 (2011) 026, arXiv:1103.1348.
- 35. Search for Resonances in the Dilepton Mass Distribution in pp Collisions at $\sqrt{s}=7$ TeV, JHEP 05 (2011) 093, arXiv:1103.0981.
- 34. Search for Supersymmetry in pp Collisions at √s = 7 TeV in Events with Two Photons and Missing Transverse Energy, PRL 106 (2011) 211802, arXiv:1103.0953.
- 33. Search for a W' boson decaying to a muon and a neutrino in pp collisions at $\sqrt{s} = 7$ TeV, PLB 701 (2011) 160-179, arXiv:1103.0030.
- 32. Study of Z boson production in PbPb collisions at $\sqrt{s_{NN}} = 2.76$ TeV, PRL 106 (2011) 212301, arXiv:1102.5435.
- 31. Measurement of W⁺W⁻ Production and Search for the Higgs Boson in pp Collisions at $\sqrt{s} = 7$ TeV, PLB 699 (2011) 25-47, arXiv:1102.5429.
- 30. Search for a Heavy Bottom-like Quark in pp Collisions at $\sqrt{s}=7$ TeV, PLB 701 (2011) 204-223, arXiv:1102.4746.
- 29. Strange Particle Production in pp collisions at $\sqrt{s}=0.9$ and 7 TeV, JHEP 05 (2011) 064, arXiv:1102.4282.
- 28. Measurement of \overline{BB} angular correlations based on secondary vertex reconstruction at $\sqrt{s}=7$ TeV, JHEP 03 (2011) 136, arXiv:1102.3194.
- 27. Observation and studies of jet quenching in PbPb collisions at $\sqrt{s_{NN}}$ = 2.76 TeV, PRC 84 (2011) 024906, arXiv:1102.1957.
- 26. Measurement of Dijet Angular Distributions and Search for Quark Compositeness in pp Collisions at $\sqrt{s}=7$ TeV, PRL 106 (2011) 201804, arXiv:1102.2020.
- 25. First Measurement of Hadronic Event Shapes in pp Collisions at \sqrt{s} = 7 TeV, PLB 699 (2011) 48-67, arXiv:1102.0068.

- 24. Dijet Azimuthal Decorrelations in pp Collisions at $\sqrt{s} = 7$ TeV, PRL 106 (2011) 122003, arXiv:1101.5029.
- 23. Inclusive b-hadron production cross section with muons in pp collisions at $\sqrt{s} = 7$ TeV, JHEP 03 (2011) 090, arXiv:1101.3512.
- 22. Measurement of Bose–Einstein Correlations in pp Collisions at $\sqrt{s}=0.9$ and 7 TeV, JHEP 05 (2011) 029, arXiv:1101.3518.
- 21. Search for Heavy Stable Charged Particles in pp collisions at $\sqrt{s}=7$ TeV, JHEP 03 (2011) 024, arXiv:1101.1645.
- 20. Search for Supersymmetry in pp Collisions at 7 TeV in Events with Jets and Missing Transverse Energy, PLB 698 (2011) 196-218, arXiv:1101.1628.
- 19. Measurement of the B⁺ Production Cross Section in pp Collisions at $\sqrt{s}=7$ TeV, PRL 106 (2011) 112001, arXiv:1101.0131.
- 18. Search for a heavy gauge boson W' in the final state with an electron and large missing transverse energy in pp collisions at $\sqrt{s} = 7$ TeV, PLB 698 (2011) 21-39, arXiv:1012.5945.
- 17. Upsilon production cross section in pp collisions at $\sqrt{s}=7$ TeV, PRD 83 (2011) 112004, arXiv:1012.5545.
- 16. Search for Pair Production of First-Generation Scalar Leptoquarks in pp Collisions at \sqrt{s} = 7 TeV, PRL 106 (2011) 201802, arXiv:1012.4031.
- 15. Search for Pair Production of Second-Generation Scalar Leptoquarks in pp Collisions at $\sqrt{s}=7$ TeV, PRL 106 (2011) 201803, arXiv:1012.4033.
- 14. Search for Microscopic Black Hole Signatures at the Large Hadron Collider, PLB 697 (2011) 434-453, arXiv:1012.3375.
- 13. Measurements of Inclusive W and Z Cross Sections in pp Collisions at $\sqrt{s} = 7$ TeV, JHEP 01 (2011) 080, arXiv:1012.2466.
- 12. Measurement of the Isolated Prompt Photon Production Cross Section in pp Collisions at $\sqrt{s} = 7$ TeV, PRL 106 (2011) 082001, arXiv:1012.0799.
- 11. Search for Stopped Gluinos in pp collisions at $\sqrt{s}=7$ TeV, PRL 106 (2011) 011801, arXiv:1011.5861.

- 10. Charged particle multiplicities in pp interactions at $\sqrt{s}=0.9, 2.36,$ and 7 TeV, JHEP 01 (2011) 079, arXiv:1011.5531.
- 9. Prompt and non-prompt J/ ψ production in pp collisions at $\sqrt{s}=7$ TeV, EPJC 71 (2011) 1575, arXiv:1011.4193.
- 8. First Measurement of the Cross Section for Top-Quark Pair Production in Proton-Proton Collisions at $\sqrt{s}=7$ TeV, PLB 695 (2011) 424-443, arXiv:1010.5994.
- 7. Search for Quark Compositeness with the Dijet Centrality Ratio in pp Collisions at $\sqrt{s} = 7$ TeV, PRL 105 (2010) 262001, arXiv:1010.4439.
- 6. Search for Dijet Resonances in 7 TeV pp Collisions at CMS, PRL 105 (2010) 211801, arXiv:1010.0203.
- 5. Observation of Long-Range, Near-Side Angular Correlations in Proton-Proton Collisions at the LHC, JHEP 09 (2010) 091, arXiv:1009.4122.
- 4. First Measurement of the Underlying Event Activity at the LHC with $\sqrt{s} = 0.9$ TeV, EPJC 70 (2010) 555-572, arXiv:1006.2083.
- 3. Transverse-momentum and pseudorapidity distributions of charged hadrons in pp collisions at $\sqrt{s}=7$ TeV, PRL 105 (2010) 022002, arXiv:1005.3299.
- 2. First Measurement of Bose-Einstein Correlations in proton-proton Collisions at \sqrt{s} =0.9 and 2.36 TeV at the LHC, PRL 105 (2010) 032001, arXiv:1005.3294.
- 1. Transverse momentum and pseudorapidity distributions of charged hadrons in pp collisions at $\sqrt{s}=0.9$ and 2.36 TeV, JHEP 02 (2010) 041, arXiv:1002.0621.