# Reference library coverage report

Isolde Cornelis

22 January 2026

**Methods and description** This document describes the content of the fish reference library(ies): COI-lerayxt_BeFishingFleet_Inv_v20260109, generated using a region specific list with species names to retrieve sequence data from public databases. A list of species names from marine fish species occurring in Belgium, the UK and the Netherlands was generated from two sources: FishBase (version: 26.01, 25.04, country: Netherlands, UK, Belgium), and the long-term trawl-data available in-house running from 1978 - 2024. This list was filtered to identify synonyms and duplicates, and to remove strictly freshwater fish species, and annotated with FishBase taxonomic classification and FishBase common names. (Note: The taxonomic classification of FishBase is matched with the WoRMS taxonomy in the metabarcoding bioinformatic pipeline)

The species list, species-table-BeFishingFleet-v20260109, was used to search for sequences in NCBI Nucleotide and BOLD databases. Because of inconsistencies in how researchers annotate their GenBank submissions and the differing internal coverage of primer pairs for particular gene fragments, we performed a search requesting mitochondrial DNA using multiple search relevant search terms (COI, 12S, 16S, rRNA, ribosomal, cytb, CO1, cox1, cytochrome, subunit, COB, CYB, mitochondrial, mitochondrion). Then we pulled out fragments of interest using a hidden Markov model. This enabled us to have greater confidence that useful sequences had not been missed. For the resulting sequences we then tabulate all their metadata from GenBank in order to allow us the capability to later tailor a custom reference library according to any criteria required (e.g. must have reference specimen or locality data etc). The remaining sequences are concatenated into haplotypes, and sequences shorter than 90 % of the median sequence length are removed from the final reference library.

**Results** The species list of marine fishes detected in Belgium, the UK and the Netherlands contains 1533 accepted species names (4663 names in total when including synonyms). The NCBI GenBank and BOLD databases were searched on 09 Jan 2026 (GenBank version 269), and the search retrieved 47003 accessions from 987 unique species. Below is presented a summary table of reference library coverage (Table 1), numbers of sequences represented per common species (Table 2), and the sequences added to the reference library in the most recent update (Table 3).

**Table 1. Summary of coverage. Locus = mitochondrial gene; Fragment = metabarcode primer set; Unique species = number of species that have at least one reference sequence of the metabarcode of interest; Cov. (all) = percentage of species from the species list that have at least one reference sequence of the metabarcode of interest; Total = total number of sequences of the metabarcode of interest; Singletons = percentage of species represented by only one reference sequence of the metabarcode of interest, only including those with >0 sequences; Unique sequences = number of unique sequences in the final reference database; Haps (mean) = mean number of unique haplotypes per species; Haps (median) = median number of unique haplotypes per species; Haps (singleton) = percentage of species represented by only one haplotype in the final reference database.**

| Locus | Fragment | Unique species | Cov. (all) | Total sequences | Singletons | Unique sequences | Haps (mean) | Haps (median) | Haps (singleton) |
|---|---|---|---|---|---|---|---|---|---|
| COI | Lerayxt | 946 | 61 | 35144 | 12 | 9622 | 10 | 4 | 22 |

**Table 2. Numbers of sequences represented per species for each metabarcode of interest.**

| Family | Scientific Name | Common Name | COI (Lerayxt) |
|---|---|---|---|
| Pycnophyidae | *Pycnophyes communis* | | 0 |
| Pycnophyidae | *Pycnophyes denticulatus* | | 0 |
| Pycnophyidae | *Setaphyes dentatus* | | 1 |
| Pycnophyidae | *Pycnophyes zelinkaei* | | 4 |
| Chaetodermidae | *Chaetoderma nitidulum* | | 1 |
| Oikopleuridae | *Oikopleura (Vexillaria) dioica* | | 0 |
| Halacaridae | *Scaptognathus hallezi* | | 0 |
| Cancellothyrididae | *Terebratulina retusa* | | 3 |
| Dallinidae | *Dallina septigera* | | 0 |
| Dallinidae | *Glaciarcula spitzbergensis* | | 0 |
| Laqueidae | *Macandrevia cranium* | | 1 |
| Megathyrididae | *Argyrotheca cistellula* | | 0 |
| Megathyrididae | *Gwynia capsula* | | 0 |
| Platidiidae | *Platidia anomioides* | | 0 |
| Clavelinidae | *Clavelina lepadiformis* | Light-bulb ascidian | 13 |
| Didemnidae | *Didemnum fulgens* | | 0 |
| Didemnidae | *Didemnum lahillei* | | 0 |
| Didemnidae | *Didemnum maculosum* | | 1 |
| Didemnidae | *Diplosoma listerianum* | Gray encrusting compound tunicate | 13 |
| Didemnidae | *Trididemnum cereum* | | 5 |
| Polyclinidae | *Aplidium pallidum* | | 2 |
| Polyclinidae | *Aplidium proliferum* | | 0 |
| Polyclinidae | *Polyclinum aurantium* | | 2 |
| Ascidiidae | *Ascidia callosa* | Sea blister | 1 |
| Ascidiidae | *Ascidia conchilega* | | 2 |
| Ascidiidae | *Ascidia mentula* | | 4 |

| Family | Scientific Name | Common Name | COI (Leray-xt) |
|---|---|---|---|
| Ascidiidae | *Ascidia obliqua* | | 0 |
| Ascidiidae | *Ascidia virginea* | | 24 |
| Ascidiidae | *Ascidiella aspersa* | Dirty sea squirt | 107 |
| Ascidiidae | *Ascidiella scabra* | Hairy sea squirt | 4 |
| Cionidae | *Ciona intestinalis* | Sea vase | 216 |
| Corellidae | *Corella parallelogramma* | Gas mantle ascidian | 3 |
| Molgulidae | *Molgula citrina* | Sea grape | 0 |
| Molgulidae | *Molgula complanata* | | 0 |
| Molgulidae | *Molgula manhattensis* | Common sea grape | 28 |
| Molgulidae | *Molgula occulta* | | 0 |
| Pyuridae | *Boltenia echinata* | Spiny-tipped tunicate | 11 |
| Pyuridae | *Microcosmus claudicans* | | 1 |
| Pyuridae | *Pyura microcosmus* | | 1 |
| Pyuridae | *Pyura squamulosa* | | 0 |
| Pyuridae | *Pyura tessellata* | | 1 |
| Styelidae | *Botrylloides violaceus* | Purple colonial tunicate | 46 |
| Styelidae | *Botryllus schlosseri* | Golden star tunicate | 156 |
| Styelidae | *Cnemidocarpa mollispina* | | 0 |
| Styelidae | *Dendrodoa grossularia* | Baked-bean ascidian | 6 |
| Styelidae | *Pelonaia corrugata* | | 0 |
| Styelidae | *Polycarpa fibrosa* | | 0 |
| Styelidae | *Polycarpa pomaria* | | 2 |
| Styelidae | *Polycarpa violacea* | | 0 |
| Styelidae | *Styela clava* | Clubbed tunicate | 77 |
| Asteriidae | *Asterias rubens* | Common starfish | 82 |
| Asteriidae | *Leptasterias (Leptasterias) muelleri* | | 0 |
| Asteriidae | *Marthasterias glacialis* | Spiny starfish | 222 |
| Astropectinidae | *Astropecten irregularis* | | 1 |
| Benthopectinidae | *Pontaster tenuispinus* | | 32 |
| Luidiidae | *Luidia ciliaris* | Seven armed starfish | 5 |
| Luidiidae | *Luidia sarsii* | | 27 |
| Echinasteridae | *Henricia oculata* | Bloody Henry starfish | 18 |
| Echinasteridae | *Henricia perforata* | | 1 |
| Echinasteridae | *Henricia sanguinolenta* | Blood sea star | 11 |
| Solasteridae | *Crossaster papposus* | Rose seastar | 81 |
| Solasteridae | *Solaster endeca* | Northern sun star | 21 |

| Family | Scientific Name | Common Name | COI (Leray-xt) |
|---|---|---|---|
| Hiatellidae | *Hiatella arctica* | Arctic hiatella | 1 |
| Hiatellidae | *Panomya norvegica* | Arctic roughmya | 0 |
| Pharidae | *Ensis ensis* | Razor shell | 21 |
| Pharidae | *Ensis leei* | | 36 |
| Pharidae | *Ensis magnus* | Arched razor shell | 16 |
| Pharidae | *Ensis minor* | Minor jackknife | 9 |
| Pharidae | *Ensis siliqua* | Sword razor shell | 28 |
| Pharidae | *Pharus legumen* | Bean razor clam | 0 |
| Pharidae | *Phaxas pellucidus* | Transparent razor shell | 24 |
| Solenidae | *Solen capensis* | | 0 |
| Solenidae | *Solen marginatus* | Grooved razor clam | 14 |
| Arcidae | *Arca reticulata* | | 0 |
| Arcidae | *Arca zebra* | Turkey wing | 0 |
| Arcidae | *Lamarcka imbricata* | | 0 |
| Arcidae | *Lamarcka mutabilis* | | 2 |
| Arcidae | *Tetrarca tetragona* | | 2 |
| Glycymerididae | *Glycymeris glycymeris* | Common European bittersweet | 20 |
| Noetiidae | *Striarca lactea* | | 13 |
| Cardiidae | *Acanthocardia aculeata* | Spiny cockle | 1 |
| Cardiidae | *Acanthocardia echinata* | European prickly cockle | 20 |
| Cardiidae | *Acanthocardia tuberculata* | Moroccan cockles | 2 |
| Cardiidae | *Cerastoderma edule* | Common edible cockle | 207 |
| Cardiidae | *Cerastoderma glaucum* | Olive green cockle | 85 |
| Cardiidae | *Ciliatocardium ciliatum* | Hairy cockle | 16 |
| Cardiidae | *Laevicardium crassum* | Norwegian egg cockle | 9 |
| Cardiidae | *Monodacna colorata* | Coloured lagoon cockle | 2 |
| Cardiidae | *Serripes groenlandicus* | Greenland smoothcockle | 2 |
| Donacidae | *Donax trunculus* | Truncate Donax | 21 |
| Donacidae | *Donax vittatus* | Banded-wedge shell | 98 |
| Psammobiidae | *Gari depressa* | Depressed sunset clam | 0 |
| Psammobiidae | *Gari fervensis* | Faeroe sunset clam | 10 |
| Semelidae | *Abra alba* | White furrow shell | 14 |
| Semelidae | *Abra nitida* | | 8 |
| Semelidae | *Abra prismatica* | | 4 |
| Semelidae | *Abra tenuis* | | 0 |
| Semelidae | *Theora lubrica* | Asian semele | 1 |
| Tellinidae | *Arcopagia crassa* | Blunt tellin | 0 |
| Tellinidae | *Asbjornsenia pygmaea* | | 2 |
| Tellinidae | *Fabulina fabula* | Streaked-shelled tellina | 9 |

| Family | Scientific Name | Common Name | COI (Leray-xt) |
|---|---|---|---|
| Tellinidae | *Macoma balthica* | Baltic macoma | 810 |
| Tellinidae | *Macoma calcarea* | Chalky macoma | 64 |
| Tellinidae | *Macomangulus tenuis* | Thin-shelled tellina | 13 |
| Tellinidae | *Moerella donacina* | | 2 |
| Tellinidae | *Tellina incarnata* | | 0 |
| Astartidae | *Astarte bennetti* | | 0 |
| Astartidae | *Astarte compacta* | | 0 |
| Astartidae | *Astarte concha* | | 0 |
| Astartidae | *Astarte crebricostata* | | 0 |
| Astartidae | *Astarte crenata* | crenulate astarte | 0 |
| Astartidae | *Astarte esquimalti* | Wavy-line Astarte | 0 |
| Astartidae | *Astarte globula* | | 0 |
| Astartidae | *Astarte mirabilis* | | 0 |
| Astartidae | *Astarte quadrans* | Squarish Astarte | 0 |
| Astartidae | *Astarte smithii* | | 0 |
| Astartidae | *Astarte sulcata* | Roundish grooved Astarte | 5 |
| Astartidae | *Astarte undata* | Wavy Astarte | 2 |
| Astartidae | *Astarte vernicosa* | Varnished Astarte | 0 |
| Astartidae | *Goodallia triangularis* | Denticulate goodallia | 0 |
| Astartidae | *Isocrassina castanea* | | 2 |
| Astartidae | *Tridonta acuticostata* | | 0 |
| Astartidae | *Tridonta arctica* | | 0 |
| Astartidae | *Tridonta borealis* | | 15 |
| Astartidae | *Tridonta elliptica* | | 4 |
| Astartidae | *Tridonta montagui* | | 8 |
| Galeommatidae | *Austrodevonia percompressa* | | 2 |
| Lasaeidae | *Altenaeum dawsoni* | | 0 |
| Lasaeidae | *Kurtiella bidentata* | | 5 |
| Lasaeidae | *Kurtiella casta* | | 0 |
| Lasaeidae | *Kurtiella compressa* | | 0 |
| Lasaeidae | *Kurtiella grippi* | | 0 |
| Lasaeidae | *Kurtiella pedroana* | | 0 |
| Lasaeidae | *Kurtiella planulata* | | 0 |
| Lasaeidae | *Kurtiella striatula* | | 0 |
| Lasaeidae | *Kurtiella tumida* | | 11 |
| Lasaeidae | *Kurtiella tumidula* | | 0 |
| Lasaeidae | *Lasaea adansoni* | Reddish lepton | 1 |
| Lasaeidae | *Lasaea cistula* | | 0 |
| Lasaeidae | *Lasaea rubra* | | 1 |
| Lasaeidae | *Lasaea subviridis* | | 0 |
| Lasaeidae | *Lepton squamosum* | | 4 |
| Lasaeidae | *Montacuta donacina* | | 0 |

| Family | Scientific Name | Common Name | COI (Leray-xt) |
|---|---|---|---|
| Lasaeidae | *Montacuta limpida* | | 0 |
| Lasaeidae | *Montacuta minuscula* | | 0 |
| Lasaeidae | *Montacuta substriata* | Substriated montacuta | 0 |
| Lasaeidae | *Mysella beringensis* | | 0 |
| Lasaeidae | *Mysella golischi* | | 0 |
| Lasaeidae | *Mysella grebnitzkii* | | 0 |
| Lasaeidae | *Mysella ovata* | Ovate mysella | 0 |
| Lasaeidae | *Mysella planata* | | 0 |
| Lasaeidae | *Tellimya ferruginosa* | | 8 |
| Lasaeidae | *Tellimya voeringi* | | 0 |
| Limidae | *Lima attenuata* | | 0 |
| Limidae | *Lima floridana* | Smooth fileclam | 0 |
| Limidae | *Lima hyperborea* | | 0 |
| Limidae | *Lima lima* | Spiny fileclam | 2 |
| Limidae | *Lima sabauriculata* | | 0 |
| Limidae | *Limaria hians* | gaping file shale \| gaping fileclam | 1 |
| Limidae | *Limaria hyalina* | | 0 |
| Limidae | *Limaria loscombi* | | 1 |
| Limidae | *Limaria pellucida* | | 2 |
| Limidae | *Limatula attenuata* | Attenuate fileclam | 0 |
| Limidae | *Limatula confusa* | Confusing fileclam | 0 |
| Limidae | *Limatula gwyni* | | 0 |
| Limidae | *Limatula hendersoni* | Minute fileclam | 0 |
| Limidae | *Limatula hyperborea* | Arctic fileclam | 0 |
| Limidae | *Limatula japonica* | Japan fileclam | 0 |
| Limidae | *Limatula regularis* | Regular fileclam | 0 |
| Limidae | *Limatula saturna* | Saturna fileclam | 0 |
| Limidae | *Limatula setifera* | Bristly fileclam | 0 |
| Limidae | *Limatula similaris* | Furrowless fileclam | 0 |
| Limidae | *Limatula subauriculata* | | 0 |
| Limidae | *Limatula subovata* | | 0 |
| Limidae | *Limatula vancouverensis* | | 0 |
| Lucinidae | *Lucinoma annulata* | Ringed lucine | 3 |
| Lucinidae | *Lucinoma blakeanum* | Blake lucine | 0 |
| Lucinidae | *Lucinoma borealis* | | 8 |
| Lucinidae | *Lucinoma filosa* | | 0 |
| Lucinidae | *Lucinoma filosum* | Northeast lucine | 0 |
| Thyasiridae | *Axinulus alleni* | | 0 |
| Thyasiridae | *Axinulus brevis* | | 0 |
| Thyasiridae | *Axinulus careyi* | | 0 |
| Thyasiridae | *Axinulus cycladius* | | 0 |
| Thyasiridae | *Axinulus redondoensis* | | 0 |

| Family | Scientific Name | Common Name | COI (Leray-xt) |
|---|---|---|---|
| Thyasiridae | *Genaxinus eumyarius* | | 0 |
| Thyasiridae | *Thyasira barbarensis* | | 0 |
| Corbulidae | *Potamocorbula amurensis* | Brackish-water corbula | 54 |
| Corbulidae | *Varicorbula gibba* | Common basket-shell | 17 |
| Dreissenidae | *Dreissena polymorpha* | Zebra mussel | 277 |
| Dreissenidae | *Mytilopsis leucophaeata* | False dark mussel | 96 |
| Myidae | *Mya arenaria* | Softshell clam | 104 |
| Myidae | *Mya baxteri* | Deep softshell | 0 |
| Myidae | *Mya japonica* | | 3 |
| Myidae | *Mya pseudoarenaria* | False softshell | 0 |
| Myidae | *Mya truncata* | Truncate softshell | 5 |
| Myidae | *Sphenia binghami* | | 0 |
| Pholadidae | *Barnea candida* | White barnea | 4 |
| Pholadidae | *Barnea parva* | | 0 |
| Pholadidae | *Barnea subtruncata* | Pacific mud-piddock | 0 |
| Pholadidae | *Barnea truncata* | Truncate barnea | 0 |
| Pholadidae | *Pholas dactylus* | Common piddock | 27 |
| Pholadidae | *Zirfaea crispata* | Great piddock | 0 |
| Teredinidae | *Bankia fimbriatula* | Fimbriate shipworm | 0 |
| Teredinidae | *Psiloteredo megotara* | Big-ear shipworm | 3 |
| Teredinidae | *Teredo navalis* | Naval shipworm | 176 |
| Modiolidae | *Leiosolenus aristatus* | | 16 |
| Modiolidae | *Leiosolenus attenuatus* | | 0 |
| Modiolidae | *Leiosolenus bisulcatus* | | 44 |
| Modiolidae | *Modiolatus neglectus* | | 0 |
| Mytilidae | *Arvella faba* | Bean Crenella | 30 |
| Mytilidae | *Arvella pectinula* | | 0 |
| Mytilidae | *Aulacomya atra* | Chilean ribbed mussel | 11 |
| Mytilidae | *Brachidontes adamsianus* | Adams mussel | 27 |
| Mytilidae | *Brachidontes domingensis* | Santo domingo mussel | 0 |
| Mytilidae | *Brachidontes exustus* | Scorched mussel | 163 |
| Mytilidae | *Brachidontes modiolus* | Yellow mussel | 7 |
| Mytilidae | *Brachidontes multiformes* | | 0 |
| Mytilidae | *Crenella decussata* | Cross-sculpture Crenella | 0 |

| Family | Scientific Name | Common Name | COI (Leray-xt) |
|---|---|---|---|
| Mytilidae | *Crenella divaricata* | Spreading-sculpture Crenella | 0 |
| Mytilidae | *Crenella pellucida* | | 0 |
| Mytilidae | *Dacrydium elegantulum* | | 0 |
| Mytilidae | *Dacrydium ockelmanni* | | 0 |
| Mytilidae | *Dacrydium pacificum* | Pacific glassy-mussel | 1 |
| Mytilidae | *Dacrydium vitreum* | Arctic glassy-mussel | 0 |
| Mytilidae | *Geukensia demissa* | ribbed mussel | 98 |
| Mytilidae | *Gregariella chenui* | | 0 |
| Mytilidae | *Gregariella coarctata* | Cancellate mussel | 0 |
| Mytilidae | *Gregariella coralliophaga* | Coral-eating mussel | 2 |
| Mytilidae | *Gregariella petagnae* | Half-hairy mussel | 0 |
| Mytilidae | *Gregariella semigranata* | | 1 |
| Mytilidae | *Leiosolenus plumula* | Feather datemussel | 16 |
| Mytilidae | *Lithophaga antillarum* | Giant datemussel | 5 |
| Mytilidae | *Lithophaga nigra* | Black datemussel | 2 |
| Mytilidae | *Lithophaga rogersi* | | 0 |
| Mytilidae | *Modiolus adriaticus* | | 0 |
| Mytilidae | *Modiolus americanus* | Tulip mussel | 0 |
| Mytilidae | *Modiolus barbatus* | Bearded horse mussel | 50 |
| Mytilidae | *Modiolus capax* | Fat horsemussel | 3 |
| Mytilidae | *Modiolus carpenteri* | California horsemussel | 0 |
| Mytilidae | *Modiolus eiseni* | | 0 |
| Mytilidae | *Modiolus modiolus* | Northern horsemussel | 274 |
| Mytilidae | *Modiolus rectus* | Straight horsemussel | 1 |
| Mytilidae | *Modiolus sacculifer* | Bag horsemussel | 0 |
| Mytilidae | *Musculus costulatus* | | 1 |
| Mytilidae | *Musculus discors* | discordant mussel \| Green crenell \| green crenella | 11 |
| Mytilidae | *Musculus glacialis* | Corrugate mussel | 0 |
| Mytilidae | *Musculus impressus* | | 0 |
| Mytilidae | *Musculus lateralis* | Lateral mussel | 1 |
| Mytilidae | *Musculus niger* | black musculus \| black mussel \| little black mussel | 6 |
| Mytilidae | *Musculus phenax* | Alaska dwarf-mussel | 0 |
| Mytilidae | *Musculus pygmaeus* | Monterey dwarf-mussel | 0 |
| Mytilidae | *Musculus senhousei* | | 0 |
| Mytilidae | *Musculus subpictus* | marbled crenella \| marbled musculus \| marbled mussel \| spotted mussel | 0 |

| Family | Scientific Name | Common Name | COI (Leray-xt) |
|---|---|---|---|
| Mytilidae | *Musculus taylori* | Taylor dwarf-mussel | 0 |
| Mytilidae | *Mytilus edulis* | Blue mussel | 59 |
| Mytilidae | *Mytilus galloprovincialis* | Mediterranean mussel | 450 |
| Mytilidae | *Solamen glandula* | | 0 |
| Mytilidae | *Solamen leanum* | | 0 |
| Mytilidae | *Vilasina seminuda* | | 0 |
| Mytilidae | *Vilasina vernicosa* | | 0 |
| Lyonsiidae | *Lyonsia arenosa* | Sandy lyonsia | 4 |
| Lyonsiidae | *Lyonsia bracteata* | Scaly lyonsia | 0 |
| Lyonsiidae | *Lyonsia californica* | California lyonsia | 4 |
| Lyonsiidae | *Lyonsia floridana* | Florida lyonsia | 8 |
| Lyonsiidae | *Lyonsia granulifera* | Granulate lyonsia | 0 |
| Lyonsiidae | *Lyonsia hyalina* | Glassy lyonsia | 0 |
| Lyonsiidae | *Lyonsia norvegica* | | 0 |
| Thraciidae | *Cochlodesma praetenue* | European spoon clam | 0 |
| Thraciidae | *Thracia phaseolina* | Kidneybean thracia | 2 |
| Nuculanidae | *Ledella dicella* | | 0 |
| Nuculanidae | *Nuculana minuta* | Minute nutclam | 10 |
| Yoldiidae | *Megayoldia thraciaeformis* | Broad yoldia | 0 |
| Yoldiidae | *Yoldia limatula* | File yoldia | 6 |
| Yoldiidae | *Yoldiella cecinella* | | 0 |
| Yoldiidae | *Yoldiella curta* | | 0 |
| Yoldiidae | *Yoldiella dissimilis* | Different yoldia | 0 |
| Yoldiidae | *Yoldiella expansa* | | 0 |
| Yoldiidae | *Yoldiella frigida* | Frigid yoldia | 2 |
| Yoldiidae | *Yoldiella inconspicua* | Inconspicuous yoldia | 1 |
| Yoldiidae | *Yoldiella insculpta* | | 0 |
| Yoldiidae | *Yoldiella intermedia* | | 3 |
| Yoldiidae | *Yoldiella jeffreysi* | | 0 |
| Yoldiidae | *Yoldiella lenticula* | Lenticulate yoldia | 2 |
| Yoldiidae | *Yoldiella lucida* | | 2 |
| Yoldiidae | *Yoldiella nana* | Sibling yoldia | 1 |
| Yoldiidae | *Yoldiella oleacina* | | 0 |
| Yoldiidae | *Yoldiella philippiana* | | 0 |
| Yoldiidae | *Yoldiella propinqua* | | 7 |
| Yoldiidae | *Yoldiella pusilla* | | 0 |
| Yoldiidae | *Yoldiella siliqua* | | 0 |
| Yoldiidae | *Yoldiella striolata* | | 0 |
| Nuculidae | *Ennucula aegeensis* | | 0 |
| Nuculidae | *Ennucula corbuloides* | | 0 |
| Nuculidae | *Ennucula delphinodonta* | | 0 |
| Nuculidae | *Nucula nitidosa* | shiny nut clam \| shiny nutclam | 112 |

| Family | Scientific Name | Common Name | COI (Leray-xt) |
|---|---|---|---|
| Veneridae | *Nucula calcicola* | Reef nutclam | 0 |
| Veneridae | *Nucula crenulata* | Crenulate nutclam | 0 |
| Veneridae | *Nucula hanleyi* | | 0 |
| Veneridae | *Nucula nucleus* | Common nut clam | 0 |
| Veneridae | *Nucula proxima* | Atlantic nutclam | 28 |
| Veneridae | *Nucula sulcata* | | 24 |
| Ostreidae | *Crassostrea columbiensis* | Columbia black oyster | 3 |
| Ostreidae | *Crassostrea corteziensis* | Cortez oyster | 12 |
| Ostreidae | *Crassostrea rhizophorae* | Mangrove cupped oyster | 47 |
| Ostreidae | *Crassostrea virginica* | American cupped oyster | 197 |
| Ostreidae | *Magallana angulata* | Portuguese oyster | 207 |
| Ostreidae | *Magallana gigas* | Giant cupped oyster | 363 |
| Ostreidae | *Ostrea chilensis* | bluff oyster \| Chilean flat oyster \| Chilean Oyster | 12 |
| Ostreidae | *Ostrea conchaphila* | Auster Olympia oyster | 44 |
| Ostreidae | *Ostrea edulis* | common oyster \| edible oyster \| European flat oyster \| flat oyster | 25 |
| Ostreidae | *Ostrea equestris* | crested oyster | 25 |
| Ostreidae | *Ostrea megadon* | | 0 |
| Ostreidae | *Striostrea margaritacea* | Sand oyster | 3 |
| Pinnidae | *Atrina fragilis* | | 10 |
| Pinnidae | *Atrina pectinata* | Comb pen shell | 490 |
| Anomiidae | *Heteranomia squamula* | Prickly jingle | 0 |
| Anomiidae | *Pododesmus macrochisma* | Green falsejingle | 18 |
| Anomiidae | *Pododesmus patelliformis* | | 0 |
| Anomiidae | *Pododesmus pernoides* | Brown falsejingle | 0 |
| Anomiidae | *Pododesmus rudis* | Atlantic falsejingle | 0 |
| Anomiidae | *Pododesmus squama* | | 1 |
| Pectinidae | *Aequipecten glyptus* | Red-ribbed scallop | 0 |
| Pectinidae | *Aequipecten heliacus* | | 0 |
| Pectinidae | *Aequipecten opercularis* | Queen scallop | 2 |
| Pectinidae | *Argopecten lineolaris* | wavy-lined scallop | 0 |
| Pectinidae | *Chlamys albida* | White scallop | 0 |
| Pectinidae | *Chlamys behringiana* | Bering scallop \| Iceland scallop | 0 |
| Pectinidae | *Chlamys circularis* | | 0 |
| Pectinidae | *Chlamys hastata* | Spiny scallop | 1 |

| Family | Scientific Name | Common Name | COI (Leray-xt) |
|---|---|---|---|
| Pectinidae | *Chlamys jordani* | | 0 |
| Pectinidae | *Chlamys kincaidi* | | 0 |
| Pectinidae | *Chlamys lioicus* | | 0 |
| Pectinidae | *Chlamys lowei* | | 0 |
| Pectinidae | *Chlamys muscosus* | | 0 |
| Pectinidae | *Chlamys navarcha* | | 0 |
| Pectinidae | *Chlamys pseudislandica* | | 0 |
| Pectinidae | *Chlamys rubida* | Reddish scallop | 0 |
| Pectinidae | *Chlamys tigerina* | | 0 |
| Pectinidae | *Delectopecten arces* | | 0 |
| Pectinidae | *Delectopecten tillamookensis* | | 0 |
| Pectinidae | *Delectopecten vancouverensis* | Vancouver scallop | 0 |
| Pectinidae | *Delectopecten vitreus* | Vitreous scallop | 4 |
| Pectinidae | *Delectopecten zacae* | | 0 |
| Pectinidae | *Euvola chazaliei* | | 0 |
| Pectinidae | *Flexopecten glaber* | smooth scallop | 0 |
| Pectinidae | *Hyalopecten biscayensis* | | 0 |
| Pectinidae | *Hyalopecten eucymatus* | | 0 |
| Pectinidae | *Hyalopecten frigidus* | | 0 |
| Pectinidae | *Hyalopecten neoceanicus* | | 0 |
| Pectinidae | *Hyalopecten parvulinus* | | 0 |
| Pectinidae | *Hyalopecten pudicus* | | 0 |
| Pectinidae | *Karnekampia sulcata* | | 0 |
| Pectinidae | *Lindapecten exasperatus* | Thistle scallop | 0 |
| Pectinidae | *Lindapecten muscosus* | | 0 |
| Pectinidae | *Mimachlamys varia* | Variegated scallop | 30 |
| Pectinidae | *Palliolum incomparabile* | | 0 |
| Pectinidae | *Palliolum striatum* | Striate scallop | 0 |
| Pectinidae | *Palliolum tigerinum* | | 2 |
| Pectinidae | *Pecten jacobaeus* | Great mediterranean scallop | 23 |
| Pectinidae | *Pecten maximus* | Great Atlantic scallop | 1 |
| Pectinidae | *Pseudamussium peslutrae* | seven-rayed scallop | 4 |
| Propeamussiidae | *Cyclopecten alaskensis* | | 0 |

| Family | Scientific Name | Common Name | COI (Leray-xt) |
|---|---|---|---|
| Propeamussiidae | *Cyclopecten barbarensis* | Santa Barbara glass-scallop | 0 |
| Propeamussiidae | *Cyclopecten catalinensis* | Catalina glass-scallop | 0 |
| Propeamussiidae | *Cyclopecten davidsoni* | | 0 |
| Propeamussiidae | *Cyclopecten exquisitus* | | 0 |
| Propeamussiidae | *Cyclopecten hoskynsi* | | 0 |
| Propeamussiidae | *Cyclopecten incongruus* | | 0 |
| Propeamussiidae | *Cyclopecten leptaleus* | | 0 |
| Propeamussiidae | *Cyclopecten pernomus* | | 0 |
| Propeamussiidae | *Cyclopecten reticulus* | | 0 |
| Propeamussiidae | *Cyclopecten ringnesia* | | 0 |
| Propeamussiidae | *Cyclopecten sigsbeei* | | 0 |
| Propeamussiidae | *Cyclopecten thalassinus* | | 0 |
| Propeamussiidae | *Parvamussium cancellatum* | | 0 |
| Propeamussiidae | *Parvamussium holmesii* | | 0 |
| Propeamussiidae | *Parvamussium pourtalesianum* | | 0 |
| Propeamussiidae | *Parvamussium sayanum* | | 0 |
| Propeamussiidae | *Parvamussium squamigerum* | | 0 |
| Propeamussiidae | *Propeamussium ceciliae* | | 0 |
| Propeamussiidae | *Propeamussium dalli* | | 0 |
| Propeamussiidae | *Propeamussium lucidum* | | 0 |
| Propeamussiidae | *Propeamussium mendionale* | | 0 |
| Propeamussiidae | *Similipecten greenlandicus* | Greenland glass-scallop | 0 |
| Propeamussiidae | *Similipecten nanus* | | 0 |
| Solemyidae | *Acharax grandis* | | 0 |
| Solemyidae | *Petrasma borealis* | | 0 |
| Solemyidae | *Petrasma pervernicosa* | Gutless awningclam | 0 |
| Solemyidae | *Solemya occidentalis* | West Indian awningclam | 2 |

| Family | Scientific Name | Common Name | COI (Leray-xt) |
|---|---|---|---|
| Solemyidae | *Solemya panamensis* | | 0 |
| Solemyidae | *Solemya valvulus* | Pacific awningclam | 0 |
| Solemyidae | *Solemya velum* | Atlantic awningclam | 7 |
| Arcticidae | *Arctica islandica* | Ocean quahog | 22 |
| Mactridae | *Lutraria alderi* | | 0 |
| Mactridae | *Lutraria angustior* | | 5 |
| Mactridae | *Lutraria lutraria* | Mud-dwelling mactra | 7 |
| Mactridae | *Mactra glauca* | Grey rough shell | 1 |
| Mactridae | *Mactra stultorum* | Rayed trough-shell | 52 |
| Mactridae | *Mulinia lateralis* | Dwarf surfclam | 24 |
| Mactridae | *Spisula elliptica* | Elliptical trough shell | 13 |
| Mactridae | *Spisula solida* | Solid surf clam | 13 |
| Mactridae | *Spisula subtruncata* | Subtruncate surf clam | 27 |
| Neoleptonidae | *Arculus sykesii* | | 0 |
| Ungulinidae | *Diplodonta rotundata* | | 0 |
| Veneridae | *Agriopoma arestum* | | 0 |
| Veneridae | *Agriopoma morrhuanum* | | 0 |
| Veneridae | *Callista chione* | Brown venus | 3 |
| Veneridae | *Chamelea gallina* | Striped venus clam | 17 |
| Veneridae | *Clausinella fasciata* | Banded venus | 4 |
| Veneridae | *Dosinia exoleta* | Mature Dosinia | 2 |
| Veneridae | *Dosinia lupinus* | Smooth Dosinia | 15 |
| Veneridae | *Gouldia minima* | | 0 |
| Veneridae | *Jasypitar albidus* | | 0 |
| Veneridae | *Jasypitar fulminatus* | | 1 |
| Veneridae | *Liocyma fluctuosa* | Wavy liocyma | 1 |
| Veneridae | *Mercenaria mercenaria* | Northern quahog | 96 |
| Veneridae | *Petricolaria pholadiformis* | American piddock \| false angelwing | 7 |
| Veneridae | *Pitar newcombianus* | Newcomb pitar | 0 |
| Veneridae | *Pitar pilula* | Little-pill pitar | 0 |
| Veneridae | *Pitar simpsoni* | Chalky pitar | 1 |
| Veneridae | *Pitarenus cordatus* | Corded pitar | 0 |
| Veneridae | *Pitarenus zonatus* | | 0 |
| Veneridae | *Polititapes aureus* | Golden carpet shell | 10 |
| Veneridae | *Polititapes rhomboides* | Banded carpet shell | 62 |
| Veneridae | *Ruditapes decussatus* | Grooved carpet shell | 35 |
| Veneridae | *Ruditapes philippinarum* | Japanese carpet shell | 910 |
| Veneridae | *Timoclea ovata* | | 27 |
| Veneridae | *Turtonia minuta* | Minute turton | 94 |
| Veneridae | *Venerupis corrugata* | Corrugated venus | 4 |

| Family | Scientific Name | Common Name | COI (Leray-xt) |
|---|---|---|---|
| Veneridae | *Venus casina* | Thick-ridged venus | 6 |
| Veneridae | *Venus nux* | Saltwater clam | 0 |
| Lyonsiellidae | *Allogramma formosa* | | 1 |
| Lyonsiellidae | *Policordia gemma* | | 0 |
| Lyonsiidae | *Lyonsia norwegica* | | 8 |
| Spheniopsidae | *Spheniopsis triquetra* | | 0 |
| Sididae | *Penilia avirostris* | | 41 |
| Polyphemidae | *Evadne nordmanni* | | 35 |
| Baeriidae | *Leuconia johnstoni* | | 0 |
| Baeriidae | *Leuconia nivea* | | 0 |
| Trichogypsiidae | *Trichogypsia incrustans* | | 0 |
| Clathrinidae | *Clathrina clathrus* | yellow Clathrina \| yellow lattice sponge | 2 |
| Grantiidae | *Grantia compressa* | compressed purse sponge \| purse sponge | 0 |
| Grantiidae | *Leucandra ananas* | Pineapple calcareous sponge | 0 |
| Grantiidae | *Leucandra fistulosa* | | 0 |
| Grantiidae | *Leucandra gossei gossei* | | 0 |
| Syconidae | *Sycon ciliatum* | ciliated calcareous sponge \| ciliated sponge \| little vase sponge \| thistle sponge | 0 |
| Limifossoridae | *Scutopus ventrolineatus* | | 4 |
| Prochaetodermatidae | *Prochaetoderma iberogallicum* | | 0 |
| Loliginidae | *Alloteuthis media* | Midsize squid | 156 |
| Loliginidae | *Alloteuthis subulata* | European common squid | 38 |
| Loliginidae | *Loligo forbesii* | Veined squid | 52 |
| Loliginidae | *Loligo vulgaris* | European squid | 182 |
| Alloposidae | *Haliphron atlanticus* | Gelatinous giant octopod | 6 |
| Argonautidae | *Argonauta argo* | Greater argonaut | 14 |
| Eledonidae | *Eledone cirrhosa* | Horned octopus | 29 |
| Octopodidae | *Bathypolypus arcticus* | North Atlantic octopus | 101 |
| Octopodidae | *Octopus vulgaris* | Common octopus | 605 |
| Opisthoteuthidae | *Grimpoteuthis wuelkeri* | Wülker's flapjack octopod | 0 |
| Vitreledonellidae | *Vitreledonella richardi* | Glass octopod | 2 |
| Brachioteuthidae | *Brachioteuthis riisei* | Common arm squid | 14 |
| Chiroteuthidae | *Chiroteuthis veranii* | Verany's long-armed squid | 7 |
| Gonatidae | *Gonatus steenstrupi* | Atlantic gonate squid | 19 |
| Octopoteuthidae | *Taningia danae* | Dana octopus squid | 1 |
| Ommastrephidae | *Illex coindetii* | Shortfin squid | 2 |

| Family | Scientific Name | Common Name | COI (Leray-xt) |
|---|---|---|---|
| Ommastrephidae | *Illex illecebrosus* | Northern shortfin squid | 19 |
| Ommastrephidae | *Ommastrephes bartramii* | Neon flying squid | 28 |
| Ommastrephidae | *Todarodes sagittatus* | European flying squid | 14 |
| Ommastrephidae | *Todaropsis eblanae* | Lesser flying squid | 30 |
| Onychoteuthidae | *Onychoteuthis banksii* | Hooked squid | 8 |
| Pyroteuthidae | *Pyroteuthis margaritifera* | Jewel enope squid | 120 |
| Thysanoteuthidae | *Thysanoteuthis rhombus* | Rhomboid squid | 43 |
| Sepiidae | *Rhombosepion elegans* | Elegant cuttlefish | 7 |
| Sepiidae | *Rhombosepion orbignyanum* | Pink cuttlefish | 3 |
| Sepiidae | *Sepia officinalis* | Common cuttlefish | 484 |
| Sepiolidae | *Neorossia caroli* | Carol bobtail | 6 |
| Sepiolidae | *Rossia macrosoma* | Stout bobtail | 17 |
| Sepiolidae | *Rossia palpebrosa* | Warty bobtail squid | 29 |
| Sepiolidae | *Sepietta neglecta* | | 12 |
| Sepiolidae | *Sepietta oweniana* | Common bobtail squid | 38 |
| Sepiolidae | *Sepiola atlantica* | Atlantic bobtail | 15 |
| Sepiolidae | *Sepiola rondeletii* | Dwarf bobtail squid | 1 |
| Promachoteuthidae | *Promachoteuthis sloani* | Ladak pika | 0 |
| Walvisteuthidae | *Walvisteuthis virilis* | Whale squid | 0 |
| Triaenophoridae | *Abothrium gadi* | | 1 |
| Enchytraeidae | *Grania postclitellochaeta* | | 29 |
| Enchytraeidae | *Marionina appendiculata* | | 0 |
| Enchytraeidae | *Marionina sjaelandica* | | 6 |
| Piscicolidae | *Pontobdella muricata* | Fish leech | 6 |
| Piscicolidae | *Trachelobdella lubrica* | | 0 |
| Naididae | *Paranais litoralis* | | 0 |
| Naididae | *Tubificoides benedii* | | 60 |
| Naididae | *Tubificoides brownae* | | 18 |
| Naididae | *Tubificoides insularis* | | 7 |
| Acartiidae | *Acartia (Acanthacartia) bifilosa* | | 0 |
| Acartiidae | *Acartia (Acanthacartia) tonsa* | | 0 |

| Family | Scientific Name | Common Name | COI (Leray-xt) |
|---|---|---|---|
| Acartiidae | *Acartia (Acartiura) clausii* | | 0 |
| Acartiidae | *Acartia (Acartiura) longiremis* | | 0 |
| Acartiidae | *Acartia danae* | | 2 |
| Calanidae | *Calanus helgolandicus helgolandicus* | | 28 |
| Candaciidae | *Candacia armata* | | 1 |
| Centropagidae | *Centropages hamatus* | | 12 |
| Centropagidae | *Centropages typicus* | | 27 |
| Centropagidae | *Isias clavipes* | | 6 |
| Clausocalanidae | *Pseudocalanus elongatus* | | 8 |
| Pontellidae | *Labidocera wollastoni* | | 0 |
| Temoridae | *Temora longicornis* | | 31 |
| Corycaeidae | *Ditrichocorycaeus anglicus* | | 18 |
| Cyclopinidae | *Cyclopinoides littoralis* | | 0 |
| Oithonidae | *Oithona nana* | | 0 |
| Oithonidae | *Oithona similis* | | 26 |
| Canthocamptidae | *Evansula incerta* | | 0 |
| Ectinosomatidae | *Microsetella norvegica* | | 19 |
| Metidae | *Metis ignea ignea* | | 0 |
| Tachidiidae | *Euterpina acutifrons* | | 18 |
| Caligidae | *Caligus coryphaenae* | | 0 |
| Antedonidae | *Leptometra celtica* | | 1 |
| Echinoderidae | *Echinoderes borealis* | | 0 |
| Echinoderidae | *Echinoderes dujardini* | | 0 |
| Echinoderidae | *Echinoderes elongatus* | | 0 |
| Echinoderidae | *Echinoderes higginsi* | | 0 |
| Echinoderidae | *Echinoderes setiger* | | 0 |
| Echinoderidae | *Echinoderes worthingii* | | 0 |
| Centroderidae | *Campyloderes macquariae* | | 0 |
| Centroderidae | *Centroderes spinosus* | | 0 |
| Centroderidae | *Condyloderes multispinosus* | | 0 |

| Family | Scientific Name | Common Name | COI (Leray-xt) |
|---|---|---|---|
| Axinellidae | *Axinella arctica* | Arctic horny sponge | 0 |
| Dysideidae | *Dysidea fragilis* | Brittle horny sponge | 0 |
| Chalinidae | *Haliclona (Haliclona) oculata* | mermaid's glove | 0 |
| Esperiopsidae | *Amphilectus ovulum* | Beige horny sponge | 1 |
| Myxillidae | *Myxilla (Myxilla) incrustans* | encrusting yellow sponge \| yellow lobed sponge | 0 |
| Halichondriidae | *Halichondria (Halichondria) bowerbanki* | Bowerbank's halichondria | 0 |
| Halichondriidae | *Halichondria (Halichondria) panicea* | breadcrumb sponge | 0 |
| Suberitidae | *Suberites virgultosus* | | 0 |
| Hemiasterellidae | *Stelligera stuposa* | | 1 |
| Tethyidae | *Tethya aurantium* | Ball sponge | 3 |
| Ancorinidae | *Dercitus (Dercitus) bucklandi* | | 0 |
| Ancorinidae | *Stelletta lactea* | | 1 |
| Noctilucaceae | *Noctiluca scintillans* | | 0 |
| Echinidae | *Echinus esculentus* | European edible sea urchin | 8 |
| Echinidae | *Gracilechinus acutus* | | 20 |
| Echinidae | *Psammechinus miliaris* | | 57 |
| Strongylocentrotidae | *Strongylocentrotus pallidus* | Pale urchin | 73 |
| Fibulariidae | *Echinocyamus pusillus* | | 10 |
| Loveniidae | *Echinocardium cordatum* | Cardiac sea potato | 63 |
| Spatangidae | *Spatangus purpureus* | Violet heart urchin | 21 |
| Harrimaniidae | *Protoglossus koehleri* | | 0 |
| Harrimaniidae | *Saccoglossus ruber* | | 0 |
| Proalidae | *Proales christinae* | | 0 |
| Gigartinaceae | *Chondrus crispus* | carrageen \| carragheen \| Irish moss | 172 |
| Microhedylidae | *Hedylopsis microhedyle* | | 0 |
| Notarchidae | *Bursatella kachii* | | 0 |
| Notarchidae | *Bursatella leachii* | Ragged seahare | 30 |
| Aplysiidae | *Aplysia punctata* | Spotted sea hare | 66 |
| Epitoniidae | *Gyroscala commutata* | | 0 |
| Aglajidae | *Philinopsis capensis* | | 0 |

| Family | Scientific Name | Common Name | COI (Leray-xt) |
|---|---|---|---|
| Cylichnidae | *Cylichna cylindracea* | | 7 |
| Cylichnidae | *Scaphander lignarius* | Canoe-bubble | 19 |
| Haminoeidae | *Haminoea natalensis* | | 14 |
| Haminoeidae | *Haminoea navicula* | | 10 |
| Philinidae | *Hermania scabra* | | 15 |
| Philinidae | *Philine aperta* | Lobe shell | 8 |
| Philinidae | *Philine quadripartita* | | 4 |
| Retusidae | *Retusa obtusa* | Arctic barrel-bubble | 57 |
| Retusidae | *Retusa umbilicata* | Perforated bubble-shell | 5 |
| Dorididae | *Archidoris pseudoargus* | sea lemon | 61 |
| Onchidorididae | *Atalodoris sparsa* | | 4 |
| Onchidorididae | *Idaliadoris depressa* | | 8 |
| Ellobiidae | *Leucophytia bidentata* | two-toothed white snail | 0 |
| Fissurellidae | *Diodora graeca* | Common keyhole limpet | 3 |
| Haliotidae | *Haliotis rufescens* | Red abalone | 4 |
| Assimineidae | *Assiminea grayana* | | 3 |
| Caecidae | *Caecum glabrum* | | 3 |
| Calyptraeidae | *Crepidula fornicata* | Slipper limpet | 74 |
| Capulidae | *Ariadnaria borealis* | Boreal hairysnail | 4 |
| Cassidae | *Galeodea rugosa* | Rugose bonnet | 0 |
| Hydrobiidae | *Peringia ulvae* | Laver spire shell | 67 |
| Hydrobiidae | *Potamopyrgus antipodarum* | New Zealand mudsnail | 336 |
| Iravadiidae | *Hyala vitrea* | Translucent spire shell | 1 |
| Littorinidae | *Lacuna crassior* | Thick lacuna | 0 |
| Littorinidae | *Lacuna parva* | Tiny lacuna | 0 |
| Littorinidae | *Lacuna vincta* | Northern lacuna | 34 |
| Littorinidae | *Littorina fabalis* | Flat periwinkle | 31 |
| Littorinidae | *Littorina littorea* | Common periwinkle | 656 |
| Littorinidae | *Littorina obtusata* | Yellow periwinkle | 106 |
| Littorinidae | *Littorina saxatilis* | black-lined periwinkle \| rough periwinkle | 210 |
| Littorinidae | *Melarhaphe neritoides* | Small periwinkle | 710 |
| Naticidae | *Euspira catena* | Chained moon-shell | 10 |
| Naticidae | *Euspira nitida* | Alder's natica | 10 |
| Ovulidae | *Xandarovula patula* | | 1 |
| Rissoidae | *Alvania lactea* | | 0 |
| Rissoidae | *Obtusella intersecta* | | 0 |
| Rissoidae | *Pusillina inconspicua* | Spotted risso | 3 |
| Skeneopsidae | *Skeneopsis planorbis* | Flat skenea | 5 |

| Family | Scientific Name | Common Name | COI (Leray-xt) |
|---|---|---|---|
| Tornidae | *Tornus subcarinatus* | | 0 |
| Triviidae | *Trivia arctica* | Unspotted European cowrie | 0 |
| Triviidae | *Trivia monacha* | Spotted cowrie | 1 |
| Truncatellidae | *Truncatella subcylindrica* | | 1 |
| Velutinidae | *Velutina plicatilis* | Oblique lamellaria | 3 |
| Velutinidae | *Velutina velutina* | Smooth lamellaria | 18 |
| Buccinidae | *Buccinum undatum* | Waved whelk | 36 |
| Buccinidae | *Colus gracilis* | | 11 |
| Buccinidae | *Neptunea antiqua* | Red whelk | 17 |
| Buccinidae | *Ranella olearium* | Little frog triton | 1 |
| Cancellariidae | *Admete viridula* | Northern admete | 6 |
| Mangeliidae | *Oenopota rufus* | | 0 |
| Muricidae | *Nucella lapillus* | Atlantic dogwinkle | 176 |
| Muricidae | *Ocenebra erinaceus* | Hedge hog murex | 14 |
| Muricidae | *Rapana venosa* | Purple whelk | 117 |
| Muricidae | *Trophonopsis muricata* | | 5 |
| Muricidae | *Urosalpinx cinerea* | Atlantic oyster drill | 28 |
| Nassariidae | *Tritia reticulata* | netted dog whelk \| netted dogwhelk \| netted nassa | 13 |
| Raphitomidae | *Cyrillia linearis* | | 51 |
| Raphitomidae | *Pleurotomella packardii* | | 0 |
| Raphitomidae | *Raphitoma purpureus* | | 0 |
| Epitoniidae | *Acirsa borealis* | Chalky wentletrap | 0 |
| Epitoniidae | *Epitonium clathratulum* | Small wentletrap | 0 |
| Epitoniidae | *Epitonium clathrus* | European wentletrap | 4 |
| Lepetidae | *Lepeta caeca* | Northern blind limpet | 5 |
| Limapontiidae | *Limapontia senestra* | | 2 |
| Lottiidae | *Tectura virginea* | | 1 |
| Lottiidae | *Testudinalia testudinalis* | Common tortoiseshell limpet | 1 |
| Oxynoidae | *Oxynoe viridis* | Green oxynoe | 21 |
| Patellidae | *Patella vulgata* | Common limpet | 80 |
| Plakobranchidae | *Elysia viridis* | Green Elysia | 70 |
| Pyramidellidae | *Odostomia turrita* | | 0 |
| Aegiridae | *Aegires punctilucens* | | 7 |
| Aeolidiidae | *Aeolidia papillosa* | Shag-rug aeolis | 94 |
| Aeolidiidae | *Aeolidiella alderi* | | 5 |
| Aeolidiidae | *Aeolidiella glauca* | | 13 |
| Coryphellidae | *Fjordia browni* | | 26 |
| Coryphellidae | *Fjordia lineata* | | 30 |
| Dendronotidae | *Dendronotus frondosus* | Frond-aeolis | 91 |
| Discodorididae | *Geitodoris planata* | | 15 |

| Family | Scientific Name | Common Name | COI (Leray-xt) |
|---|---|---|---|
| Discodorididae | *Rostanga rubra* | | 4 |
| Dorididae | *Aphelodoris brunnea* | | 0 |
| Dotidae | *Doto fragilis* | | 49 |
| Dotidae | *Doto millbayana* | | 42 |
| Dotidae | *Doto onusta* | | 0 |
| Dotidae | *Doto pinnatifida* | | 5 |
| Dotidae | *Doto sarsiae* | | 0 |
| Eubranchidae | *Amphorina farrani* | | 27 |
| Eubranchidae | *Eubranchus tricolor* | Painted balloon aeolis | 13 |
| Facelinidae | *Caloria elegans* | Pepper and salt slug | 3 |
| Facelinidae | *Favorinus branchialis* | | 18 |
| Flabellinidae | *Edmundsella pedata* | Violet sea slug | 41 |
| Goniodorididae | *Okenia elegans* | | 3 |
| Janolidae | *Antiopella cristata* | | 22 |
| Lomanotidae | *Lomanotus genei* | | 1 |
| Lomanotidae | *Lomanotus marmoratus* | | 1 |
| Onchidorididae | *Acanthodoris pilosa* | Hairy spiny doris | 53 |
| Onchidorididae | *Adalaria proxima* | Yellow false doris | 74 |
| Onchidorididae | *Onchidoris bilamellata* | Barnacle-eating onchidoris | 20 |
| Onchidorididae | *Onchidoris muricata* | Fuzzy onchidoris | 130 |
| Polyceridae | *Polycera faeroensis* | | 8 |
| Polyceridae | *Thecacera pennigera* | Rudman's thecacera | 8 |
| Tergipedidae | *Tenellia adspersa* | Miniature aeolis | 5 |
| Trinchesiidae | *Rubramoena amoena* | | 15 |
| Tritoniidae | *Candiella lineata* | | 9 |
| Tritoniidae | *Candiella manicata* | | 2 |
| Tritoniidae | *Candiella odhneri* | | 4 |
| Tritoniidae | *Tritonia hombergii* | | 18 |
| Pleurobranchidae | *Pleurobranchus membranaceus* | | 6 |
| Pneumodermatinae | *Pneumodermopsis canephora* | | 1 |
| Pneumodermatinae | *Pneumodermopsis paucidens* | | 0 |
| Runcinidae | *Runcina coronata* | | 1 |
| Stiligeridae | *Alderia modesta* | Modest alderia | 22 |
| Stiligeridae | *Hermaea bifida* | | 2 |
| Calliostomatidae | *Calliostoma zizyphinum* | Painted top-shell | 41 |
| Mollu | *Skenea serpuloides* | Serpuline skenea | 0 |
| Trochidae | *Steromphala cineraria* | | 41 |

| Family | Scientific Name | Common Name | COI (Leray-xt) |
|---|---|---|---|
| Trochidae | *Steromphala tumida* | | 47 |
| Turbinidae | *Pomaulax spiratus* | Spirate turban | 0 |
| Pyramidellidae | *Brachystomia scalaris* | mussel pyramid shell \| mussel pyramidsnail \| mussel slurper | 3 |
| Pyramidellidae | *Parthenina indistincta* | | 0 |
| Rotaliidae | *Ammonia beccarii* | | 0 |
| Rhabdopleuridae | *Rhabdopleura compacta* | | 1 |
| Rhabdopleuridae | *Rhabdopleura normani* | | 0 |
| Bugulidae | *Bugulina simplex* | | 11 |
| Bugulidae | *Bugulina stolonifera* | | 11 |
| Calloporidae | *Parellisina curvirostris* | | 0 |
| Candidae | *Cradoscrupocellaria ellisi* | | 0 |
| Celleporidae | *Celleporina decipiens* | | 0 |
| Cribrilinidae | *Cribrilina punctata* | | 0 |
| Electridae | *Electra pilosa* | Hairy sea-mat | 11 |
| Flustridae | *Flustra foliacea* | Leafy bryozoan | 21 |
| Membraniporidae | *Membranipora membranacea* | Kelp encrusting bryozoan | 70 |
| Scrupariidae | *Scruparia ambigua* | | 0 |
| Scrupariidae | *Scruparia chelata* | | 1 |
| Alcyonidiidae | *Alcyonidium diaphanum* | Sea chervil | 1 |
| Alcyonidiidae | *Alcyonidium parasiticum* | | 0 |
| Flustrellidridae | *Flustrellidra hispida* | | 3 |
| Vesiculariidae | *Farrella repens* | | 2 |
| Halechiniscidae | *Halechiniscus perfectus* | | 0 |
| Folliculinidae | *Lagotia viridis* | | 0 |
| Actiniidae | *Actinia equina* | Beadlet anemone | 15 |
| Actiniidae | *Actinia fragacea* | Strawberry anemone | 11 |
| Actiniidae | *Anthopleura ballii* | | 0 |
| Actiniidae | *Urticina felina* | Painted anemone | 0 |
| Actinostolidae | *Actinostola callosa* | Rough-skinned sea anemone | 0 |
| Diadumenidae | *Diadumene cincta* | Orange anemone | 0 |
| Diadumenidae | *Diadumene lineata* | green-striped anemone \| orange-striped anemone \| orangestriped green anemone \| orange-striped green anemone \| striped sea anemone | 24 |
| Edwardsiidae | *Edwardsia ivelli* | | 0 |
| Hormathiidae | *Calliactis palliata* | Cloak anemone | 0 |
| Hormathiidae | *Hormathia nodosa* | Rugose anemone | 23 |

| Family | Scientific Name | Common Name | COI (Leray-xt) |
|---|---|---|---|
| Metridiidae | *Metridium senile* | Clonal plumose anemone | 51 |
| Sagartiidae | *Cylista elegans* | | 0 |
| Sagartiidae | *Cylista troglodytes* | | 2 |
| Sagartiidae | *Sagartia (Cylista) viduata* | | 0 |
| Synarachnactidae | *Synarachnactis lloydii* | | 12 |
| Caryophylliidae | *Caryophyllia (Caryophyllia) inornata* | circular cupcoral \| southern cup-coral | 0 |
| Caryophylliidae | *Desmophyllum pertusum* | Spider hazards | 1 |
| Turbinoliidae | *Sphenotrochus (Sphenotrochus) andrewianus* | | 0 |
| Epizoanthidae | *Epizoanthus papillosus* | | 0 |
| Synaptidae | *Leptosynapta inhaerens* | | 2 |
| Cucumariidae | *Cucumaria frondosa* | Orange-footed sea cucumber | 371 |
| Cucumariidae | *Paraleptopentacta elongata* | | 4 |
| Cucumariidae | *Pseudothyone raphanus* | | 8 |
| Phyllophoridae | *Neopentadactyla mixta* | | 0 |
| Synallactidae | *Mesothuria milleri* | | 0 |
| Cratenemertidae | *Nipponnemertes pulchra* | | 11 |
| Neesiidae | *Neesia neesii* | | 3 |
| Prosorhochmidae | *Oerstedia dorsalis* | | 13 |
| Tetrastemmatidae | *Tetrastemma candidum* | | 3 |
| Tetrastemmatidae | *Tetrastemma melanocephalum* | | 2 |
| Tetrastemmatidae | *Tetrastemma vermiculus* | | 16 |
| Halammohydridae | *Halammohydra coronata* | | 6 |
| Halammohydridae | *Halammohydra octopodides* | | 7 |
| Bougainvilliidae | *Bougainvillia britannica* | | 4 |
| Bougainvilliidae | *Bougainvillia superciliaris* | | 0 |
| Bougainvilliidae | *Lizzia blondina* | | 8 |
| Bougainvilliidae | *Nemopsis bachei* | | 16 |
| Bougainvilliidae | *Pachycordyle michaeli* | | 0 |

| Family | Scientific Name | Common Name | COI (Leray-xt) |
|---|---|---|---|
| Corynidae | *Sarsia tubulosa* | Clapper hydroid | 36 |
| Corynidae | *Stauridiosarsia gemmifera* | | 16 |
| Corynidae | *Stauridiosarsia ophiogaster* | | 0 |
| Euphysidae | *Euphysa aurata* | | 11 |
| Hydractiniidae | *Clava multicornis* | Club hydroid | 5 |
| Hydractiniidae | *Podocoryna borealis* | | 4 |
| Hydractiniidae | *Podocoryna carnea* | Smoothspined snailfur | 1 |
| Margelopsidae | *Margelopsis haeckelii* | | 2 |
| Pandeidae | *Amphinema dinema* | | 2 |
| Pandeidae | *Leuckartiara octona* | | 22 |
| Pandeidae | *Neoturris breviconis* | Blob-top jelly | 8 |
| Protiaridae | *Protiara tetranema* | | 0 |
| Rathkeidae | *Rathkea hyalina* | | 0 |
| Rathkeidae | *Rathkea octopunctata* | | 0 |
| Stylasteridae | *Stylaster erubescens* | | 0 |
| Stylasteridae | *Stylaster gemmascens* | | 0 |
| Stylasteridae | *Stylaster norvegicus* | Pink branching hydrocoral | 0 |
| Tubulariidae | *Tubularia indivisa* | Tall tubularia | 7 |
| Aequoreidae | *Aequorea vitrina* | | 2 |
| Campanulariidae | *Clytia hemisphaerica* | | 10 |
| Campanulariidae | *Laomedea neglecta* | | 0 |
| Campanulariidae | *Obelia bidentata* | Doubletoothed hydroid | 10 |
| Campanulariidae | *Obelia geniculata* | Knotted thread hydroid | 5 |
| Campanulariidae | *Phialidium hemisphericum* | | 0 |
| Campanulinidae | *Campanulina pumila* | | 0 |
| Campanulinidae | *Eutonina indicans* | Aggregating jelly | 46 |
| Eirenidae | *Eirene viridula* | | 11 |
| Eirenidae | *Eutima gegenbauri* | | 8 |
| Eirenidae | *Eutima gracilis* | | 22 |
| Laodiceidae | *Staurostoma mertensii* | Whitecross jellyfish | 4 |
| Lovenellidae | *Eucheilota flevensis* | | 0 |
| Lovenellidae | *Eucheilota maculata* | | 17 |
| Lovenellidae | *Lovenella clausa* | | 0 |
| Melicertidae | *Melicertum octocostatum* | Eight-strand jelly | 14 |

| Family | Scientific Name | Common Name | COI (Leray-xt) |
|---|---|---|---|
| Mitrocomidae | *Mitrocomella brownei* | | 1 |
| Phialellidae | *Phialella quadrata* | | 0 |
| Plumulariidae | *Nemertesia antennina* | Sea beard | 4 |
| Plumulariidae | *Nemertesia ramosa* | | 6 |
| Sertulariidae | *Sertularella rugosa* | Snail trefoil hydroid | 5 |
| Sertulariidae | *Symplectoscyphus tricuspidatus* | | 26 |
| Olindiidae | *Gonionemus vertens* | Clinging jellyfish | 6 |
| Agalmatidae | *Nanomia cara* | | 37 |
| Prayidae | *Rosacea cymbiformis* | | 0 |
| Rhopalonematidae | *Aglantha digitale* | Pink helmet | 44 |
| Craniidae | *Novocrania anomala* | | 0 |
| Branchiostomidae | *Branchiostoma lanceolatum* | | 22 |
| Ampeliscidae | *Ampelisca brevicornis* | | 7 |
| Ampeliscidae | *Ampelisca spinipes* | | 0 |
| Ampeliscidae | *Ampelisca typica* | | 5 |
| Amphilochidae | *Amphilochus manudens* | | 15 |
| Amphilochidae | *Apolochus neapolitanus* | | 3 |
| Amphilochidae | *Gitana sarsi* | | 6 |
| Ampithoidae | *Sunamphitoe pelagica* | | 1 |
| Aoridae | *Aora gracilis* | | 23 |
| Aoridae | *Aora typica* | | 4 |
| Aoridae | *Microdeutopus anomalus* | | 2 |
| Aoridae | *Microdeutopus gryllotalpa* | | 2 |
| Aoridae | *Unciola planipes* | | 3 |
| Atylidae | *Nototropis falcatus* | | 6 |
| Atylidae | *Nototropis guttatus* | | 2 |
| Atylidae | *Nototropis swammerdamei* | | 6 |
| Atylidae | *Nototropis vedlomensis* | | 7 |
| Calliopiidae | *Apherusa bispinosa* | | 5 |
| Calliopiidae | *Apherusa ovalipes* | | 0 |
| Calliopiidae | *Calliopius laeviusculus* | | 57 |
| Caprellidae | *Caprella acanthifera* | | 15 |
| Caprellidae | *Caprella equilibra* | Skeleton shrimp | 10 |

| Family | Scientific Name | Common Name | COI (Leray-xt) |
|---|---|---|---|
| Caprellidae | *Caprella linearis* | | 45 |
| Caprellidae | *Pseudoprotella phasma* | | 0 |
| Cheirocratidae | *Cheirocratus pseudosundevallii* | | 0 |
| Corophiidae | *Apocorophium lacustre* | | 7 |
| Corophiidae | *Corophium arenarium* | | 1 |
| Corophiidae | *Corophium multisetosum* | | 9 |
| Corophiidae | *Corophium volutator* | | 350 |
| Corophiidae | *Crassicorophium bonellii* | | 5 |
| Corophiidae | *Crassicorophium crassicorne* | | 1 |
| Corophiidae | *Monocorophium acherusicum* | | 59 |
| Corophiidae | *Monocorophium insidiosum* | | 72 |
| Corophiidae | *Monocorophium sextonae* | | 6 |
| Crangonyctidae | *Crangonyx pseudogracilis* | Northern River crangonyctid | 99 |
| Dexaminidae | *Guernea (Guernea) coalita* | | 0 |
| Epimeriidae | *Epimeria (Epimeria) cornigera* | | 0 |
| Gammaridae | *Cheirocratus intermedius* | | 8 |
| Gammaridae | *Cheirocratus sundevallii* | | 0 |
| Gammaridae | *Gammarus crinicornis* | | 5 |
| Gammaridae | *Gammarus insensibilis* | | 5 |
| Gammaridae | *Gammarus locusta* | | 117 |
| Gammaridae | *Gammarus salinus* | | 76 |
| Gammaridae | *Gammarus tigrinus* | | 74 |
| Gammaridae | *Marinogammarus marinus* | | 37 |
| Haustoriidae | *Haustorius arenarius* | | 19 |
| Hyalidae | *Apohyale prevostii* | | 29 |
| Hyperiidae | *Hyperia galba* | | 20 |
| Iphimediidae | *Iphimedia minuta* | | 5 |
| Iphimediidae | *Iphimedia obesa* | | 10 |
| Isaeidae | *Microprotopus maculatus* | | 22 |

| Family | Scientific Name | Common Name | COI (Leray-xt) |
|---|---|---|---|
| Ischyroceridae | *Centraloecetes kroyeranus* | | 2 |
| Ischyroceridae | *Ericthonius difformis* | | 2 |
| Ischyroceridae | *Ericthonius punctatus* | | 3 |
| Ischyroceridae | *Ericthonius stephenseni* | | 0 |
| Ischyroceridae | *Ischyrocerus anguipes* | | 82 |
| Ischyroceridae | *Jassa falcata* | Mottled tube maker | 4 |
| Ischyroceridae | *Jassa herdmani* | | 50 |
| Ischyroceridae | *Jassa marmorata* | Tube amphipod | 478 |
| Ischyroceridae | *Parajassa pelagica* | | 3 |
| Leucothoidae | *Leucothoe incisa* | | 4 |
| Leucothoidae | *Leucothoe lilljeborgi* | | 0 |
| Lysianassidae | *Acidostoma obesum* | | 0 |
| Lysianassidae | *Hippomedon denticulatus* | | 0 |
| Lysianassidae | *Lysianassa ceratina* | Compact amphipod | 0 |
| Maeridae | *Animoceradocus semiserratus* | | 0 |
| Maeridae | *Maerella tenuimana* | | 0 |
| Maeridae | *Othomaera othonis* | | 5 |
| Megaluropidae | *Megaluropus agilis* | | 4 |
| Melitidae | *Abludomelita obtusata* | | 14 |
| Melitidae | *Melita hergensis* | | 7 |
| Melitidae | *Melita nitida* | | 314 |
| Melitidae | *Melita palmata* | | 39 |
| Oedicerotidae | *Kroyera carinata* | | 0 |
| Oedicerotidae | *Perioculodes longimanus* | | 0 |
| Oedicerotidae | *Pontocrates altamarinus* | | 14 |
| Oedicerotidae | *Pontocrates arenarius* | | 0 |
| Oedicerotidae | *Pontocrates moorei* | | 0 |
| Oedicerotidae | *Synchelidium haplocheles* | | 1 |
| Oedicerotidae | *Synchelidium maculatum* | | 1 |
| Oedicerotidae | *Westwoodilla caecula* | | 4 |
| Pariambidae | *Pariambus typicus* | | 8 |
| Photidae | *Gammaropsis maculata* | | 4 |

| Family | Scientific Name | Common Name | COI (Leray-xt) |
|---|---|---|---|
| Photidae | *Gammaropsis nitida* | | 9 |
| Photidae | *Megamphopus cornutus* | | 3 |
| Photidae | *Photis pollex* | | 0 |
| Photidae | *Photis reinhardi* | | 0 |
| Phoxocephalidae | *Phoxocephalus holbolli* | | 5 |
| Phtisicidae | *Phtisica marina* | | 5 |
| Pontoporeiidae | *Bathyporeia elegans* | | 36 |
| Pontoporeiidae | *Bathyporeia gracilis* | | 0 |
| Pontoporeiidae | *Bathyporeia guilliamsoniana* | | 4 |
| Pontoporeiidae | *Bathyporeia nana* | | 0 |
| Pontoporeiidae | *Bathyporeia pelagica* | | 7 |
| Pontoporeiidae | *Bathyporeia pilosa* | Sand digger shrimp | 8 |
| Pontoporeiidae | *Bathyporeia sarsi* | | 5 |
| Pontoporeiidae | *Bathyporeia tenuipes* | | 1 |
| Scopelocheiridae | *Scopelocheirus hopei* | | 2 |
| Stenothoidae | *Metopa borealis* | | 0 |
| Stenothoidae | *Metopa pusilla* | | 2 |
| Stenothoidae | *Metopa rubrovittata* | | 1 |
| Stenothoidae | *Stenothoe marina* | | 7 |
| Stenothoidae | *Stenothoe monoculoides* | | 2 |
| Talitridae | *Platorchestia platensis* | | 233 |
| Tryphosidae | *Lepidepecreum longicorne* | | 0 |
| Tryphosidae | *Tryphosa nana* | | 0 |
| Tryphosidae | *Tryphosella sarsi* | | 5 |
| Urothoidae | *Urothoe brevicornis* | | 2 |
| Urothoidae | *Urothoe elegans* | | 3 |
| Urothoidae | *Urothoe marina* | | 0 |
| Urothoidae | *Urothoe poseidonis* | | 26 |
| Bodotriidae | *Bodotria arenosa* | | 0 |
| Bodotriidae | *Bodotria pulchella* | | 0 |
| Bodotriidae | *Bodotria scorpioides* | | 11 |
| Bodotriidae | *Cumopsis fagei* | | 0 |
| Bodotriidae | *Cumopsis goodsir* | | 0 |
| Bodotriidae | *Cumopsis longipes* | | 0 |
| Bodotriidae | *Iphinoe trispinosa* | | 3 |
| Bodotriidae | *Vaunthompsonia cristata* | | 1 |

| Family | Scientific Name | Common Name | COI (Leray-xt) |
|---|---|---|---|
| Diastylidae | *Diastylis bradyi* | | 7 |
| Diastylidae | *Diastylis cornuta* | | 2 |
| Diastylidae | *Diastylis glabra* | | 0 |
| Diastylidae | *Diastylis laevis* | | 1 |
| Diastylidae | *Diastylis lucifera* | | 3 |
| Diastylidae | *Diastylis rathkei* | | 4 |
| Diastylidae | *Diastylis rugosa* | | 1 |
| Diastylidae | *Diastylis tumida* | | 2 |
| Diastylidae | *Diastyloides biplicatus* | | 5 |
| Diastylidae | *Leptostylis ampullacea* | | 0 |
| Diastylidae | *Leptostylis villosa* | | 0 |
| Diastylidae | *Makrokylindrus monodi* | | 0 |
| Lampropidae | *Hemilamprops roseus* | | 0 |
| Lampropidae | *Lamprops fasciatus* | | 0 |
| Leuconidae | *Eudorella emarginata* | | 105 |
| Leuconidae | *Eudorella hirsuta* | | 4 |
| Leuconidae | *Eudorellopsis deformis* | | 0 |
| Leuconidae | *Leucon ensis* | | 0 |
| Leuconidae | *Leucon septemdentatus* | | 0 |
| Nannastacidae | *Campylaspis cousteaui* | | 0 |
| Nannastacidae | *Campylaspis mansa* | | 0 |
| Nannastacidae | *Campylaspis paucinodosa* | | 0 |
| Nannastacidae | *Campylaspis valleculata* | | 0 |
| Nannastacidae | *Cumella iliffei* | | 0 |
| Nannastacidae | *Cumella ocellata* | | 0 |
| Nannastacidae | *Cumella spinosa* | | 0 |
| Nannastacidae | *Cumella sterreri* | | 0 |
| Nannastacidae | *Cumellopsis bicostata* | | 0 |
| Nannastacidae | *Nannastacus unguiculatus* | | 0 |
| Nannastacidae | *Schizocuma spinoculatum* | | 0 |
| Pseudocumatidae | *Monopseudocuma gilsoni* | | 4 |
| Pseudocumatidae | *Petalosarsia declivis* | | 0 |
| Pseudocumatidae | *Pseudocuma (Pseudocuma) longicorne* | | 0 |

| Family | Scientific Name | Common Name | COI (Leray-xt) |
|---|---|---|---|
| Pseudocumatidae | *Pseudocuma (Pseudocuma) simile* | | 0 |
| Alpheidae | *Alpheus macrocheles* | Red pistol shrimp | 1 |
| Alpheidae | *Athanas nitescens* | Hooded shrimp | 15 |
| Aristeidae | *Cerataspis monstrosus* | Gamba prawns | 0 |
| Astacidae | *Astacus astacus* | Noble crayfish | 498 |
| Atelecyclidae | *Atelecyclus rotundatus* | Circular crab | 27 |
| Atelecyclidae | *Atelecyclus undecimdentatus* | broad circular crab | 6 |
| Axiidae | *Axius stirhynchus* | | 2 |
| Callianassidae | *Callianassa subterranea* | | 13 |
| Callianassidae | *Gilvossius tyrrhenus* | | 0 |
| Cambaridae | *Faxonius limosus* | Spinycheek crayfish | 133 |
| Cambaridae | *Procambarus clarkii* | Red swamp crayfish | 232 |
| Cancridae | *Cancer pagurus* | Edible crab | 67 |
| Carcinidae | *Carcinus maenas* | Green crab | 101 |
| Corystidae | *Corystes cassivelaunus* | Masked crab | 22 |
| Crangonidae | *Crangon allmanni* | Allman's Crangon | 22 |
| Crangonidae | *Crangon crangon* | Common shrimp | 39 |
| Crangonidae | *Philocheras bispinosus* | | 22 |
| Crangonidae | *Philocheras fasciatus* | | 0 |
| Crangonidae | *Philocheras trispinosus* | | 6 |
| Diogenidae | *Diogenes pugilator* | Small hermit crab | 38 |
| Dromiidae | *Dromia personata* | Sleepy crab | 7 |
| Epialtidae | *Pisa armata* | Gibb's sea spider | 8 |
| Galatheidae | *Galathea dispersa* | | 23 |
| Galatheidae | *Galathea intermedia* | | 49 |
| Galatheidae | *Galathea squamifera* | | 16 |
| Galatheidae | *Galathea strigosa* | Blue striped squat lobster | 8 |
| Geryonidae | *Chaceon inglei* | Ingle deep-sea red crab | 0 |
| Goneplacidae | *Goneplax rhomboides* | Angular crab | 0 |
| Grapsidae | *Pachygrapsus marmoratus* | Marbled shore crab | 96 |
| Hippolytidae | *Eualus pusiolus* | Doll eualid | 36 |
| Hippolytidae | *Hippolyte varians* | Variable seagrass shrimp | 21 |
| Homolidae | *Paromola cuvieri* | Paromola | 0 |

| Family | Scientific Name | Common Name | COI (Leray-xt) |
|---|---|---|---|
| Inachidae | *Achaeus cranchii* | Cranch spider crab | 0 |
| Inachidae | *Inachus dorsettensis* | Scorpion spider crab | 20 |
| Inachidae | *Macropodia linaresi* | Linares sickle crab longlegs | 0 |
| Inachidae | *Macropodia rostrata* | Long legged spider crab | 43 |
| Inachidae | *Macropodia tenuirostris* | | 42 |
| Leucosiidae | *Ebalia cranchii* | | 29 |
| Leucosiidae | *Ebalia tuberosa* | Pennant's nut crab | 9 |
| Leucosiidae | *Ebalia tumefacta* | Bryer's nut crab | 9 |
| Lithodidae | *Lithodes maja* | Norway king crab | 31 |
| Majidae | *Eurynome aspera* | strawberry spider crab | 8 |
| Majidae | *Maja brachydactyla* | Atlantic spinous spider crab | 12 |
| Majidae | *Maja squinado* | Spinous spider crab | 10 |
| Munididae | *Munida rugosa* | Rugose squat lobster | 8 |
| Nephropidae | *Homarinus capensis* | Cape lobster | 1 |
| Nephropidae | *Homarus gammarus* | European lobster | 34 |
| Nephropidae | *Nephrops norvegicus* | Norway lobster | 63 |
| Nephropidae | *Nephropsis atlantica* | Scarlet lobsterette | 2 |
| Oplophoridae | *Debaspis debilis* | | 36 |
| Oregoniidae | *Hyas araneus* | Atlantic lyre crab | 47 |
| Oregoniidae | *Hyas coarctatus* | Arctic lyre crab | 74 |
| Paguridae | *Anapagurus chiroacanthus* | | 1 |
| Paguridae | *Anapagurus hyndmanni* | | 5 |
| Paguridae | *Anapagurus laevis* | | 9 |
| Paguridae | *Pagurus alatus* | American smooth flounder | 10 |
| Paguridae | *Pagurus bernhardus* | Common hermit crab | 64 |
| Paguridae | *Pagurus cuanensis* | Hairy hermit crab | 14 |
| Paguridae | *Pagurus forbesii* | | 2 |
| Paguridae | *Pagurus prideaux* | Prideaux's hermit crab | 51 |
| Paguridae | *Pagurus pubescens* | | 38 |
| Palaemonidae | *Palaemon adspersus* | Baltic prawn | 12 |
| Palaemonidae | *Palaemon elegans* | Rockpool prawn | 24 |
| Palaemonidae | *Palaemon longirostris* | Delta prawn | 86 |
| Palaemonidae | *Palaemon macrodactylus* | Oriental shrimp | 137 |
| Palaemonidae | *Palaemon serratus* | Common prawn | 21 |
| Palaemonidae | *Palaemon varians* | | 15 |
| Palinuridae | *Palinurus elephas* | Common spiny lobster | 40 |

| Family | Scientific Name | Common Name | COI (Leray-xt) |
|---|---|---|---|
| Palinuridae | *Palinurus mauritanicus* | Pink spiny lobster | 8 |
| Palinuridae | *Panulirus echinatus* | Brown spiny lobster | 3 |
| Pandalidae | *Atlantopandalus propinqvus* | | 14 |
| Pandalidae | *Dichelopandalus bonnieri* | Whip shrimp | 8 |
| Pandalidae | *Pandalina brevirostris* | | 13 |
| Pandalidae | *Pandalus montagui* | Aesop shrimp | 68 |
| Panopeidae | *Rhithropanopeus harrisii* | Harris mud crab | 98 |
| Parastacidae | *Cherax tenuimanus* | Hairy marron | 11 |
| Pasiphaeidae | *Pasiphaea sivado* | White glass shrimp | 14 |
| Penaeidae | *Penaeus (Litopenaeus) vannamei* | | 0 |
| Pilumnidae | *Pilumnus hirtellus* | Bristly crab | 6 |
| Pinnotheridae | *Pinnotheres pisum* | Pea crab | 14 |
| Pirimelidae | *Pirimela denticulata* | toothed pirimela | 1 |
| Polybiidae | *Polybius corrugatus* | | 8 |
| Polybiidae | *Polybius depurator* | | 1127 |
| Polybiidae | *Polybius dioscurus* | | 5 |
| Polybiidae | *Polybius holsatus* | | 33 |
| Polybiidae | *Polybius marmoreus* | | 8 |
| Polybiidae | *Polybius navigator* | | 26 |
| Polybiidae | *Polybius pusillus* | | 13 |
| Polybiidae | *Polybius vernalis* | | 5 |
| Porcellanidae | *Pisidia longicornis* | common porcelain crab \| long clawed porcelain crab \| long-clawed porcelain crab \| minute porcelain crab \| very hairy crab | 56 |
| Porcellanidae | *Porcellana platycheles* | Broad-clawed porcelain crab | 170 |
| Portunidae | *Callinectes sapidus* | Blue crab | 792 |
| Portunidae | *Macropipus tuberculatus* | Knobby swimcrab | 21 |
| Portunidae | *Necora puber* | Velvet swimming crab | 122 |
| Portunidae | *Portumnus latipes* | Slender swimcrab | 4 |
| Processidae | *Processa canaliculata* | Processa shrimp | 5 |
| Processidae | *Processa edulis* | Nika shrimp | 2 |
| Processidae | *Processa modica* | | 11 |
| Scyllaridae | *Scyllarus arctus* | Small European locust lobster | 24 |
| Sergestidae | *Eusergestes arcticus* | | 12 |
| Sergestidae | *Sergia remipes* | | 0 |
| Thiidae | *Thia scutellata* | thumbnail crab | 10 |

| Family | Scientific Name | Common Name | COI (Leray-xt) |
|---|---|---|---|
| Thoridae | *Eualus cranchii* | | 92 |
| Upogebiidae | *Upogebia deltaura* | | 17 |
| Upogebiidae | *Upogebia stellata* | | 4 |
| Varunidae | *Dudekemus atlanticus* | | 6 |
| Varunidae | *Eriocheir sinensis* | Chinese mitten crab | 145 |
| Varunidae | *Hemigrapsus penicillatus* | Japanese shore crab | 72 |
| Varunidae | *Hemigrapsus sanguineus* | Asian shore crab | 152 |
| Varunidae | *Hemigrapsus takanoi* | Asian brush crab \| brushclawed crab \| brush-clawed shore crab \| hairy-clawed shore crab \| japanese crab | 162 |
| Xanthidae | *Monodaeus couchii* | Couch rubble crab | 16 |
| Xanthidae | *Xantho pilipes* | | 9 |
| Euphausiidae | *Euphausia krohnii* | | 6 |
| Euphausiidae | *Meganyctiphanes norvegica* | Norwegian krill | 41 |
| Euphausiidae | *Nyctiphanes couchii* | | 0 |
| Aegidae | *Aega monophthalma* | Fish biter | 0 |
| Anthuridae | *Anthura gracilis* | | 0 |
| Anthuridae | *Cyathura carinata* | | 2 |
| Asellidae | *Proasellus hermallensis* | | 3 |
| Bopyridae | *Athelges paguri* | | 3 |
| Bopyridae | *Athelges tenuicaudis* | | 0 |
| Bopyridae | *Ione thoracica* | | 0 |
| Cirolanidae | *Eurydice pulchra* | | 9 |
| Cirolanidae | *Eurydice spinigera* | | 1 |
| Cirolanidae | *Natatolana borealis* | | 9 |
| Cirolanidae | *Natatolana gallica* | | 1 |
| Cymothoidae | *Ceratothoa steindachneri* | | 4 |
| Dajidae | *Prodajus ostendensis* | | 0 |
| Halophilosciidae | *Halophiloscia couchii* | | 3 |
| Idoteidae | *Idotea balthica* | Baltic isopod | 53 |
| Idoteidae | *Idotea emarginata* | | 12 |
| Idoteidae | *Idotea granulosa* | | 40 |
| Idoteidae | *Idotea linearis* | | 25 |
| Idoteidae | *Idotea metallica* | Metallic isopod | 17 |
| Idoteidae | *Idotea pelagica* | | 16 |
| Janiridae | *Ianiropsis serricaudis* | | 6 |
| Janiridae | *Jaera (Jaera) albifrons* | | 0 |
| Ligiidae | *Ligia oceanica* | | 13 |

| Family | Scientific Name | Common Name | COI (Leray-xt) |
|---|---|---|---|
| Limnoriidae | *Limnoria quadripunctata* | | 52 |
| Sphaeromatidae | *Lekanesphaera rugicauda* | | 35 |
| Sphaeromatidae | *Sphaeroma serratum* | | 2 |
| Nebaliidae | *Nebalia bipes* | Nebalia shrimp | 0 |
| Nebaliidae | *Nebalia borealis* | | 0 |
| Nebaliidae | *Nebalia herbstii* | | 0 |
| Nebaliidae | *Nebalia reboredae* | | 0 |
| Mysidae | *Acanthomysis longicornis* | | 0 |
| Mysidae | *Anchialina agilis* | | 0 |
| Mysidae | *Gastrosaccus sanctus* | | 0 |
| Mysidae | *Gastrosaccus spinifer* | | 6 |
| Mysidae | *Haplostylus lobatus* | | 0 |
| Mysidae | *Heteromysis norvegica* | | 0 |
| Mysidae | *Leptomysis gracilis* | | 0 |
| Mysidae | *Leptomysis lingvura* | | 0 |
| Mysidae | *Mesopodopsis slabberi* | | 6 |
| Mysidae | *Mysidopsis didelphys* | | 4 |
| Mysidae | *Mysidopsis gibbosa* | | 0 |
| Mysidae | *Neomysis integer* | | 42 |
| Mysidae | *Paramysis (Longidentia) nouveli* | | 0 |
| Mysidae | *Paramysis arenosa* | | 2 |
| Mysidae | *Praunus flexuosus* | Bent mysid shrimp | 40 |
| Mysidae | *Praunus inermis* | | 1 |
| Mysidae | *Praunus neglectus* | | 0 |
| Mysidae | *Schistomysis kervillei* | | 5 |
| Mysidae | *Schistomysis ornata* | | 1 |
| Mysidae | *Schistomysis spiritus* | | 0 |
| Mysidae | *Siriella armata* | | 6 |
| Squillidae | *Rissoides desmaresti* | | 3 |
| Agathotanaidae | *Agathotanais ingolfi* | | 0 |
| Akanthophoreidae | *Akanthophoreus gracilis* | | 0 |
| Anarthruridae | *Anarthrura simplex* | | 0 |

| Family | Scientific Name | Common Name | COI (Leray-xt) |
|---|---|---|---|
| Apseudidae | *Apseudes spinosus* | | 2 |
| Apseudidae | *Apseudes talpa* | | 1 |
| Apseudidae | *Apseudopsis latreillii* | | 0 |
| Incertae sedis (Paratanaoidea) | *Pseudoparatanais batei* | | 2 |
| Leptocheliidae | *Chondrochelia savignyi* | | 1 |
| Leptocheliidae | *Heterotanais oerstedii* | | 0 |
| Leptognathiidae | *Leptognathia breviremis* | | 0 |
| Leptognathiidae | *Leptognathia manca* | | 0 |
| Leptognathiidae | *Leptognathia paramanca* | | 0 |
| Nototanaidae | *Paratyphlotanais microcheles* | | 0 |
| Nototanaidae | *Tanaissus lilljeborgi* | | 0 |
| Pseudotanaidae | *Pseudotanais forcipatus* | | 0 |
| Pseudotanaidae | *Pseudotanais jonesi* | | 0 |
| Sphyrapidae | *Sphyrapus malleolus* | | 0 |
| Tanaellidae | *Araphura filiformis* | | 0 |
| Tanaididae | *Parasinelobus chevreuxi* | | 0 |
| Tanaididae | *Tanais dulongii* | | 5 |
| Tanaissuidae | *Tanaissus danica* | | 0 |
| Tanaopsidae | *Tanaopsis graciloides* | | 0 |
| Typhlotanaidae | *Pulcherella pulcher* | | 0 |
| Typhlotanaidae | *Typhlotanais aequiremis* | | 0 |
| Typhlotanaidae | *Typhlotanais brevicornis* | | 0 |
| Typhlotanaidae | *Typhlotanais tenuicornis* | | 0 |
| Isodiametridae | *Faerlea glomerata* | | 0 |
| Paratomellidae | *Paratomella rubra* | | 2 |
| Austrognathiidae | *Austrognatharia boadeni* | | 0 |
| Chaetonotidae | *Chaetonotus linguaeformis* | | 0 |
| Chaetonotidae | *Chaetonotus neptuni* | | 0 |
| Chaetonotidae | *Hemichaetonotus clipeatus* | | 0 |

| Family | Scientific Name | Common Name | COI (Leray-xt) |
|---|---|---|---|
| Chaetonotidae | *Heterolepidoderma arenosum* | | 0 |
| Chaetonotidae | *Heterolepidoderma armatum* | | 0 |
| Neodasyidae | *Neodasys chaetonotoideus* | | 1 |
| Xenotrichulidae | *Heteroxenotrichula affinis* | | 0 |
| Xenotrichulidae | *Heteroxenotrichula arcassonensis* | | 0 |
| Loxosomatidae | *Loxomitra kefersteinii* | | 0 |
| Loxosomatidae | *Loxosoma annelidicola* | | 0 |
| Loxosomatidae | *Loxosoma pectinaricola* | | 1 |
| Loxosomatidae | *Loxosomella antedonis* | | 0 |
| Loxosomatidae | *Loxosomella crassicauda* | | 0 |
| Loxosomatidae | *Loxosomella harmeri* | | 1 |
| Loxosomatidae | *Loxosomella nitschei* | | 0 |
| Loxosomatidae | *Loxosomella nordgaardi* | | 0 |
| Loxosomatidae | *Loxosomella obesa* | | 0 |
| Cephalodasyidae | *Cephalodasys cambriensis* | | 0 |
| Cephalodasyidae | *Cephalodasys maximus* | | 2 |
| Cephalodasyidae | *Dolichodasys carolinensis* | | 0 |
| Cephalodasyidae | *Mesodasys laticaudatus* | | 0 |
| Dactylopodolidae | *Dactylopodola typhle* | | 1 |
| Lepidodasyidae | *Lepidodasys martini* | | 1 |
| Macrodasyidae | *Macrodasys buddenbrocki* | | 0 |
| Macrodasyidae | *Macrodasys cephalatus* | | 0 |
| Macrodasyidae | *Urodasys mirabilis* | | 1 |
| Thaumastodermatidae | *Tetrabrachyroderma hystrix* | | 0 |
| Thaumastodermatidae | *Tetrabrachyroderma tribolosum* | | 0 |
| Turbanellidae | *Dinodasys mirabilis* | | 0 |
| Turbanellidae | *Paraturbanella teissieri* | | 0 |

| Family | Scientific Name | Common Name | COI (Leray-xt) |
|---|---|---|---|
| Turbanellidae | *Turbanella ambronensis* | | 11 |
| Turbanellidae | *Turbanella bocqueti* | | 3 |
| Turbanellidae | *Turbanella cornuta* | | 49 |
| Turbanellidae | *Turbanella hyalina* | | 57 |
| Phoronidae | *Phoronis muelleri* | | 7 |
| Phoronidae | *Phoronis ovalis* | | 2 |
| Pedicellinidae | *Barentsia benedeni* | | 0 |
| Pedicellinidae | *Barentsia ramosa* | | 0 |
| Pedicellinidae | *Pedicellina cernua* | Bowing entoproct | 3 |
| Polycystididae | *Acrorhynchides canaliculatus* | | 0 |
| Phascolosomatidae | *Phascolosoma granulatum* | | 1 |
| Cheloniidae | *Caretta caretta* | Loggerhead turtle | 124 |
| Cheloniidae | *Chelonia mydas* | Green sea turtle | 132 |
| Cheloniidae | *Eretmochelys imbricata* | Hawksbill turtle | 78 |
| Cheloniidae | *Lepidochelys kempii* | Kemp's ridley turtle | 17 |
| Dermochelyidae | *Dermochelys coriacea* | Leatherback turtle | 25 |
| Beroidae | *Beroe cucumis* | Pink slipper comb jelly | 0 |
| Beroidae | *Beroe gracilis* | | 6 |
| Alcyoniidae | *Alcyonium digitatum* | Dead mans fingers | 3 |
| Pennatulidae | *Pennatula phosphorea* | Phosphorescent sea pen | 9 |
| Amphiuridae | *Acrocnida brachiata* | Sand burrowing brittle star | 355 |
| Amphiuridae | *Amphipholis squamata* | Dwarf brittle star | 46 |
| Amphiuridae | *Amphiura chiajei* | | 13 |
| Amphiuridae | *Amphiura filiformis* | | 24 |
| Ophiotrichidae | *Ophiothrix fragilis* | Common brittle star | 481 |
| Ophiotomidae | *Ophiocomina nigra* | Black serpent star | 140 |
| Ophiuridae | *Ophiocten affinis* | | 17 |
| Ophiuridae | *Ophiura albida* | Serpent's table brittlestar | 30 |
| Ophiuridae | *Ophiura ophiura* | Serpent brittle star | 69 |
| Pelmatosphaeridae | *Pelmatosphaera polycirri* | | 0 |
| Rhopaluridae | *Rhopalura granosa* | | 0 |
| Rhopaluridae | *Rhopalura ophiocomae* | | 0 |
| Cylindroleberididae | *Cylindroleberis mariae* | | 0 |
| Sarsiellidae | *Eusarsiella zostericola* | | 0 |
| Cytheridae | *Cythere lutea* | | 0 |
| Cytheridae | *Microcytherura boulangei* | | 0 |

| Family | Scientific Name | Common Name | COI (Leray-xt) |
|---|---|---|---|
| Cytheridae | *Microcytherura fulva* | | 0 |
| Cytheruridae | *Hemicytherura cellulosa* | | 0 |
| Cytheruridae | *Hemicytherura clathrata* | | 0 |
| Cytheruridae | *Semicytherura acuticostata* | | 0 |
| Cytheruridae | *Semicytherura angulata* | | 0 |
| Cytheruridae | *Semicytherura cornuta* | | 0 |
| Cytheruridae | *Semicytherura nigrescens* | | 0 |
| Cytheruridae | *Semicytherura sella* | | 0 |
| Cytheruridae | *Semicytherura striata* | | 0 |
| Cytheruridae | *Semicytherura undata* | | 0 |
| Eucytheridae | *Eucythere declivis* | | 0 |
| Eucytheridae | *Eucythere prava* | | 0 |
| Hemicytheridae | *Heterocythereis albomaculata* | | 0 |
| Loxoconchidae | *Cytheromorpha fuscata* | | 0 |
| Pontocyprididae | *Pontocypris avena* | | 0 |
| Pontocyprididae | *Propontocypris trigonella* | | 0 |
| Echinorhynchidae | *Echinorhynchus gadi* | | 7 |
| Polymorphidae | *Andracantha tunitae* | | 0 |
| Polymorphidae | *Profilicollis botulus* | | 2 |
| Tubulanidae | *Tubulanus annulatus* | Football-jersey worm | 4 |
| Fucaceae | *Fucus vesiculosus* | bladder wrack \| popweed \| rockweed | 0 |
| Himanthaliaceae | *Himanthalia elongata* | sea thong \| thong weed \| thongweed | 2 |
| Lineidae | *Cerebratulus fuscus* | | 0 |
| Lineidae | *Cerebratulus marginatus* | | 2 |
| Lineidae | *Siphonenteron bilineatum* | | 2 |
| Aphroditidae | *Aphrodita aculeata* | Sea mouse | 28 |
| Euphrosinidae | *Euphrosine foliosa* | | 2 |
| Goniadidae | *Glycinde nordmanni* | | 7 |
| Goniadidae | *Goniada emerita* | | 2 |
| Goniadidae | *Goniada maculata* | Spotted chevron worm | 14 |
| Hesionidae | *Microphthalmus fragilis* | | 0 |

| Family | Scientific Name | Common Name | COI (Leray-xt) |
|---|---|---|---|
| Hesionidae | *Microphthalmus listensis* | | 1 |
| Hesionidae | *Microphthalmus similis* | | 0 |
| Hesionidae | *Syllidia armata* | | 19 |
| Nephtyidae | *Nephtys assimilis* | | 14 |
| Nephtyidae | *Nephtys caeca* | | 0 |
| Nephtyidae | *Nephtys cirrosa* | White catworm | 8 |
| Nephtyidae | *Nephtys hombergii* | | 60 |
| Nephtyidae | *Nephtys kersivalensis* | | 4 |
| Nephtyidae | *Nephtys longosetosa* | | 1 |
| Pholoidae | *Pholoe assimilis* | | 0 |
| Pholoidae | *Pholoe baltica* | | 68 |
| Pholoidae | *Pholoe inornata* | | 16 |
| Pholoidae | *Pholoe minuta* | | 320 |
| Pisionidae | *Pisione remota* | | 1 |
| Sphaerodoridae | *Sphaerodorum gracilis* | | 0 |
| Tomopteridae | *Tomopteris cavallii* | | 0 |
| Amphinomidae | *Paramphinome jeffreysii* | | 19 |
| Acrocirridae | *Macrochaeta helgolandica* | | 0 |
| Chaetopteridae | *Chaetopterus variopedatus* | Fairy tubeworm | 4 |
| Cirratulidae | *Aphelochaeta marioni* | | 0 |
| Cirratulidae | *Caulleriella alata* | | 0 |
| Cirratulidae | *Chaetozone gibber* | | 0 |
| Cirratulidae | *Chaetozone setosa* | | 88 |
| Cirratulidae | *Chaetozone zetlandica* | | 8 |
| Cirratulidae | *Cirratulus cirratus* | | 3 |
| Cirratulidae | *Cirriformia tentaculata* | Tentacular cirriform polychaete | 2 |
| Ctenodrilidae | *Ctenodrilus serratus* | | 1 |
| Magelonidae | *Magelona filiformis* | | 7 |
| Magelonidae | *Magelona johnstoni* | | 51 |
| Magelonidae | *Magelona mirabilis* | | 7 |
| Oweniidae | *Owenia fusiformis* | Tubeworm | 9 |
| Poecilochaetidae | *Poecilochaetus serpens* | | 8 |
| Polygordiidae | *Polygordius appendiculatus* | | 37 |
| Protodrilidae | *Protodriloides chaetifer* | | 0 |

| Family | Scientific Name | Common Name | COI (Leray-xt) |
|---|---|---|---|
| Protodrilidae | *Protodriloides symbioticus* | | 1 |
| Bonelliidae | *Amalosoma eddystonense* | | 0 |
| Bonelliidae | *Maxmuelleria lankesteri* | | 1 |
| Dorvilleidae | *Ophryotrocha gracilis* | | 0 |
| Dorvilleidae | *Parougia eliasoni* | | 3 |
| Dorvilleidae | *Protodorvillea kefersteini* | | 16 |
| Eunicidae | *Leodice torquata* | | 1 |
| Eunicidae | *Lysidice unicornis* | | 0 |
| Eunicidae | *Marphysa sanguinea* | Red-gilled marphysa | 25 |
| Eunicidae | *Paucibranchia bellii* | | 4 |
| Lumbrineridae | *Lumbrineris cluthensis* | | 0 |
| Lumbrineridae | *Lumbrineris futilis* | | 0 |
| Lumbrineridae | *Lumbrineris latreilli* | | 1 |
| Lumbrineridae | *Scoletoma fragilis* | | 11 |
| Lumbrineridae | *Scoletoma magnidentata* | | 0 |
| Onuphidae | *Diopatra neapolitana* | Solitary tube worm | 13 |
| Arenicolidae | *Arenicola defodiens* | Black lug | 13 |
| Arenicolidae | *Arenicola marina* | Northern lugworm | 34 |
| Capitellidae | *Capitella capitata* | | 28 |
| Capitellidae | *Capitella giardi* | | 0 |
| Capitellidae | *Capitella minima* | | 0 |
| Capitellidae | *Heteromastus filiformis* | | 14 |
| Capitellidae | *Mediomastus fragilis* | | 1 |
| Capitellidae | *Notomastus latericeus* | Bristleworms nei | 11 |
| Cossuridae | *Cossura longocirrata* | | 8 |
| Maldanidae | *Praxillura longissima* | | 0 |
| Opheliidae | *Ophelia borealis* | | 13 |
| Opheliidae | *Ophelia limacina* | | 3 |
| Opheliidae | *Ophelia rathkei* | | 0 |
| Opheliidae | *Travisia forbesii* | | 2 |
| Orbiniidae | *Leitoscoloplos mammosus* | | 3 |
| Orbiniidae | *Orbinia armandi* | | 0 |
| Orbiniidae | *Orbinia bioretti* | | 0 |

| Family | Scientific Name | Common Name | COI (Leray-xt) |
|---|---|---|---|
| Orbiniidae | *Orbinia latreillii* | | 2 |
| Orbiniidae | *Orbinia sertulata* | | 7 |
| Orbiniidae | *Scoloplos armiger* | Armed bristleworm | 64 |
| Paraonidae | *Paraonis fulgens* | | 4 |
| Psammodrilidae | *Psammodrilus balanoglossoides* | | 0 |
| Sabellariidae | *Lygdamis muratus* | | 1 |
| Sabellariidae | *Sabellaria alveolata* | Honeycomb worm | 8 |
| Sabellariidae | *Sabellaria spinulosa* | | 7 |
| Scalibregmatidae | *Scalibregma inflatum* | | 42 |
| Glyceridae | *Glycera alba* | | 4 |
| Glyceridae | *Glycera capitata* | | 74 |
| Glyceridae | *Glycera fallax* | | 0 |
| Glyceridae | *Glycera lapidum* | | 4 |
| Glyceridae | *Glycera oxycephala* | | 4 |
| Glyceridae | *Glycera tesselata* | | 4 |
| Glyceridae | *Glycera tridactyla* | Glycerine worm | 1 |
| Glyceridae | *Glycera unicornis* | | 17 |
| Goniadidae | *Goniadella bobrezkii* | | 0 |
| Hesionidae | *Oxydromus flexuosus* | | 1 |
| Hesionidae | *Podarkeopsis helgolandicus* | | 1 |
| Hesionidae | *Psamathe fusca* | | 10 |
| Lopadorrhynchidae | *Palaegobia longicirrata* | | 1 |
| Nereididae | *Alitta succinea* | | 95 |
| Nereididae | *Alitta virens* | King ragworm | 97 |
| Nereididae | *Eunereis longissima* | | 0 |
| Nereididae | *Hediste diversicolor* | Ragworm | 167 |
| Nereididae | *Neanthes fucata* | | 15 |
| Nereididae | *Nereis zonata* | | 18 |
| Nereididae | *Perinereis cultrifera* | | 46 |
| Nereididae | *Platynereis dumerilii* | Dumeril's clam worm | 224 |
| Phyllodocidae | *Eteone flava* | | 6 |
| Phyllodocidae | *Eteone longa* | | 13 |
| Phyllodocidae | *Eulalia bilineata* | | 9 |
| Phyllodocidae | *Eulalia mustela* | | 5 |
| Phyllodocidae | *Eulalia tjalfiensis* | | 6 |
| Phyllodocidae | *Eulalia viridis* | Greenleaf worm | 44 |
| Phyllodocidae | *Eumida bahusiensis* | | 14 |
| Phyllodocidae | *Eumida sanguinea* | Blood-colored phyllodocid worm | 32 |
| Phyllodocidae | *Hesionura elongata* | | 2 |

| Family | Scientific Name | Common Name | COI (Leray-xt) |
|---|---|---|---|
| Phyllodocidae | *Hypereteone foliosa* | | 0 |
| Phyllodocidae | *Mysta barbata* | | 0 |
| Phyllodocidae | *Mysta picta* | | 3 |
| Phyllodocidae | *Mystides caeca* | | 4 |
| Phyllodocidae | *Phyllodoce groenlandica* | | 18 |
| Phyllodocidae | *Phyllodoce laminosa* | | 3 |
| Phyllodocidae | *Phyllodoce lineata* | | 0 |
| Phyllodocidae | *Phyllodoce longipes* | | 5 |
| Phyllodocidae | *Phyllodoce maculata* | | 46 |
| Phyllodocidae | *Phyllodoce mucosa* | | 6 |
| Phyllodocidae | *Phyllodoce rosea* | | 6 |
| Phyllodocidae | *Pseudomystides limbata* | | 3 |
| Polynoidae | *Bylgides sarsi* | | 2 |
| Polynoidae | *Gattyana amondseni* | | 3 |
| Polynoidae | *Gattyana cirrhosa* | | 22 |
| Polynoidae | *Harmothoe antilopes* | | 1 |
| Polynoidae | *Harmothoe extenuata* | Yellow and brown scaleworm | 0 |
| Polynoidae | *Harmothoe fernandi* | | 7 |
| Polynoidae | *Harmothoe glabra* | | 4 |
| Polynoidae | *Harmothoe imbricata* | Fifteen-scaled worm | 215 |
| Polynoidae | *Harmothoe impar* | | 3 |
| Polynoidae | *Harmothoe longisetis* | | 0 |
| Polynoidae | *Lepidonotus clava* | | 2 |
| Polynoidae | *Lepidonotus squamatus* | Twelve scaled worm | 57 |
| Polynoidae | *Malmgrenia arenicolae* | | 0 |
| Polynoidae | *Malmgrenia bicki* | | 0 |
| Polynoidae | *Malmgrenia castanea* | | 3 |
| Polynoidae | *Malmgrenia darbouxi* | | 0 |
| Polynoidae | *Malmgrenia ljungmani* | | 1 |
| Polynoidae | *Malmgrenia lunulata* | | 3 |
| Polynoidae | *Polynoe scolopendrina* | | 1 |
| Sigalionidae | *Fimbriosthenelais minor* | | 0 |

| Family | Scientific Name | Common Name | COI (Leray-xt) |
|---|---|---|---|
| Sigalionidae | *Pholoe pallida* | | 8 |
| Sigalionidae | *Sigalion mathildae* | | 11 |
| Sigalionidae | *Sthenelais boa* | | 4 |
| Sigalionidae | *Sthenelais limicola* | | 27 |
| Syllidae | *Anoplosyllis edentula* | | 0 |
| Syllidae | *Brania pusilla* | | 0 |
| Syllidae | *Erinaceusyllis erinaceus* | | 0 |
| Syllidae | *Eusyllis blomstrandi* | | 29 |
| Syllidae | *Exogone naidina* | | 0 |
| Syllidae | *Myrianida prolifera* | | 5 |
| Syllidae | *Odontosyllis ctenostoma* | | 1 |
| Syllidae | *Odontosyllis fulgurans* | | 15 |
| Syllidae | *Parexogone hebes* | | 3 |
| Syllidae | *Procerastea nematodes* | | 1 |
| Syllidae | *Sphaerosyllis bulbosa* | | 0 |
| Syllidae | *Sphaerosyllis hystrix* | | 0 |
| Syllidae | *Streptodonta pterochaeta* | | 0 |
| Syllidae | *Streptosyllis campoyi* | | 0 |
| Syllidae | *Streptosyllis websteri* | | 2 |
| Syllidae | *Syllis armillaris* | | 21 |
| Syllidae | *Syllis cornuta* | | 0 |
| Syllidae | *Syllis garciai* | | 1 |
| Syllidae | *Syllis gracilis* | | 11 |
| Syllidae | *Syllis hyalina* | | 1 |
| Syllidae | *Syllis licheri* | | 0 |
| Syllidae | *Syllis pontxioi* | | 0 |
| Syllidae | *Synmerosyllis lamelligera* | | 0 |
| Tomopteridae | *Tomopteris (Johnstonella) helgolandica* | | 0 |
| Sabellidae | *Euchone limnicola* | | 0 |
| Sabellidae | *Pseudopotamilla reniformis* | Gregarious fanworm | 24 |
| Sabellidae | *Sabella pavonina* | Spiral feather duster | 1 |
| Serpulidae | *Chitinopoma serrula* | | 0 |
| Serpulidae | *Ditrupa arietina* | Horn-tusk | 8 |
| Serpulidae | *Ficopomatus enigmaticus* | Australian tubeworm | 5 |

| Family | Scientific Name | Common Name | COI (Leray-xt) |
|---|---|---|---|
| Serpulidae | *Hydroides elegans* | Calcareous tube worm | 11 |
| Serpulidae | *Spirobranchus lamarcki* | Keel worm | 0 |
| Serpulidae | *Spirobranchus triqueter* | | 41 |
| Serpulidae | *Spirorbis (Spirorbis) spirorbis* | | 0 |
| Spionidae | *Aonides oxycephala* | | 8 |
| Spionidae | *Aonides paucibranchiata* | | 5 |
| Spionidae | *Boccardiella ligerica* | Spionid worm | 0 |
| Spionidae | *Dipolydora coeca* | | 0 |
| Spionidae | *Dipolydora quadrilobata* | | 0 |
| Spionidae | *Malacoceros fuliginosus* | | 13 |
| Spionidae | *Malacoceros tetracerus* | | 0 |
| Spionidae | *Marenzelleria viridis* | | 27 |
| Spionidae | *Polydora ciliata* | | 0 |
| Spionidae | *Polydora cornuta* | Whip mudworm | 30 |
| Spionidae | *Polydora hoplura* | | 5 |
| Spionidae | *Prionospio fallax* | | 15 |
| Spionidae | *Prionospio multibranchiata* | | 23 |
| Spionidae | *Prionospio steenstrupi* | | 30 |
| Spionidae | *Pseudopolydora antennata* | | 0 |
| Spionidae | *Pseudopolydora paucibranchiata* | Elkhorn slough spionid | 9 |
| Spionidae | *Pseudopolydora pulchra* | | 0 |
| Spionidae | *Pygospio elegans* | | 121 |
| Spionidae | *Scolelepis (Scolelepis) foliosa* | | 0 |
| Spionidae | *Scolelepis (Scolelepis) squamata* | | 0 |
| Spionidae | *Scolelepis bonnieri* | | 17 |
| Spionidae | *Scolelepis tridentata* | | 0 |
| Spionidae | *Spio filicornis* | | 0 |
| Spionidae | *Spio goniocephala* | | 2 |
| Spionidae | *Spio martinensis* | | 1 |
| Spionidae | *Spio symphyta* | | 0 |
| Spionidae | *Spiophanes bombyx* | Bee spionid | 22 |

| Family | Scientific Name | Common Name | COI (Leray-xt) |
|---|---|---|---|
| Spionidae | *Spiophanes kroyeri* | | 2 |
| Spionidae | *Streblospio benedicti* | Bar-gilled mudworm | 3 |
| Ampharetidae | *Ampharete acutifrons* | | 14 |
| Ampharetidae | *Ampharete lindstroemi* | | 2 |
| Ampharetidae | *Melinna elisabethae* | | 7 |
| Cirratulidae | *Chaetozone christiei* | | 4 |
| Cirratulidae | *Tharyx killariensis* | | 1 |
| Flabelligeridae | *Flabelligera affinis* | Flabby bristle-worm | 10 |
| Pectinariidae | *Lagis koreni* | Trumpet worm | 363 |
| Terebellidae | *Amphitrite figulus* | | 17 |
| Terebellidae | *Amphitritides gracilis* | | 0 |
| Terebellidae | *Eupolymnia nebulosa* | Strawberry worm | 0 |
| Terebellidae | *Lanice conchilega* | Sand mason worm | 21 |
| Terebellidae | *Loimia ramzega* | | 4 |
| Terebellidae | *Lysilla loveni* | | 2 |
| Terebellidae | *Nicolea venustula* | | 0 |
| Terebellidae | *Polycirrus medusa* | | 11 |
| Terebellidae | *Polycirrus plumosus* | | 5 |
| Terebellidae | *Thelepus cincinnatus* | | 55 |
| Capitellidae | *Pseudonotomastus southerni* | | 0 |
| Opheliidae | *Thoracophelia flabellifera* | | 0 |
| Paraonidae | *Aricidea (Acmira) cerrutii* | | 0 |
| Paraonidae | *Aricidea (Aricidea) minuta* | | 0 |
| Paraonidae | *Aricidea (Aricidea) wassi* | | 0 |
| Paraonidae | *Aricidea (Strelzovia) suecica* | | 0 |
| Callochitonidae | *Callochiton septemvalvis* | | 2 |
| Acanthochitonidae | *Acanthochitona crinita* | | 17 |
| Leptochitonidae | *Leptochiton asellus* | | 19 |
| Leptochitonidae | *Leptochiton scabridus* | | 0 |
| Priapulidae | *Priapulus caudatus* | Cactus worm | 12 |
| Ammotheidae | *Achelia echinata* | | 6 |
| Ammotheidae | *Achelia laevis* | | 0 |
| Ammotheidae | *Achelia simplex* | | 0 |

| Family | Scientific Name | Common Name | COI (Leray-xt) |
|---|---|---|---|
| Ammotheidae | *Ammothea hilgendorfi* | Hilgendorf's sea spider | 10 |
| Ammotheidae | *Ammothella longipes* | | 0 |
| Callipallenidae | *Callipallene phantoma* | | 0 |
| Endeidae | *Endeis spinosa* | | 2 |
| Nymphonidae | *Nymphon brevirostre* | elegant sea spider | 8 |
| Nymphonidae | *Nymphon gracile* | | 0 |
| Phoxichilidiidae | *Anoplodactylus petiolatus* | | 1 |
| Pycnogonidae | *Pycnogonum litorale* | Anemone sea spider | 25 |
| Krohnittidae | *Krohnitta subtilis* | | 1 |
| Sagittidae | *Caecosagitta macrocephala* | | 0 |
| Sagittidae | *Decipisagitta decipiens* | | 2 |
| Sagittidae | *Flaccisagitta enflata* | | 100 |
| Sagittidae | *Flaccisagitta hexaptera* | Chaetognaths | 0 |
| Sagittidae | *Parasagitta elegans* | | 32 |
| Sagittidae | *Parasagitta friderici* | | 1 |
| Sagittidae | *Parasagitta setosa* | | 73 |
| Sagittidae | *Pseudosagitta lyra* | | 10 |
| Sagittidae | *Pseudosagitta maxima* | | 19 |
| Sagittidae | *Sagitta bipunctata* | | 5 |
| Sagittidae | *Serratosagitta tasmanica* | | 0 |
| Eukrohniidae | *Eukrohnia fowleri* | | 4 |
| Eukrohniidae | *Eukrohnia hamata* | | 63 |
| Spadellidae | *Spadella cephaloptera* | | 43 |
| Dentaliidae | *Antalis entalis* | Occidental tuskshell | 10 |
| Gadilidae | *Cadulus gibbus* | | 0 |
| Gadilidae | *Dischides politus* | | 0 |
| Gadilidae | *Gadila subfusiformes* | | 0 |
| Gadilidae | *Siphonodentalium lobatum* | | 4 |
| Atollidae | *Atolla parva* | | 1 |
| Atollidae | *Atolla wyvillei* | Wyville's crownjelly | 3 |
| Nausithoidae | *Nausithoe globifera* | | 0 |
| Nausithoidae | *Nausithoe punctata* | | 10 |
| Periphyllidae | *Periphylla periphylla* | Merchant-cap | 123 |

| Family | Scientific Name | Common Name | COI (Leray-xt) |
|---|---|---|---|
| Rhizostomatidae | *Rhizostoma octopus* | | 0 |
| Rhizostomatidae | *Rhizostoma pulmo* | Barrel jellyfish | 71 |
| Cyaneidae | *Cyanea capillata* | Lion's mane | 102 |
| Cyaneidae | *Cyanea lamarckii* | Lion's mane jellyfish | 29 |
| Pelagiidae | *Chrysaora hysoscella* | Compass jellyfish | 7 |
| Ulmaridae | *Aurelia aurita* | Moon jelly | 189 |
| Ulmaridae | *Deepstaria enigmatica* | | 0 |
| Ulmaridae | *Deepstaria reticulum* | | 0 |
| Ulmaridae | *Phacellophora camtschatica* | Fried egg jellyfish | 34 |
| Craterolophidae | *Craterolophus convolvulus* | Goblet stalked-jellyfish | 20 |
| Kishinouyeidae | *Calvadosia campanulata* | | 2 |
| Kishinouyeidae | *Calvadosia cruxmelitensis* | | 1 |
| Crisiidae | *Crisia eburnea* | | 5 |
| Crisiidae | *Filicrisia geniculata* | | 0 |
| Pleurobrachiidae | *Pleurobrachia pileus* | Sea gooseberry | 5 |
| Bolinopsidae | *Bolinopsis infundibulum* | Northern comb jelly | 160 |
| Bolinopsidae | *Mnemiopsis leidyi* | Warty comb jelly | 4 |
| Doliolidae | *Doliolum nationalis* | | 2 |
| Balanidae | *Amphibalanus amphitrite* | Purple acorn barnacle | 252 |
| Balanidae | *Balanus crenatus* | Crenate barnacle | 177 |
| Elminiidae | *Austrominius modestus* | Australasian barnacle \| modest barnacle \| New Zealand barnacle | 165 |
| Sacculinidae | *Sacculina carcini* | | 23 |
| Lepadidae | *Conchoderma auritum* | Rabbit-ear barnacle | 9 |
| Lepadidae | *Lepas (Lepas) anatifera* | common goose barnacle \| duck barnacle | 0 |
| Lepadidae | *Lepas (Lepas) anserifera* | goose barnacle | 0 |
| Archaeobalanidae | *Semibalanus balanoides* | Northern rock barnacle | 870 |
| Archaeobalanidae | *Solidobalanus fallax* | | 0 |
| Platylepadidae | *Stomatolepas elegans* | | 73 |
| Verrucidae | *Verruca stroemia* | | 21 |
| Hauerinidae | *Quinqueloculina seminulum* | | 0 |

| Family | Scientific Name | Common Name | COI (Leray-xt) |
|---|---|---|---|
| Leptoplanidae | *Leptoplana tremellaris* | | 3 |
| Procerodidae | *Procerodes littoralis* | | 0 |
| Ulvaceae | *Ulva lactuca* | sea lettuce | 0 |
| Macrodasyidae | *Kryptodasys remanei* | | 0 |
| Myzostomatidae | *Myzostoma gerlachei* | | 0 |
| Aspidosiphonidae | *Aspidosiphon (Aspidosiphon) muelleri muelleri* | | 0 |
| Golfingiidae | *Golfingia (Golfingia) vulgaris vulgaris* | | 0 |
| Golfingiidae | *Phascolion (Phascolion) strombus strombus* | | 0 |
| Sipunculidae | *Sipunculus (Sipunculus) nudus* | | 0 |
| Barentsiidae | *Barentsia gracilis* | | 12 |

**Table 3. Numbers of new sequences for latest reference library version compared to previous. Current version is GenBank v269 (09 Jan 2026); previous version is GenBank v ().**

First time creating a reference database for the invertebrates occuring in Belgium, the UK and the Netherlands.

```
{r print_versions, echo=FALSE, results="asis", warning=FALSE}
# options(knitr.kable.NA="") # # print the common species table
# reflib.difference.by.marker %>% #     mutate(locus=str_to_upper(str_sp
%>%  #     mutate(fragment=str_to_title(str_split_fixed(marker,"\\.",2)[
%>% #     mutate(marker=paste0(locus," (",fragment,")")) %>% #
dplyr::select(-locus,-fragment,-Added,-Lost) %>% #     pivot_wider(names
%>% #     arrange(sciNameValid) %>% #     mutate(sciNameValid=str_replac
pattern="$|^", replacement="*")) %>% #     dplyr::rename(`Scientific
Name`=sciNameValid) %>% #     kable() #
```