






Diagnostic plots Ani Abundance ~ Current




Cook's Distance ● 0.1 ● 0.2 ● 0.3 ● 0.4

Diagnostic plots Ani Abundance ~ Habitat


Residual vs Fitted Plot




Normal Q-Q



Cook's distance




Residual vs Leverage Plot




Cook's Distance ● 0.1 ● 0.2 ● 0.3 ● 0.4

Diagnostic plots Ani Shannon ~ Current


Residual vs Fitted Plot




Normal Q-Q



Cook's distance




Residual vs Leverage Plot




Cook's Distance ● 0.04 ● 0.08 ● 0.12 ● 0.16

Diagnostic plots Ani Shannon ~ Habitat


Residual vs Fitted Plot




Normal Q-Q



Cook's distance




Residual vs Leverage Plot




Cook's Distance ● 0.05 ● 0.10 ● 0.15

Diagnostic plots Ani Sp. Rich. ~ Current


Residual vs Fitted Plot




Normal Q-Q



Cook's distance




Residual vs Leverage Plot




Cook's Distance ● 0.04 ● 0.08 ● 0.12 ●

Diagnostic plots Ani Sp. Rich ~ Habitat


Residual vs Fitted Plot




Normal Q-Q



Cook's distance



Residual vs Leverage Plot



Cook's Distance ● 0.025 ● 0.050 ● 0.075 ●