



# Diagnostic plots Ani Abundance ~ Current




# Diagnostic plots Ani Abundance ~ Habitat


Residual vs Fitted Plot




Normal Q-Q



Cook's distance




Residual vs Leverage Plot




Cook's Distance    ● 0.2    ● 0.4    ● 0.6

# Diagnostic plots Ani Shannon ~ Current


Residual vs Fitted Plot




Normal Q-Q



Cook's distance




Residual vs Leverage Plot




Cook's Distance    ● 0.05    ● 0.10    ● 0.15

# Diagnostic plots Ani Shannon ~ Habitat


Residual vs Fitted Plot




Normal Q-Q



Cook's distance




Residual vs Leverage Plot




Cook's Distance ● 0.05 ● 0.10 ● 0.15 ●

# Diagnostic plots Ani Sp. Rich. ~ Current


Residual vs Fitted Plot




Normal Q-Q



Cook's distance




Residual vs Leverage Plot




Cook's Distance    ● 0.03    ● 0.06    ● 0.09

# Diagnostic plots Ani Sp. Rich ~ Habitat


Residual vs Fitted Plot




Normal Q-Q



Cook's distance



Residual vs Leverage Plot



Cook's Distance    ● 0.025    ● 0.050    ● 0.075    ●