

# Supplementary Materials

*Testing a rapid assessment approach for measuring ecosystem services in urban green alleys*

S3. Model diagnostic plots




Figure 1. Diagnostic plots for average maximum temperature, as a function of ruelle length, ruelle area, average groundcover, average midstorey cover, and average canopy cover.




Figure 2. Diagnostic plots for average maximum temperature, as a function of percent vegetation, percent building, percent canopy, and road area within a 50 m buffer.




Figure 3. Diagnostic plots for average minimum temperature, as a function of ruelle length, ruelle area, average groundcover, average midstorey cover, and average canopy cover.




Figure 4. Diagnostic plots for average minimum temperature, as a function of percent vegetation, percent building, percent canopy, and road area within a 50 m buffer.




Figure 5. Diagnostic plots for average normalized difference sound index (NDSI), as a function of ruelle length, ruelle area, average groundcover, average midstorey cover, and average canopy cover.




Figure 6. Diagnostic plots for average normalized difference sound index (NDSI), as a function of percent vegetation, percent building, percent canopy, and road area within a 50 m buffer.




Figure 7. Diagnostic plots for floral coverage (per m<sup>2</sup>), as a function of ruelle length, ruelle area, average groundcover, average midstorey cover, and average canopy cover.






Figure 8. Diagnostic plots for food coverage (per m<sup>2</sup>), as a function of ruelle length, ruelle area, average groundcover, average midstorey cover, and average canopy cover.