

Consistency Questionnaire Results

Q1. Missing physiological attributes

■ 58 inconsistencies found.

R
u
n
i
n
g
Q
1

Q2. Multiple HR per ActorState

■ 52 inconsistencies found.

R
u
n
i
n
g
Q
2

Q3. Multiple HRV per ActorState

■ 53 inconsistencies found.

R
u
n
i
n
g
Q
3

Q4. Multiple RR per ActorState

■ 52 inconsistencies found.

R
u
n
i
n
g
Q
4

Q5. Multiple SpO2 per ActorState

■ 54 inconsistencies found.

R
u
n
i
n

g
Q
5

Q6. Multiple Drowsiness per ActorState

■ 60 inconsistencies found.

R
u
n
n
i
n
g
Q
6

Q7. Missing high-level attributes

■ 581 inconsistencies found.

R
u
n
n
i
n
g
Q
7

Q8. Multiple Fatigue per ActorState

■ 57 inconsistencies found.

R
u
n
n
i
n
g
Q
8

Q9. Multiple Attention per ActorState

■ 59 inconsistencies found.

R
u
n
n
i
n
g
Q
9

Q10. Multiple Unresponsiveness per ActorState

■ 67 inconsistencies found.

R
u
n
n
i
n
g

Q
1

Q11. Multiple EyeState per ActorState

■ 59 inconsistencies found.

R
u
n
n
i
n
g
Q
1

Q12. Multiple MouthState per ActorState

■ 61 inconsistencies found.

R
u
n
n
i
n
g
Q
1

Q13. Multiple Age or Sex per ActorState

■ 61 inconsistencies found.

R
u
n
n
i
n
g
Q
1

Q14. Multiple Accessories/Demographic/FaceCharacteristics per ActorState

■ 94 inconsistencies found.

R
u
n
n
i
n
g
Q
1

Q15-A. HR instances classified into more than one HR-level class

■ 86 inconsistencies found.

R
u
n
n
i
n
g
Q

Q15-B. HRV instances classified into more than one HRV-level class

■ 88 inconsistencies found.

R
u
n
n
i
n
g
Q
1

Q15-C. RR instances classified into more than one RR-level class

■ 86 inconsistencies found.

R
u
n
n
i
n
g
Q
1

Q15-D. SpO2 instances classified into more than one SpO2-level class

■ 90 inconsistencies found.

R
u
n
n
i
n
g
Q
1

Q15-E. Drowsiness instances classified into more than one Drowsiness-level class

■ 102 inconsistencies found.

R
u
n
n
i
n
g
Q
1

Q16-A. HR without any HR-level classification

■ 508 inconsistencies found.

R
u
n
n
i
n
g

Q
1

Q16-B. HRV without any HR-level classification

■ 514 inconsistencies found.

R
u
n
n
i
n
g
Q
1

Q16-C. RR without any RR-level classification

■ 508 inconsistencies found.

R
u
n
n
i
n
g
Q
1

Q16-D. SpO2 without any SpO2-level classification

■ 522 inconsistencies found.

R
u
n
n
i
n
g
Q
1

Q16-E. Drowsiness without any Drowsiness-level classification

■ 564 inconsistencies found.

R
u
n
n
i
n
g
Q
1

Q17. HRV instances with >1 HRV level

■ 58 inconsistencies found.

R
u
n
n
i
n
g
Q

Q18. RR instances with >1 RR level

■ 56 inconsistencies found.

R
u
n
n
i
n
g
Q
1

Q19. SpO2 instances with >1 SpO2 level

■ 60 inconsistencies found.

R
u
n
n
i
n
g
Q
1

Q20. Drowsiness instances with >1 Drowsiness level

■ 72 inconsistencies found.

R
u
n
n
i
n
g
Q
2

Q21. Violation "Sleep=> Inattentive & Unresponsive"

■ 357 inconsistencies found.

R
u
n
n
i
n
g
Q
2

Q22. Violation "Drowsy & attentive=> at-risk unresponsiveness"

■ 84 inconsistencies found.

R
u
n
n
i
n
g
Q
2

Q23. Violation "Sleep or unresponsiveness => eyes closed & mouth open"

■ 528 inconsistencies found.

R
u
n
n
i
n
g
Q
2

Q24. Is any state missing its threshold profile?

■ 70 inconsistencies found.

R
u
n
n
i
n
g
Q
2

Q25. Are there any threshold profiles not used by an Actor State?

■ 501 inconsistencies found.

R
u
n
n
i
n
g
Q
2

Q26. Detect future categories accidentally left unmapped

■ 78 inconsistencies found.

R
u
n
n
i
n
g
Q
2

Q27. Show if new data falls outside modeled thresholds.

■ 77 inconsistencies found.

R
u
n
n
i
n
g
Q
2

Q28. Check if new states appear without corresponding GCI or SWRL effects.

■ 96 inconsistencies found.

R
u
n
n
i
n
g
Q
2

Q29. Future adaptability often breaks.

■ 479 inconsistencies found.

R
u
n
n
i
n
g
Q
2

Q30. Unexpected extensions

■ 411 inconsistencies found.

R
u
n
n
i
n
g
Q
3