



BRAND

Products

About

Contact us

< Brand Products

Product name

Brief description of the product, using its features and key benefits to provide useful information to the user.

Product description

Product details

Loctite Super Glue Professional has proven superior performance over ordinary super glues. It works faster and holds stronger on more surfaces than ordinary instant adhesives thanks to a patented additive. The liquid formula works well on a variety of porous and non-porous surfaces and close fitting repairs. Loctite Super Glue Professional's super strength formula is ideal for heavy-duty projects and repairs. It dries clear and sets without clamping. Loctite Super Glue Professional is resistant to moisture, most chemicals and freezing temperatures.

Key benefits

Bonds nearly all household materials – metal, plastic, ceramic, wood, rubber, leather and more

Patented side squeeze design maximizes control and guarantees you only dispense the amount needed

Ideal for vertical surfaces and bonds that are subject to daily use and harsh conditions

Specialized rubber toughened formula that stands up to shock, vibration and temperature extremes

Dries clear; no clamping required

How to use it?

CM 12 adheres to all clean, solid, lead-bearing, even, dry and moist substrates, which are free from substances which can

Image and text used to represent a benefit or how to use the product

Image and text used to represent a benefit or how to use the product

Image and text used to represent a benefit or how to use the product

Something special to say about this product?

You can provide special information in case one product has important features for the consumers, like the features or specific technologies applied in the creation. It can be only text, but you can provide 1, 2 or 3 points of interest with images and rich formatted text to show in detail what are you talking about.

Rubber Toughened Formula

Loctite Super Glue Ultra Gel is rubber toughened for a flexible, impact and water resistant bond. Gel super glues have a thick, no-drip consistency ideal for vertical application, porous surfaces and filling minor gaps between parts.

Multipurpose Use

Use on a variety of surfaces including metal, leather, cork, ceramic, wood, chipboard, fabric, paper, cardboard, rubber, and most hard plastics.

Patented Control Applicator

Easy-squeeze slides for precise dispensing and pin-point accuracy. Self-piercing, screw-on cap keeps the nozzle clog-free and the glue fresh. Expect repeated use when tightly sealed and stored upright in a dry location.

Technical information

Table item name	Table item value
Table item name	Table item value
Table item name	Table item value
Table item name	Table item value
Table item name	Table item value
Table item name	Table item value
Table item name	Table item value

Buy brand products here

Shop now at Amazon.com

Buy from Henkel e-Shop

Contact us directly

Buy from a partner

If you'd like to purchase our products from a distributor located near you, use our simple distributor locator.

Go to distributor locator

Related products

Product Name

The perfect product for industrial sealing

See details

Product Name

The perfect product for industrial sealing

See details

BRAND

Connect with us

in

f

Other Brands of Henkel Adhesives

Privacy Policy

Terms of use

Cookies



Henkel

© 2019 Henkel Corporation All Rights Reserved



# Product name

*Brief description of the product, using its features and key benefits to provide useful information to the user.*





# Product name

*Brief description of the product, using its features and key benefits to provide useful information to the user.*



# Product name

*Brief description of the product, using its features and key benefits to provide useful information to the user.*







Interactive product for desktop



Lets the user see a row of images and video



TEMPERATURES

if the user hovers the comment they can see an expansion of the image.



IMAGINEAROUNDUS

