

SQL SERVER 2016

CHAPTER 04: HOW TO RETRIEVE DATA FROM TWO OR MORE TABLES

INSTRUCTOR: MD. HABIBUL HAQ

domain.habib@gmail.com

Q1. Which one correctly defines a join?

- A. It merges two databases into a single one
- B. It merges two tables into one
- C. It combines columns from two or more tables into a single result set
- D. It combines result sets of two different queries into a single result set

Answer: C

[Ref. Page: 126]

Q2. _____ JOIN returns only those rows that satisfy the join condition.

Pick the correct one for the blank space?

- A. An INNER JOIN
- B. An OUTER JOIN
- C. A CROSS JOIN
- D. A FULL OUTER JOIN

Answer: A

[Ref. Page: 127]

Q3. In which case you must use the qualified name for a column in join query?

- A. For all columns
- B. For the column names that appear in two tables
- C. For the columns that participate in join condition
- D. All of the above

Answer: B

Q4. You the following Query

```
SELECT Products.*, SupplierID
```

```
FROM Products
```

```
INNER JOIN Suppliers
```

```
ON Products.SupplierID = Suppliers.SupplierID
```

Should the Query Work?

- A. Yes
- B. No

Answer: B [SupplierID is present in both Products and Suppliers table. You should use Products.SupplierID or Suppliers.SupplierID in column list]

Q5. _____are temporary table names assigned in the FROM clause in a SELECT statement.

- A. Virtual names

-
- B. Correlation names
 - C. Dummy names
 - D. Short names

Answer: B

[Also called table alias, Ref. Page: 129]

Q6. When you must use fully qualified names for database objects?

- A. If you want to access to objects reside in different schema
- B. If you have limited rights on objects
- C. If objects reside in different database
- D. All of the above

Answer: C

[Ref. Page: 130]

Q7. Which one is the correct form of fully-qualified name of database objects?

- A. database.object
- B. schema.object
- C. database.schema.object
- D. server.database.schema.object

Answer: D

[Ref. Page: 131]

Q8. _____is a virtual instance of remote server linked to the current existing server.

- A. A linked server
- B. A server instance
- C. A virtual server
- D. A paired server

Answer: A

Q9. SQL Server lets you join data from up _____tables.

- A. 32
- B. 64
- C. 128
- D. 256

Answer: D

[Ref. Page: 136]

Q10. _____ allow all rows from one or more tables to be included in the result set. Select the correct one for the blank.

- A. Inner joins
- B. Outer joins
- C. Cross joins
- D. Distributed queries

Answer: B

Q11. _____retrieves all rows that satisfies the join condition, plus unmatched rows from one or both tables.

- A. An inner join
- B. An outer join
- C. A cross join
- D. A self-join

Answer: B

Q12. A CROSS JOIN does not require an ON operator?

Is it true?

- A. Yes
- B. No

Answer: A

Q13. Which type of JOIN returns a Cartesian product of all the records on both sides of the JOIN?

- A. INNER JOIN
- B. OUTER JOIN
- C. CROSS JOIN
- D. SELF JOIN

Answer: C

Q14. Which one is an alternative of LEFT JOIN?

- A. *=
- B. =*
- C. *=*
- D. ==

Answer: A

Q15. Which one is an alternative of RIGHT OUTER JOIN?

- A. *=
- B. =*
- C. *=*
- D. ==

Answer: B

Q6. Which one is the old left outer join operators?

- A. *=
- B. =*
- C. !=
- D. #=

Answer: A

Q17. You have the following query

```
SELECT v.VendorName, a.Address  
FROM Vendors v  
CROSS JOIN Address a
```

Which one will return the same result set as the above?

- A. SELECT v.VendorName, a.Address FROM Vendors v, Address a
- B. SELECT v.VendorName, a.Address FROM Vendors v SELF JOIN Address a hi
- C. SELECT v.VendorName, a.Address FROM Vendors v JOIN Address a
- D. SELECT v.VendorName, a.Address FROM Vendors v FULL OUTER JOIN Address a

Answer: A

Q18. You want to combine the rows from result sets of two select statements into one result. What would you use?

- A. Inner Join
- B. Outer Join
- C. Cross Join
- D. Union

Answer: D

Q19. By default, a union does not remove duplicates.

- A. True
- B. False

Answer: B

Q20. If you want to include duplicates in a union, what should you do?

- A. Add ALL keyword after UNION
- B. Add ANY keyword after UNION
- C. Add * symbol after UNION
- D. You need not do anything, unions include duplicates by default

Answer: A

Q21. Which of the following is or are set operators?

- A. EXCEPT, INTERSECT
- B. FETCH, NEXT
- C. GROUP BY, HAVING
- D. =*, *=

Answer: A

[Ref. Page: 171]

Q22. _____operator excludes rows from first query those occur in the second query.

- A. EXCEPT
- B. INTERSECT
- C. UNION
- D. IN

Answer: A

Q23. _____ returns distinct rows that are output by both the left and right input queries operator.

- A. EXCEPT
- B. INTERSECT
- C. UNION
- D. IN

Answer: B