

SQL SERVER 2016

Chapter 09: How to use functions

INSTRUCTOR: MD. HABIBUL HAQ
domain.habib@gmail.com

Q1. Which function should you use to strip spaces at the beginning of a string?

- A. LEFT
- B. SUBSTRING
- C. SPACE
- D. LTRIM

Answer: D

Q2. Which function cannot be used for extracting a number of characters from a string?

- A. LEFT
- B. RIGHT
- C. SUBSTRING
- D. SPACE

Answer: D

Q3. Which function you use to get a number of characters from anywhere in a string?

- A. LEFT
- B. RIGHT
- C. SUBSTRING
- D. PATINDEX

Answer: C

Q4. Which function do you use to locate a string pattern within another string?

- A. CHARINDEX
- B. PATINDEX
- C. LIKE
- D. FIND

Answer: B

Q5. Which one is true for the CHARINDEX function?

- A. Returns an integer that represents the position of the first occurrence of the find string in the search string starting at the specified position
- B. Returns an integer that represents the position of the last occurrence of the find string in the search string starting at the specified position
- C. Returns the characters starting from the position of the first occurrence of the find string in the search string to the end of the search string
- D. Returns the characters starting from the position of the last occurrence of the find string in the search string to the end of the search string

Answer: A

Q6. The position of the first character of a string is _____.

- A. 0
- B. 1
- C. Null
- D. dependent on server setting

Answer: B

Q7. The find string is not found in the search string, the CHARINDEX function returns _____.

- A. 0
- B. 1
- C. -1
- D. Null

Answer: A

Q8. The start argument of the SUBSTRING function must be an integer_____.

- A. from 1 to the length of the source string
- B. from 1 to the length of the source string - 1
- C. from 0 to the length of the source string
- D. from 0 to the length of the source string - 1

Answer: A

Q9. Which function should you use to create a string with the specified number of space characters?

- A. REPEAT
- B. SPACE
- C. CONCAT
- D. SUBSTRING

Answer: B

Q10. Which one produces the result

559-555-1212

- A. REPLACE (' (559) 555-1212', ' ', '-')
- B. REPLACE (LEFT (' (559) 555-1212', 13), ' ', '-')
- C. REPLACE (RIGHT (' (559) 555-1212', 13), ' ', '-')
- D. REPLACE (SUBSTRING (' (559) 555-1212', 1, 13), ' ', '-')

Answer: C

Q11. How does the ROUND function behave if the length argument is a negative integer?

- A. the digits to the left of the decimal point are rounded
- B. the digits to the right of the decimal point are rounded
- C. the number is truncated rather than round
- D. the function returns error

Answer: A

Q12. The expression ROUND (12.4999, -1) returns _____.

- A. 12.0000
- B. 12.5000
- C. 12.0000
- D. 10.0000

Answer: D

Q13. The result of the expression ROUND (150.75, 0) is _____.

- A. 150.00
- B. 151.00
- C. 150.70
- D. 150.80

Answer: B

Q14. The result of the expression ROUND (150.75, 0, 1) is _____.

- A. 150.00
- B. 151.00
- C. 150.70

D. 150.80

Answer: A

Q15. CEILING (-1.25) returns _____

- A. -1
- B. -2
- C. -1.3
- D. -1.4

Answer: A

Q16. FLOOR (-1.25) returns _____

- A. -1
- B. -2
- C. -1.3
- D. -1.4

Answer: B

Q17. DATENAME (month, '2016-09-30') returns result _____.

- A. 9
- B. Sept
- C. September
- D. 30

Answer: C

Q18. EOMONTH ('2016-02-01') returns _____.

- A. 29
- B. 28
- C. 2016-02-29
- D. February

Answer: C

Q19. EOMONTH ('2016-02-01',2) returns _____.

- A. 2016-03-02
- B. 2016-02-29
- C. 2016-04-30
- D. April

Answer: C

Q20. ISDATE ('2016-02-29') returns _____.

- A. 0
- B. 1
- C. True
- D. False

Answer: B

Q21. ISDATE ('2018-02-29') returns _____.

- A. 0
- B. 1
- C. True
- D. False

Answer: A

Q22. Which one will return the result Sunday?

- A. DATEPART (weekday, '2016-09-30')
- B. DATEPART (week, '2016-09-30')
- C. DATENAME (week, '2016-09-30')
- D. DATENAME (weekday, '2016-09-30')

Answer: D

Q23. DATEADD (year, 1.5, '2016-01-01') returns _____.

- A. 2017-06-01
- B. 2018-01-01
- C. 2017-01-01
- D. Null

Answer: C

Q24. You want to retrieve all the orders placed on January 01, 2018 the Orders table. OrderDate is DATETIME column. Which one of the following will not retrieve the desired result set?

- A. SELECT * FROM Orders WHERE OrderDate = '2018-01-01'
- B. SELECT * FROM Orders WHERE OrderDate >= '2018-01-01' AND OrderDate < '2018-01-02'
- C. SELECT * FROM Orders WHERE OrderDate = DAY ('2018-01-01') AND OrderDate = MONTH ('2018-01-01') AND YEAR ('2018-01-01')
- D. SELECT * FROM Orders WHERE CONVERT (date, OrderDate) = '2018-01-01'

Answer: A

Q25. You have a table Customers with information of customers. You want your query to test whether fax column has value. If fax is not null it will return the fax number otherwise empty string.

Which expressions should you choose? [Choose three]

- A. IIF (fax IS NULL, "", fax) AS fax
- B. CASE WHEN fax IS NULL THEN "" ELSE fax END AS fax
- C. ISNULL (fax, "") AS fax
- D. WHEN fax IS NULL THEN "" ELSE fax END AS fax

Answer: A, B, C

Q26. You have all members' information in members table. Each member has a value at least in any one of the fields: workphone, homephone, email. You want to select member ID, member name and one value from workphone, homephone or email which one found first not null in order under a single column contact. Which expression should you use in your query?

- A. ISNULL (workphone, homephone, email) AS contact
- B. CHOOSE (workphone, homephone, email) AS contact
- C. COALESCE (workphone, homephone, email) AS contact
- D. IIF (workphone, homephone, email) AS contact

Answer: C

Q27. The ROW_NUMBER, RANK, DENSE_RANK, and NTILE are referred to as _____.

- A. summary functions
- B. grouping functions
- C. aggregate functions
- D. ranking functions

Answer: D

Q28. Which one is not a ranking function?

- A. GROUPING
- B. ROW_NUMBER
- C. DENSE_RANK
- D. NTILE

Answer: A