

Chapter 03: How to retrieve data from a single table

Q1. Which clause of a SELECT statement is required?

- A. SELECT
- B. FROM
- C. WHERE
- D. ORDER BY

Answer: A

[Ref. Page 86]

Q2. Which clause of a SELECT statement is used to filter rows?

- A. SELECT
- B. FROM
- C. WHERE
- E. ORDER BY

Answer: C

[Ref. Page 86]

Q3. Which clause of a SELECT statement is used to specify how the result of the query be sorted?

- A. SELECT
- B. FROM
- C. WHERE
- D. ORDER BY

Answer: D

Q4. Which one correctly defines the predicates in SELECT query?

- A. The column names of base table(s) that are to be included in the result
- B. The table names from which query will retrieve data
- C. Boolean expressions that are placed with WHERE clause and the expression must evaluate to true for a row to be included in the result set
- D. The column names which will affect the sort order of the query result

Answer: C

[Ref. Page 87, Description points]

Q5. Boolean expressions or predicates that are used in WHERE clause must result in a value of _____?

- A. True or False
- B. True, False or Unknown (NULL)
- C. 0 or 1
- D. 0,1or Unknown (NULL)

Answer: B

[Ref. Page 87, Description points]

Q6. How the result will be returned, if you do not include ORDER BY clause in a SELECT query?

- A. The result will be returned in the same order as they appear in the base table
- B. The result will be returned in primary key sequence
- C. The result will be returned in random order
- D. No results will be returned; you must include the ORDER BY clause

Answer: A

[The result will be returned in the same order as they appear in the base table, in most cases they are in primary key sequence

Ref. Page 87, Description points]

Q7. Which one is used to indicate all columns of the source table should be included in the result of a SELECT query?

- A. ?
- B. %
- C. _
- D. *

Answer: D

Q8. Why do you use column alias in a SELECT statement?

- A. To name an expression
- B. To change column heads
- C. To rename column of base table
- D. All of the above

Answer: B

Q9. Which one is NOT a valid alias for ContactFName column?

- A. ContactFName AS 'First Name'
- B. ContactFName 'First Name'
- C. 'First Name' = ContactFName
- D. ContactFName = 'First Name'

Answer: D

[Column Aliasing Rules:

1. Column AS alias
2. Column alias (AS is optional)
3. Alias = column

Rule 3 works only in SQL Server]

[Ref. Page: 91-92]

Q10. Any name that does not follow the SQL Server's rules for naming object must be enclosed in

- A. Brackets []
- B. Curly braces {}
- C. In parentheses ()
- D. In single quotes

Answer: A

[Ref. Page: 92]

Q11. Which one is the string concatenation operation in SQL Server?

- A. &
- B. .
- C. +

D. -

Answer: C

Q12. Which one is valid string literal?

- A. "SQL Server"
- B. 'SQL Server'
- C. [SQL Server]
- D. SQL Server

Answer: B

Q13. How can you include a single quote or apostrophe in a string literal?

- A. By placing two single quotes
- B. By placing a backslash before the quote character
- C. By placing a @ character before the string literal
- D. By enclosing the quote character within double quotes

Answer: A

[Just replace single quote (') with double single quotes (")]

'Granma's recipe' - is invalid

'Granma"s recipe' is valid]

[Ref. Page: 95]

Q14. Which one is the correct order of precedence of arithmetic operators in SQL Server?

- A. Multiplication, division and modulo operations are done first, followed by addition and subtraction
- B. Modulo operation is done first, followed by multiplication, division, addition and subtraction
- C. Multiplication, division, addition and subtraction operations are done first, followed by modulo operations
- D. Addition, subtraction and modulo operations are done first, followed by multiplication and division

Answer: A

[Ref. Page: 97]

Q15. The operations in an expression take place _____in the order of precedence.

- A. from left to right
- B. from right to left
- C. as decided by query optimizer
- D. as they appear

Answer: A

[Ref. Page: 97]

Q16. _____performs an operation and returns a value.

- A. A query
- B. A stored procedure
- C. A function
- D. A view

Answer: C

Q17. Which one returns current date and time?

- A. NOW()
- B. DATE()

- C. DATETIME()
- D. GETDATE()

Answer: D

Q18. Which keyword do you use in the SELECT clause to eliminate duplicates?

- A. UNIQUE
- B. ALL
- C. DISTINCT
- D. REMOVE DUPLICATE

Answer: C

Q19. The DISTINCT keyword removes duplicates from the result set and also _____?

- A. causes the result set to be grouped by the first column
- B. causes the result set to be sorted by the first column
- C. causes the result set to be grouped by the last column
- D. causes the result set to be sorted by the last column

Answer: B

Q20. Why is TOP clause in a SELECT statement used?

- A. To limit the number of rows that are retrieved by the SELECT statement
- B. To filter out the rows retrieved by the SELECT statement
- C. To group the rows retrieved by the SELECT statement
- D. To sort the rows retrieved by the SELECT statement

Answer: A

Q21. How can specify in TOP clause to include additional rows that have the same values as the last row?

- A. Include DISTINCT keyword WITH TOP clause
- B. Include ALL keyword with TOP clause
- C. Include ANY keyword with TOP clause
- D. Include WITH TIES with TOP clause

Answer: D

Q22. Which SELECT statement will not work?

- A. SELECT TOP 3 product name, price FROM products ORDER BY price DESC
- B. SELECT TOP 3% product name, price FROM products ORDER BY price DESC
- C. SELECT TOP 3 PERCENT product name, price FROM products ORDER BY price DESC
- D. SELECT TOP 3 WITH TIES product name, price FROM products ORDER BY price DESC

Answer: B

Q23. You use _____ to create compound conditions.

- A. Arithmetic operators
- B. Comparison operators
- C. Logical operators
- D. Functions

Answer: C

[AND, OR, NOT]

Q24. The order of evaluation of logical operators is _____

- A. AND, OR, NOT
- B. OR, AND, NOT
- C. NOT, AND, OR
- D. NOT, OR, AND

Answer: C

Q25. Which phrase do you use to test whether an expression is equal to any value in a list?

- A. =
- B. ==
- C. IS
- D. IN

Answer: D

[Example

SELECT * FROM Customers WHERE Country IN ('USA', 'UK', 'Germany')]

Q26. See the SELECT statement

SELECT * FROM Orders WHERE OrderDate BETWEEN '2017-01-01' AND '2017-12-31'

Where one of the following is equivalent to the above query?

- A. SELECT * FROM Orders WHERE OrderDate > '2017-01-01' AND OrderDate < '2017-12-31'
- B. SELECT * FROM Orders WHERE OrderDate > '2017-01-01' OR OrderDate < '2017-12-31'
- C. SELECT * FROM Orders WHERE OrderDate >= '2017-01-01' AND OrderDate <= '2017-12-31'
- D. SELECT * FROM Orders WHERE OrderDate >= '2017-01-01' OR OrderDate <= '2017-12-31'

Answer: C

Q27. Which operator do you use to retrieve rows that match a string pattern or mask?

- A. =
- B. ==
- C. IS
- D. LIKE

Answer: D

Q28. Which wildcard character indicates any string of zero or more characters?

- A. -
- B. %
- C. _
- D. ?

Answer: B

[Ref. Page: 110]

Q29. Which wildcard character indicates any single character?

- A. -
- B. %
- C. _
- D. ?

Answer: C

[Ref. Page: 110]

Q30. LIKE '%ER' will match _____.

- A. "Computer" and "James Peter"
- B. "Computer" and "Peter, James"

- C. "Using Computer" and "Computer World"
- D. "Computer1" and "Computer2"

Answer: A

Q31. LIKE 'N[A-J]' will not match _____.

- A. NA
- B. NC
- C. NJ
- D. NY

Answer: D

Q32. LIKE 'N[^A-J]' will match _____.

- A. NA
- B. NC
- C. NJ
- D. NY

Answer: D

Q33. To test a null value, you use_____.

- A. = or <> operators
- B. == or != operators
- C. IS NULL or IS NOT operators
- D. ISNULL function

Answer: C

Q34. Which keywords are most useful when a client application needs to retrieve rows one page at a time?

- A. TOP and WITH TIES
- B. ASC and DESC
- C. GROUP BY and HAVING
- D. FETCH and OFFSET

Answer: D

[Ref. Page: 121]

Q35. Which query returns the highest three marks achiever?

- A. SELECT TOP 3 StudentID, Marks FROM Results
- B. SELECT TOP 3 StudentID, Marks FROM Results ORDER BY Marks DESC OFFSET 0 ROWS
- C. SELECT StudentID, Marks FROM Results ORDER BY Marks OFFSET 0 ROW FETCH NEXT 3 ROWS ONLY
- D. SELECT StudentID, Marks FROM Results ORDER BY Marks DESC OFFSET 0 ROWS FETCH NEXT 3 ROWS ONLY

Answer: D

[A. Does not return desired results

B. Cannot use TOP with OFFSET

C. Returns lowest marks achiever]