

QASP.NET Core in Action

Chapter 02: Your first application

19 February 2024

Q1. What is the Visual Studio project template?

- A. A template provides the basic code required to build an application
- B. A template is an application design pattern.
- C. A template fully developed basic application
- D. A template provides deployment feature to an application

Answer: A

[Page 26]

Q2. What is the role of the endpoint middleware in an ASP.NET Core web application?

- A. process the request and generate response
- B. generate an HTML response
- C. send HTML response to the browser
- D. forward the user request to the ASP.NET Core web server

Answer: B

[Page 27]

Q3. When a request is sent from the browser to an ASP.NET Core web application, which one forwards the request to the ASP.NET Core web server (kestrel)?

- A. Reverse proxy (IIS/Nginx/Apache)
- B. Middleware
- C. Endpoint middleware
- D. HttpContext object

Answer: A

[Page 27]

Q4. Which one generates the HttpContext object from an incoming request?

- A. Reverse proxy (IIS/Nginx/Apache)
- B. Middleware
- C. Endpoint middleware
- D. ASP.NET Core web server (kestrel)

Answer: D

[Page 28]

Q5. What is an HttpContext object?

- A. a sort of storage box for incoming data that comes as a part of request url
- B. a sort of storage box for data that comes in request body
- C. a sort of storage box for a single request
- D. a sort of storage box for response that used is used by the application to send HTML to the browser

Answer: C

[Page 28]

Q6. What does the HttpContext object store?

- A. Anything that's specific to this particular request and the subsequent response associated with it
- B. Anything that is specific to a particular user session
- C. Any data that is specific to the entire application
- D. All of the above

Answer: A

[Page 28]

Q7. Which dotnet CLI command is used to create a new application?

- A. dotnet new
- B. dotnet create
- C. dotnet add
- D. dotnet --new

Answer: A

[Page 32]

Q8. Which CLI command creates a Razor Pages project in a subfolder, TestApp?

- A. dotnet new webapp -o TestApp
- B. dotnet new webapp -d TestApp
- C. dotnet new webapp -n TestApp
- D. dotnet new webapp -output TestApp

Answer: A

[Page 32]

dotnet new webapp --output TestApp

Or

dotnet new webapp -o TestApp]

Q9. Which CLI command creates an ASP.NET mvc web application project in a subfolder, TestApp?

- A. dotnet new web -o TestApp
- B. dotnet new webapp -o TestApp
- C. dotnet new mvc -o TestApp
- D. dotnet new app -o TestApp

Answer: C

[Page 32]

ASP.NET Core empty: dotnet new web -o TestApp

ASP.NET Core mvc: dotnet new mvc -o TestApp

ASP.NET Core Razor pages: dotnet new webapp -o TestApp]

Q10. Which CLI command ensures your application's NuGet dependencies are copied to your project folder?

- A. dotnet install
- B. dotnet add
- C. dotnet restore
- D. dotnet package add

Answer: C

[Page 33]

Q11. Which CLI command is used to see available commands?

- A. dotnet --help
- B. dotnet --list
- C. dotnet --info
- D. dotnet --diagnostics

Answer: A

[Page 33]

dotnet --help

Or

dotnet -h]

Q12. Which CLI command is used to see the options available for a particular command, new for example?

- A. dotnet new --info
- B. dotnet new --diagnostics
- C. dotnet new --list
- D. dotnet new --help

Answer: D

[Page 33]

Q13. Which files control the startup and configuration of your ASP.NET Web application at runtime?

- A. appsettings.json
- B. Program.cs and Startup.cs

-
- C. launchSettings.json
 - D. Startup.cs only

Answer: B

[Page 36]

Q14. Which file contains all the details required to build your project, including the NuGet packages used by your project?

- A. .sln file
- B. .csproj file
- C. appsettings.json
- D. launchSettings.json

Answer: B

[Page 36]

Q15. Which folder in your application that browsers are allowed to directly access when browsing your web app?

- A. App_Data
- B. App_Start
- C. wwwroot
- D. Properties

Answer: C

[Page 37]

Q16. Which file controls how Visual Studio will run and debug the application?

- A. .sln file
- B. .csproj file
- C. appsettings.json
- D. launchSettings.json

Answer: D

[Page 36]

Q17. Which dotnet CLI command is used to add a nuget package to your ASP.NET Core web application?

- A. install-package package-name
- B. dotnet install package-name
- C. dotnet install-package package-name
- D. dotnet add package package-name

Answer: D

[Page 38]

Q18. What is a NuGet package?

- A. JavaScript, css and other related resources required for certain functionality in browsers packaged into a NuGet package and published to <https://nuget.org>.
- B. A .NET library packaged into a NuGet package and published to <https://nuget.org>.
- C. Some static resources packaged into a NuGet package and published to <https://nuget.org>.
- D. A container for dependencies of a project

Answer: B

[Page 38]

Q19. The _____ is the core of your ASP.NET Core application, containing the application configuration and the Kestrel server that listens for requests and sends responses.

- A. IHost
- B. IHostBuilder
- C. IWebHostBuilder
- D. IWebHostEnvironment

Answer: A

[Page 41]

Q20. Which file in ASP.NET Core web application is used to configure infrastructure that rarely changes over the lifetime of a project?

- A. appsettings.json
- B. Program.cs

-
- C. launchSettings.json
 - D. Startup.cs

Answer: B

[Page 41]

Q21. Which file in ASP.NET Core web application is used to configure the majority of your application's custom behavior?

- A. appsettings.json
- B. Program.cs
- C. launchSettings.json
- D. Startup.cs

Answer: D

[Page 41]

Q21. Which file in ASP.NET Core web application is used to register dependencies with a container?

- A. appsettings.json
- B. Program.cs
- C. launchSettings.json
- D. Startup.cs

Answer: D

[Page 41]

Q21. Which file in ASP.NET Core web application is used to define middleware pipeline?

- A. appsettings.json
- B. Program.cs
- C. launchSettings.json
- D. Startup.cs

Answer: D

[Page 41]

Q22. In the Startup.cs file, to correctly create classes at runtime, dependencies are registered with a container in the _____ method.

- A. Configure
- B. ConfigureServices
- C. Main
- D. CreateHostBuilder

Answer: B

[Page 43]

Q23. In the Startup.cs file, The middleware pipeline is defined in the _____ method.

- A. Configure
- B. ConfigureServices
- C. Main
- D. CreateHostBuilder

Answer: A

[Page 43]

Q24. Which object contains details about the current environment?

- A. IHost
- B. IHostBuilder
- C. IWebHostBuilder
- D. IWebHostEnvironment

Answer: D

[Page 47]

Q25. Which property of the IWebHostEnvironment object returns the location of the wwwroot folder that contains static files?

- A. ContentRootPath
- B. WebRootPath
- C. RootPath
- D. Path

Answer: B

[Page 47]

Q25. Which property of the `IWebHostEnvironment` object returns the location of the working directory for the app, typically the folder in which the application is running?

- A. `ContentRootPath`
- B. `WebRootPath`
- C. `RootPath`
- D. `Path`

Answer: A

[Page 47]

Q26. Which middleware is responsible for handling requests for static files such as CSS files?

- A. Static-file middleware
- B. Endpoint routing middleware
- C. Endpoint middleware
- D. All of the above

Answer: A