

ASP.NET Core in Action

Chapter 03: Handling requests with the middleware pipeline

19 February 2024

Q1. What is middleware in ASP.NET Core?

- A. Middleware are components that capture user request and data and forward them to ASP.NET core web server
- B. Middleware are C# classes or functions that handle an HTTP request or response
- C. Middleware are C# classes or functions that handle business logic
- D. Middleware are C# classes or functions that handle an HTTP request or response

Answer: A

[Page 58]

Q2. In ASP.NET Core, _____ are C# classes or functions that can handle an HTTP request or response.

- A. middleware
- B. HttpContext objects
- C. razor pages
- D. Services

Answer: A

[Page 60]

Q3. Which one of the following middleware cannot perform?

- A. Handle an incoming HTTP request by generating an HTTP response
- B. Process an incoming HTTP request, modify it, and pass it on to another piece of middleware
- C. Process an outgoing HTTP response, modify it, and pass it on to either another piece of middleware or the ASP.NET Core web server
- D. Process an incoming HTTP request, apply business logic, and render HTML response

Answer: D

[Page 60]

Q4. Which one of the following tasks cannot be done in middleware?

- A. Handle the request and generate a response
- B. Logging each request
- C. Adding standard security headers to the response
- D. Associating a request with the relevant user

Answer: A

[Page 60]

Logging each request

Adding standard security headers to the response

Associating a request with the relevant user

Setting the language for the current request

and more..

But not generate response]

Q5. Which middleware can generate a response directly?

- A. logging middleware
- B. static file middleware
- C. authorization middleware
- D. authentication middleware

Answer: C

[Page 61]

Q6. Which middleware can return the response to the previous middleware before the endpoint middleware has even seen the request?

- A. logging middleware
- B. static file middleware
- C. authorization middleware
- D. authentication middleware

Answer: C

[Page 61]

Q7. By convention, extension methods to add middleware to the pipeline start with _____?

- A. Use
- B. Add
- C. Get
- D. Configure

Answer: A

[Page 68]

Q8. Which middleware serves static files from the wwwroot folder when requested?

- A. RazorPagesMiddleware
- B. WelcomePageMiddleware
- C. StaticFileMiddleware
- D. EndpointMiddleware

Answer: C

[Page 68]

Q9. Which group of status code indicates that the request was successfully handled and processed?

- A. 2xx
- B. 3xx
- C. 4xx
- D. 5xx

Answer: A

[Page 71]

Q10. Which group of status code indicates redirection, the browser must follow the provided link?

- A. 2xx
- B. 3xx
- C. 4xx
- D. 5xx

Answer: B

[Page 71]

Q11. Which group of status codes indicates that the request sent invalid data or the user isn't authorized to perform the request?

- A. 2xx
- B. 3xx
- C. 4xx
- D. 5xx

Answer: 4

[Page 71]

Q12. Which middleware is required to choose a Razor Page to execute?

- A. exception handler middleware
- B. routing middleware
- C. static-file middleware
- D. endpoint middleware

Answer: B

[Page 72]

Q13. Which middleware is required to serve the CSS and image files from the wwwroot folder?

-
- A. exception handler middleware
 - B. routing middleware
 - C. static-file middleware
 - D. endpoint middleware

Answer: C

[Page 72]

Q14. Which middleware is required to handle any errors that might occur?

- A. exception handler middleware
- B. routing middleware
- C. static-file middleware
- D. endpoint middleware

Answer: A

[Page 72]

Q15. Where should you place error handling middleware in the middleware pipeline to ensure it will catch any errors generated in subsequent middleware?

- A. At the first
- B. At the last
- C. Just before the endpoint middleware
- D. Just after the endpoint middleware

Answer: A

Q16. Which middleware should you use to get additional error details for debugging in a development environment?

- A. `ExceptionHandlerMiddleware`
- B. `DeveloperExceptionPageMiddleware`
- C. `StatusCodePagesMiddleware`
- D. `EndpointMiddleware`

Answer: B

[Page 78]

Q17. Which middleware should you use to show friendly error pages in a production environment?

- A. `ExceptionHandlerMiddleware`
- B. `DeveloperExceptionPageMiddleware`
- C. `StatusCodePagesMiddleware`
- D. `EndpointMiddleware`

Answer: A

[Page 80]

Q18. Which middleware lets you provide user-friendly custom error handling messages when the pipeline returns a raw error response status code?

- A. `ExceptionHandlerMiddleware`
- B. `DeveloperExceptionPageMiddleware`
- C. `StatusCodePagesMiddleware`
- D. `EndpointMiddleware`

Answer: C

[Page 90]

Q19. Which middleware lets you provide user-friendly custom error handling messages when an exception occurs in the pipeline?

- A. `ExceptionHandlerMiddleware`
- B. `DeveloperExceptionPageMiddleware`
- C. `StatusCodePagesMiddleware`
- D. `EndpointMiddleware`

Answer: A

[Page 90]

Q20. If a request isn't handled, the middleware pipeline will return _____.

- A. 404 status code
- B. 500 status code

-
- C. plain text response body, indicating the type and name of the response
 - D. a generic error page

Answer: A

[Page 90]