

ASP.NET Core in Action

Chapter 04: Creating a website with Razor Pages

19 February 2024

Q1. Which type of application is designed for consumption by another machine or in code?

- A. ASP.NET Core Razor pages
- B. ASP.NET Core MVC
- C. ASP.NET Core Web API
- D. Windows Form Core

Answer: C

[Page 92]

Q2. Which type of project is used to build server-side rendered "page-based" websites?

- A. ASP.NET Core Razor pages
- B. ASP.NET Core MVC
- C. ASP.NET Core Web API
- D. Windows Form Core

Answer: A

[Page 93]

Consider the code in a razor page

```
public class CategoryModel : PageModel
{
    private readonly CategoryService _service;
    public CategoryModel(CategoryService service)
    {
        _service = service;
    }
    public ActionResult OnGet(string category)
    {
        Items = _service.GetItemsForCategory(category);

        return Page();
    }
    public List<ToDoListModel> Items { get; set; }
}
```

Q3 to Q6 are based on the code above.

Q3. Which one is the page handler?

- A. OnGet (string category)
- B. CategoryModel(CategoryService service)
- C. List<ToDoListModel> Items { get; set; }
- D. return Page()

Answer: A

[Page 93, 94]

Q4. Which one takes the argument as dependency injection?

- A. OnGet (string category)
- B. CategoryModel(CategoryService service)
- C. List<ToDoListModel> Items { get; set; }

D. return Page()

Answer: B

[Page 94]

Q5. Which code returns rendered HTML by the view as PageResult?

- A. OnGet (string category)
- B. CategoryModel(CategoryService service)
- C. List<ToDoListModel> Items { get; set; }
- D. return Page()

Answer: C

[Page 94]

Q6. Which parameter is automatically populated by the Razor Page infrastructure using values from the incoming request in a process called model binding?

- A. string category
- B. CategoryService service
- C. Items
- D. None of the above

Answer: A

[Page 94]

Q7. What is the role of the page handler in a razor page?

- A. extract data from the model
- B. coordinate the generation of a response to the request it's handling
- C. build a binding model from the details provided in the request.
- D. Receive a request and pass through the middleware pipeline.

Answer: B

[Page 100]

Similar to action method in MVC]

Q8. Which of the following actions the page handler cannot perform?

- A. Build a binding model from the details provided in the request.
- B. Validate that the data contained in the binding model provided is valid for the request
- C. Invoke the appropriate actions on the application model using services
- D. Select an appropriate response to generate based on the response from the application model

Answer: A

[Page 100]

A-It happens in middleware]

Q9. What is a view model in the MVC pattern?

- A. Coordination in the generation of a response to the request it's handling
- B. All the data required by the view to render a UI.
- C. Model built from the details provided in the request
- D. All of the above

Answer: B

[Page 101]

Q10. Which one typically acts as the view model in Razor Pages?

- A. Razor Page PageModel
- B. EntityFrameworkCore Entity
- C. EntityFrameworkCore DbSet
- D. Model built from the details provided in the request

Answer: A

[Page 101]

In MVC, you have to pass it to View/PartialView method]

Q11. The view is responsible only for _____.

- A. taking some data and generating HTML
- B. executing the required business logic
- C. validating the incoming request and selecting which response is required, based on the output of the application model.

D. executing security checks and associate a user to the request

Answer: A

[Page 102]

Q12. The application model is responsible only for _____.

- A. taking some data and generating HTML
- B. executing the required business logic
- C. validating the incoming request and selecting which response is required, based on the output of the application model.
- D. executing security checks and associate a user to the request

Answer: B

[Page 102]

Q13. The page handler is responsible only for _____.

- A. taking some data and generating HTML
- B. executing the required business logic
- C. validating the incoming request and selecting which response is required, based on the output of the application model.
- D. executing security checks and associate a user to the request

Answer: C

[Page 102]

Q14. Which one in the MVC application replaces the Razor page handler?

- A. controller
- B. action method
- C. view
- D. model objects

Answer: B

Q15. _____ in an ASP.NET MVC application is a method that runs in response to a request.

- A. An action
- B. A controller
- C. A view
- D. A model binder

Answer: A

[Page 108]

Q16. Which one is best for page-based applications, where you're rendering a view for the user?

- A. Razor Page
- B. MVC controller
- C. Web API
- D. MVC controller and Web API

Answer: A

[Page 112]

Q17. Which type of application should you choose if you're converting an existing MVC application to ASP.NET Core?

- A. Razor Pages
- B. MVC
- C. Web API
- D. MVC controller and Web API

Answer: B

[Page 112]

Q18. Which type of application should you choose when you have a lot of partial page updates?

- A. Razor Pages
- B. MVC
- C. Web API
- D. MVC controller and Web API

Answer: B

[Page 113]

Q19. Which one of the following is not a valid return type of a page handler?

- A. A PageResult object
- B. A RedirectToPageResult
- C. Nothing
- D. A ViewResult object

Answer: D

[Page 114]

MVC action can return ViewResult, Razor page equivalent is PageResult]

Q20. The process of extracting values from a request and converting them to .NET types is called _____.

- A. page handler
- B. view model
- C. model binding
- D. page model

Answer: C

[Page 115]

Q21. How can you make a property model in a razor page model?

- A. Using Bind attribute
- B. Using BindProperty attribute
- C. Using FromQuery attribute
- D. Passing property value as method parameter

Answer: B

[Page 115]

Q22. What should you do to bind properties for GET requests?

- A. Add [BindProperty] attribute to the property
- B. Add [BindProperty] attribute to OnGet method
- C. Add [BindProperty(SupportsGet=true)] attribute to the property
- D. Add [BindProperty(SupportsGet=true)] attribute to OnGet method

Answer: C

[Page 116]

Q23. RedirectResult sends _____ as response.

- A. 302 HTTP redirect
- B. 302 HTTP redirect response and a specified URL
- C. 404 HTTP status code
- D. a provided string

Answer: B

[Pag1 117]

Q24. RedirectToPageResult sends _____ as response.

- A. 302 HTTP redirect
- B. 302 HTTP redirect response and a specified URL
- C. 404 HTTP status code
- D. a provided string

Answer: A

[Pag1 117]

Q25. ContentResult sends _____ as response.

- A. 302 HTTP redirect
- B. 302 HTTP redirect response and a specified URL
- C. 404 HTTP status code
- D. a provided string

Answer: D

[Pag1 117]
