

ASP.NET Core in Action

Chapter 14: Authentication: Adding users to your application with Identity

19 February 2024

Q1. The process of creating users and letting them log in to your app is known as _____?

- A. Authentication
- B. Authorization
- C. Filtering
- D. Protection

Answer: A

[Page 437]

Q2. The process of controlling what users can do, based on the current logged-in user, is known as _____?

- A. Authentication
- B. Authorization
- C. Filtering
- D. Protection

Answer: B

[Page 437]

Q3. What is principal in ASP.NET Core Identity?

- A. the user of your app
- B. rights of an user
- C. user group of your app
- D. roles assigned to an user

Answer: A

[Page 438]

Q4. What is the claim in ASP.NET Core Identity?

- A. rights of an user
- B. a single piece of information about a principal
- C. user group of your app
- D. roles assigned to an user

Answer: B

[Page 439]

Q5. A claim consists of _____.

- A. a claim type
- B. a value
- C. a claim type and an optional value
- D. an key and a value

Answer: C

[Page 439]

Q6. Which one is responsible for loading a user entity with the provided username from the database and validating that the password they provided is correct?

- A. IdentityUser
- B. IdentityStore
- C. SignInManager

D. UserManager

Answer: C

[Page 440]

Q7. Which approach is used when APIs and distributed applications need to be authenticated?

- A. Use external authentication facebook or google
- B. Use identity provider
- C. Use forms authentication
- D. Use windows authentication

Answer: B

[Page 441]

Q8. Which one uses a bearer token for authentication?

- A. Parzor Application
- B. MVC Application
- C. Web API
- D. None of the above

Answer: C

[Page 443]

Q9. Which one of the following is not managed by ASP.NET Core identity?

- A. Database schema for storing users and claims.
- B. Creating a user in the database.
- C. Managing and generating 2FA codes
- D. Password validation and rules

Answer: C

[Page 448]

Identity does manage

UI for logging in, creating, and managing users (Razor Pages or controllers). This is included in an optional package, which provides a default UI.

Sending email messages.

Customizing claims for users (adding new claims)

Configuring third-party identity providers]

Q10. Which code correctly adds AuthenticationMiddleware to the middleware pipeline?

- A. `app.UseAuthentication();`
`app.UseAuthorization();`
`app.UseRouting();`
`app.UseEndpoints(endpoints =>{ /*..*/});`
- B. `app.UseRouting();`
`app.UseAuthentication();`
`app.UseAuthorization();`
`app.UseEndpoints(endpoints =>{ /*..*/});`
- C. `app.UseRouting();`
`app.UseAuthentication();`
`app.UseEndpoints(endpoints =>{ /*..*/});`
- D. `app.UseRouting();`
`app.UseAuthorization();`
`app.UseEndpoints(endpoints =>{ /*..*/});`

Answer: B

[Page 453]

`UseAuthentication()` and `UseAuthorization()` must be placed between `UseRouting()` and `UseEndpoints()`.

Additionally, `UseAuthorization()` must be placed after `UseAuthentication()`]

Q11. Which one is the base DbContext for ASP.NET Core Identity data model?

- A. DefaultStore
- B. ApplicationDbContext
- C. IdentityDbContext
- D. DefaultDbContext

Answer: C

[Page 454]

Q12. Which method of the IServiceCollection is used to add ASP.NET Core Identity services to your application?

- A. AddIdentity()
- B. AddDefaultIdentity()
- C. AddEntityFrameworkStores<TContext>()
- D. AddAuthentication()

Answer: B

[Page 459]