

ASP.NET Core in Action

Chapter 15: Authorization: Securing your application

19 February 2024

Q1. The process of determining who made a request _____?

- A. Authentication
- B. Authorization
- C. Filtering
- D. Protection

Answer: A

[Page 471]

Q2. The process of determining whether the requested action is allowed is _____?

- A. Authentication
- B. Authorization
- C. Filtering
- D. Protection

Answer: A

[Page 471]

Q3. ASP.NET Core 5.0 to apply authorization via the _____.

- A. AuthorizationMiddleware
- B. AuthorizationMiddleware
- C. EndpointMiddleware
- D. AuthorizationService

Answer: B

[Page 474]

Q4. In ASP.NET Core, _____ refers to the handler selected by the routing middleware.

- A. an endpoint
- B. a page
- C. a request
- D. a claim

Answer: A

[Page 475]

Q5. Which middleware deserializes the encrypted cookie or bearer token for APIs associated with the request to create a ClaimsPrincipal?

- A. StatiFileMiddleware
- B. AuthorizationMiddleware
- C. AuthorizationMiddleware
- D. EndpointMiddleware

Answer: C

[Page 475]

Q6. What should you do for anonymous users from accessing a page or controller action?

- A. use Allow anonymous(false) attribute
- B. use the [Authorize] attribute
- C. use the [Route] attribute
- D. use Global Authorization filter

Answer: B

[Page 476]

Q7. At which scope you cannot apply the [Authorize] attribute?

- A. action scope
- B. controller scope
- C. Razor Page scope
- D. View template scope

Answer: D

[Page 476]

You can apply the [Authorize] attribute at the action scope, controller scope, Razor Page scope, or globally

Q8. What response do the AuthorizationMiddleware generate if the user is not authenticated?

- A. challenge response
- B. forbid response
- C. unauthorized error response
- D. error response

Answer: A

[Page 479]

Q9. What response do the AuthorizationMiddleware generate if the user is authenticated but fails the authorization requirements?

- A. challenge response
- B. forbid response
- C. unauthorized error response
- D. error response

Answer: B

[Page 479]

Q10. What does a challenge response indicate?

- A. the is authenticated
- B. the user isn't yet authenticated
- C. the user that already logged in, but they're still not allowed to execute the action
- D. the user requested a resource that does not exist

Answer: B

[Page 479]

Q11. What does a forbid response indicate?

- A. the is authenticated
- B. the user isn't yet authenticated
- C. the user that already logged in, but they're still not allowed to execute the action
- D. the user requested a resource that does not exist

Answer: C

[Page 479]

Q12. Which page a user is redirected to when the AuthorizationMiddleware generates a challenge response?

- A. register page for the app
- B. login page for the app
- C. a forbidden or access denied page
- D. bad request page

Answer: B

[Page 479]

Q13. Which page a user is redirected to when the AuthorizationMiddleware generates a forbid response?

- A. register page for the app
- B. login page for the app
- C. a forbidden or access denied page
- D. bad request page

Answer: C

[Page 479]

Q14. What is a policy?

- A. A policy controls if the needs to be authenticated or not to access a resource
- B. A policy controls user rights

-
- C. A policy defines the requirements you must meet for a request to be authorized
 - D. None of the above

Answer: C

[Page 481]

Q15. Which one correctly applies the "isAdmin" policy requirement during authorization?

- A. [Authorize(Policies="isAdmin")]
- B. [Authorize("policy":"isAdmin")]
- C. [Authorize(Requires="isAdmin")]
- D. [Authorize("isAdmin")]

Answer: D

[Page: 485]