

Programming Microsoft ASP.NET MVC

Chapter 11: Effective JavaScript

21 May 2019

Q1. What is the default value that the javascript run-time environment assigns to any variables being declared.?

- A. null
- B. undefined
- C. Empty string
- D. 0

Answer: B

[Page: 368]

Q2. Which one is not valid JavaScript statement?

- A. var data;
- B. var data = null;
- C. var data = undefined;
- D. var data = ";

Answer: C

[Page: 368]

Undefined can be used in assignment]

Q3. null == undefined returns _____?

- A. true
- B. false

Answer: A

[Page: 369]

Q4. null === undefined returns _____?

- C. true
- D. false

Answer: B

[Page: 369]

Q5. Which jQuery function is used to loop through the elements in the wrapped set?

- A. foreach
- B. for
- C. each
- D. \$

Answer: C

[Page: 378]

Q6. What are selectors in jQuery?

- A. A function to create an element attach it to the existing DOM tree
- B. An expression that selects one or more DOM elements when evaluated
- C. An expression to apply css formatting to elements
- D. A function traverse the DOM tree

Answer: B
[Page: 379]

Q7. Which jQuery expression is functionally equivalent to \$("div a")?

- A. \$("div").find("a");
- B. \$("div > a");
- C. \$("div").children("a");
- D. \$("div").has("a");

Answer: A
[Page: 380]

Q8. Which jQuery attribute filter returns all elements whose specified attribute has content that starts with the given value

- A. [attribute != value]
- B. [attribute ^= value]
- C. [attribute \$= value]
- D. [attribute *= value]

Answer: B
[Page: 383]

Q9. Which jQuery function is used to live event binding?

- A. bind
- B. on
- C. addEventListener
- D. attachEvent

Answer: B
[Page: 385]

Q10. Which function is used to simulate user action such as clicking on a button?

- A. live
- B. on
- C. trigger
- D. activate

Answer: C
[Page: 385]