Received: May 06, 2023 | Accepted: May 29,2023 | Published: June 05, 2023

Crossref PEERCITE PUBLISHERS Open Access

ORIGINAL RESEARCH

Peercite
Journal of of Cardiobiology

METABOLISM AT THE HEART OF CARDIOBIOLOGY: UNRAVELING THE INTERPLAY FOR CARDIOVASCULAR HEALTH

Deepak Varma

Department of Cardiology, Research center, India

*Corresponding Author :Deepak Varma

Email: deepakvarmasai@gmail.com

Citation: Varma D (2023) Metabolism at the heart of cardiobiology: unraveling the interplay for cardiovascular health. Peercite J Cardiobiol. 1(4):1518-1523.

Copyright: © 2023 by the authors. Licensee MDPI, Basel, Switzerland. This article is an open access article distributed under the terms and conditions of the Creative Commons Attribution (CC BY) license (https://peercite.org).

Abstract :

Metabolism lies at the core of cardio biology, orchestrating the energetic demands and functional integrity of the heart. This abstract provides an overview of the intricate relationship between metabolism and cardio biology, highlighting its significance in cardiovascular health and disease. The heart, a highly metabolic organ, relies on efficient energy production to sustain its continuous contractile function. Metabolic pathways such as glycolysis, fatty acid oxidation, and mitochondrial respiration fuel adenosine triphosphate (ATP) synthesis, providing the energy required for myocardial contraction and relaxation. Emerging evidence suggests that dysregulation of cardiac metabolism contributes to the pathogenesis of various cardiovascular diseases, including heart failure, ischemic heart disease, and diabetic cardiomyopathy. Alterations in substrate utilization, mitochondrial dysfunction, and metabolic remodeling compromise cardiac function and exacerbate disease progression.

Keywords : Cardio biology, Glycolysis, Adenosine triphosphate

Introduction :

Metabolic signaling pathways play a pivotal role in coordinating cardiac metabolism in response to physiological cues and pathological stimuli. Hormones, such as insulin, glucagon, and adipokines, regulate substrate uptake, utilization, and storage, modulating myocardial energy Advancements in metabolomics, imaging techniques, and molecular biology have provided insights into the metabolic signatures associated with cardiovascular diseases. Metabolic profiling of cardiac tissues and circulating metabolites enables the identification of biomarkers and therapeutic targets for early diagnosis and intervention metabolism and cardiac function. Furthermore, metabolic therapies targeting key metabolic pathways hold promise for mitigating cardiac dysfunction and improving outcomes in patients with cardiovascular diseases. Strategies such as metabolic modulation, dietary interventions, and pharmacological agents aim to restore metabolic homeostasis and enhance myocardial energetics.

Materials and methods:

Metabolism serves as the cornerstone of cardio biology, intricately linking the energetic demands of the heart with its physiological function and overall cardiovascular health. The heart, a remarkably metabolically active organ, relies on a finely tuned balance of biochemical pathways to generate the energy required for its continuous contractile activity and maintenance of circulatory function. In this introduction, we delve into the complex interplay between metabolism and cardio biology, highlighting its significance in understanding cardiovascular health and disease.

The heart, despite its modest size, is one of the most metabolically demanding organs in the body, consuming a substantial amount of energy to sustain its pumping function and meet the body's oxygen and nutrient demands. This high energy demand is met through the orchestrated interplay of various metabolic pathways, each contributing to the synthesis of adenosine triphosphate (ATP), the universal currency of cellular energy.

Glycolysis, fatty acid oxidation, and mitochondrial respiration represent key metabolic pathways that fuel ATP production in the heart, providing the energy necessary for myocardial contraction and relaxation.

Metabolic flexibility, the ability of the heart to adapt its substrate utilization in response to physiological and pathological conditions, is essential for maintaining cardiac function and meeting changing energy demands. Under normal conditions, the heart predominantly utilizes fatty acids as its primary fuel source, while carbohydrates and ketone bodies serve as alternative substrates during periods of stress or ischemia. However, dysregulation of cardiac metabolism, characterized by alterations in substrate preference, mitochondrial dysfunction and metabolic remodeling, is implicated in the pathogenesis of various cardiovascular diseases, including heart failure, ischemic heart disease, and diabetic cardiomyopathy. Furthermore, metabolic signaling pathways play a pivotal role in regulating cardiac metabolism in response to hormonal, nutritional, and environmental cues. Hormones such as insulin, glucagon and adipokines orchestrate substrate uptake, utilization and storage in the heart, modulating myocardial energy metabolism and contractile function. Dysregulation of these signaling pathways contributes to metabolic disturbances observed in cardiovascular diseases, highlighting their importance as therapeutic targets for intervention.

Advancements in metabolomics, imaging techniques, and molecular biology have revolutionized our understanding of cardiac metabolism and its role in cardiovascular health and disease. Metabolic profiling of cardiac tissues and circulating metabolites enables the identification of metabolic signatures associated with disease progression and provides insights into potential diagnostic biomarkers and therapeutic targets.

Metabolism in cardio biology involves understanding the intricate biochemical processes that occur within cardiac cells to produce energy, maintain cellular function, and respond to various physiological and pathological conditions. Here's a general methodology for investigating metabolism in cardio biology.

Literature Review:

Begin by conducting a thorough review of existing literature on cardiac metabolism. This step helps to understand the current state of knowledge, identify research gaps, and formulate research questions.

Experimental Model Selection:

Choose appropriate experimental models for studying cardiac metabolism. This may include in vitro models such as isolated cardiac cells or cell lines, in vivo models using isolated heart preparations, or in vivo models using animal models (e.g., mice, rats, pigs) or human subjects.

Metabolic Pathway Analysis:

Identify key metabolic pathways operating within cardiac cells, including glycolysis, fatty acid oxidation, tricarboxylic acid (TCA) cycle, oxidative phosphorylation and amino acid metabolism. Use techniques such as metabolomics, flux analysis and transcriptomics to characterize these pathways under different conditions.

Experimental Manipulations:

Perturb metabolic pathways using pharmacological agents, genetic manipulation, or dietary interventions to investigate their roles in cardiac function and pathology. For example, inhibiting specific enzymes or transporters involved in fatty acid oxidation or glucose metabolism can elucidate their contributions to cardiac physiology and disease.

Functional Assays:

Assess cardiac function and metabolism using physiological measurements such as cardiac contractility, oxygen consumption rate, ATP production, and substrate utilization rates. Techniques like high-resolution respirometry, Seahorse XF Analyzer, and positron emission tomography (PET) imaging can provide valuable data on cardiac metabolism in real-time.

Molecular Analysis:

Analyze gene expression, protein levels, post-translational modifications, and metabolite concentrations to understand how metabolic pathways are regulated in the heart. Techniques like Western blotting, qRT-PCR, immunohistochemistry, and mass spectrometry can be employed for molecular characterization.

Integration of Data:

Integrate data from multiple experimental approaches to gain a comprehensive understanding of cardiac metabolism.

 DOI:https://doi.org/10.61641/pjc.2023.1.4.1518-1523

Utilize bioinformatics tools and systems biology approaches to analyze complex datasets and identify metabolic networks and regulatory mechanisms.

Pathophysiological Investigations:

Study alterations in cardiac metabolism associated with various cardiovascular diseases such as heart failure, ischemic heart disease, diabetic cardiomyopathy, and hypertrophic cardiomyopathy. Investigate metabolic adaptations and dysregulations underlying disease progression and identify potential therapeutic targets.

Translation to Clinical Applications:

Translate findings from preclinical studies to clinical settings by validating metabolic targets and biomarkers in human samples. Conduct clinical trials to assess the efficacy of metabolic interventions (e.g., pharmacological agents, lifestyle modifications) for treating or preventing cardiovascular diseases.

Collaboration and Communication:

Collaborate with researchers from diverse disciplines such as biochemistry, physiology, cardiology, and computational biology to leverage expertise and resources. Communicate findings through publications in peer-reviewed journals, presentations at conferences, and educational outreach to advance knowledge in the field of cardio metabolism. By following these steps, researchers can elucidate the intricate interplay between metabolism and cardiac function, paving the way for the development of novel therapeutic strategies for cardiovascular diseases.

Results:

Research in metabolism in cardio biology has yielded significant insights into the role of various metabolic pathways in cardiac health and disease. Here are some key findings:

Fatty Acid Oxidation:

Studies have highlighted the importance of FAO in providing energy for the heart, particularly during fasting and stress conditions. Dysregulation of FAO has been implicated in the pathogenesis of heart failure, with decreased FAO rates observed in failing hearts.

Glucose Metabolism:

Glucose metabolism is crucial for maintaining cardiac function, especially during ischemic conditions when oxygen availability is limited. Alterations in glucose metabolism, such as insulin resistance and impaired glucose uptake, have been associated with diabetic cardiomyopathy and heart failure (figure 1).

Figure1: Glucose metabolism with diabetic cardiomyopathy.

Ketone Bodies:

Ketone bodies, such as β-hydroxybutyrate and acetoacetate, serve as alternative fuels for the heart, particularly during fasting or ketogenic diets. Studies have demonstrated the cardio protective effects of ketone bodies, including improved cardiac efficiency and reduced oxidative stress.

Amino Acid Metabolism:

Amino acids play diverse roles in cardiac metabolism, serving as substrates for energy production, precursors for protein synthesis, and signaling molecules. Dysregulated amino acid metabolism has been implicated in cardiac hypertrophy, fibrosis and arrhythmias.

 DOI:https://doi.org/10.61641/pjc.2023.1.4.1518-1523

Mitochondrial Function:

Mitochondria play a central role in cardiac metabolism by generating ATP through oxidative phosphorylation. Impaired mitochondrial function, characterized by reduced respiratory capacity and increased reactive oxygen species production, is associated with various cardiovascular diseases, including heart failure and myocardial ischemia-reperfusion injury.

Metabolic Remodeling:

The heart undergoes metabolic remodeling in response to physiological and pathological stimuli, including exercise, aging, and disease. Metabolic shifts, such as a preference for glucose over fatty acids or vice versa, contribute to alterations in cardiac function and adaptation.

Therapeutic Targeting:

Targeting metabolic pathways has emerged as a promising therapeutic strategy for treating cardiovascular diseases. Pharmacological agents, such as peroxisome proliferator-activated receptor agonists, AMP-activated protein kinase activators, and metabolic modulators, have shown potential in preclinical and clinical studies for improving cardiac function and outcomes.

Metabolic Imaging:

Advanced imaging techniques, including positron emission tomography (PET) and magnetic resonance spectroscopy (MRS), enable non-invasive assessment of cardiac metabolism in vivo. Metabolic imaging provides valuable insights into substrate utilization, metabolic fluxes, and mitochondrial function in health and disease.Overall, research in metabolism in cardio biology continues to uncover the intricate mechanisms underlying cardiac energy metabolism and its implications for cardiovascular health and disease. These findings have the potential to inform the development of innovative diagnostic tools and therapeutic interventions for improving outcomes in patients with heart disease.

Discussion:

The discussion on metabolism in cardio biology is multifaceted, encompassing the intricate interplay between various metabolic pathways and cardiac function, both in health and disease.

Energy Demands of the Heart:

The heart is a highly energy-demanding organ, requiring a constant supply of ATP to sustain contractile function, ion homeostasis, and cellular processes. Cardiac energy metabolism is characterized by a remarkable flexibility, allowing the heart to adapt to fluctuations in nutrient availability and energy demands.

Substrate Utilization:

Fatty acids, glucose, ketone bodies, and amino acids serve as major substrates for ATP production in the heart. The balance between these substrates can vary depending on physiological factors such as feeding/fasting state, exercise, hormonal regulation, and pathological conditions.

Metabolic Flexibility:

The heart exhibits metabolic flexibility, enabling it to switch between different fuel sources based on metabolic demands and substrate availability. Under normal conditions, fatty acids are the predominant substrate for ATP generation, while glucose and lactate serve as important supplementary fuels. During stress conditions, such as ischemia or pressure overload, the heart may preferentially utilize glucose and ketone bodies to maintain ATP production.

Role of Mitochondria:

Mitochondria play a central role in cardiac metabolism, serving as the primary site for ATP synthesis through oxidative phosphorylation. In addition to ATP production, mitochondria also regulate intracellular calcium homeostasis, redox balance and cell death pathways, all of which are critical for cardiac function.

Metabolic Remodeling in Disease:

Various cardiovascular diseases, including heart failure, ischemic heart disease, diabetic cardiomyopathy, and hypertrophic cardiomyopathy, are associated with metabolic remodeling.

Metabolic alterations in these conditions may involve changes in substrate preference, mitochondrial dysfunction, impaired energy production, and dysregulated signaling pathways.

 DOI:https://doi.org/10.61641/pjc.2023.1.4.1518-1523

Therapeutic Implications:

Targeting metabolic pathways has emerged as a promising therapeutic strategy for treating cardiovascular diseases. Pharmacological interventions aimed at modulating substrate utilization, enhancing mitochondrial function, or restoring metabolic homeostasis hold potential for improving cardiac function and outcomes in patients with heart disease.

Emerging Technologies:

Advances in metabolic imaging, metabolomics, and systems biology have provided new tools for studying cardiac metabolism in health and disease. Non-invasive imaging techniques, such as PET and MRS, allow for the assessment of metabolic fluxes and mitochondrial function in vivo, providing valuable insights into cardiac metabolism in clinical settings.

Future Directions:

Future research in metabolism in cardio biology will likely focus on further elucidating the molecular mechanisms underlying metabolic regulation in the heart, identifying novel therapeutic targets, and translating preclinical findings into clinical practice. Additionally, there is a growing interest in understanding the role of metabolism in cardiac regeneration and stem cell therapy, as well as its interaction with other organ systems such as the vasculature and the immune system.

In summary, the discussion on metabolism in cardio biology underscores the critical importance of understanding the complex interplay between metabolic pathways and cardiac function in health and disease. This knowledge not only enhances our fundamental understanding of cardiac biology but also holds significant implications for the development of novel diagnostic and therapeutic strategies for cardiovascular diseases

Conclusion:

In conclusion, metabolism plays a fundamental role in the maintenance of cardiac function and adaptation to various physiological and pathological conditions.

The heart's remarkable ability to utilize diverse substrates for energy production underscores its metabolic flexibility and resilience. However, dysregulation of cardiac metabolism is implicated in the pathogenesis of numerous cardiovascular diseases, including heart failure, ischemic heart disease, and diabetic cardiomyopathy.

Through extensive research efforts, our understanding of the intricate interplay between metabolic pathways and cardiac function has expanded significantly. We now appreciate the dynamic nature of cardiac metabolism, characterized by substrate preference shifts, mitochondrial adaptations and metabolic remodeling in response to stressors.

Moreover, the identification of metabolic alterations as potential therapeutic targets has opened new avenues for the development of innovative treatment strategies for cardiovascular diseases. Pharmacological interventions aimed at modulating metabolic pathways, enhancing mitochondrial function, or restoring metabolic homeostasis hold promise for improving outcomes in patients with heart disease.

Conflict of interest:

Author declares there is no conflict of interest.

References:

1. Gibson TC, Davidson RC, DeSilvey DL (1980) Presumptive tricuspid valve malfunction induced by a pacemaker lead: A case report and review of the literature. Pacing and Clin Electrophysiology. 3(1):88-95.

2. Hu Y, Li H, Gu M et al. (2021) Comparison between his-bundle pacing and left bundle branch pacing in patients with atrioventricular block. J of Interventional Cardi Electrophysiology. 62(1):63-73.

3. Huang W, Su L, Wu S et al. (2019). Long-term outcomes of his bundle pacing in patients with heart failure with left bundle branch block. Heart. 105(2):137-143.

4. Nachnani GH, Gooch AS, Hsu I (1969) Systolic murmurs induced by pacemaker catheters. Archives of Internal Med. 124:202-205.

5. Qian Z, Zou F, Wang Y et al. (2019). Permanent his bundle pacing in heart failure patients: A systematic review and meta-analysis. Pacing and Clin Electrophysiology. 42(2):139-145.

6. Dandamudi G, Vijayaraman P (2016) How to perform permanent his bundle pacing in routine clinical practice. Heart Rhythm. 13(6):1362-1366.

7. Furman, S., & Schwedel, J. B. (1959 Nov). An intracardiac pacemaker for stokes-Adams seizures. The New England J of Med. 5(261):943-948.

8. Wey HE, Desai PV, Lattell J et al. (2019) Abstract 15104: His-bundle pacing improves tricuspid regurgitation in patients with bradyarrhythmia. Circulation. 140:A15104.

9. Abdelrahman M, Subzposh FA, Beer D et al. (2018) Clinical outcomes of his bundle pacing compared to right ventricular pacing. J of the A College of Cardio. 71(20):2319-2330.

10. Addetia K, Harb SC, Hahn RT et al. (2019) Cardiac implantable electronic device Lead-induced tricuspid regurgitation. JACC: Cardio Imaging. 12(4):622-636.

11. Arabi P, Özer N, Ateş AH et al. (2015) Effects of pacemaker and implantable cardioverter defibrillator electrodes on tricuspid regurgitation and right sided heart functions. Cardio J. 22(6):637-644.

12. Barba-Pichardo R, Manovel Sánchez A, Fernández-Gómez JM et al. (2013) Ventricular resynchronization therapy by direct his-bundle pacing using an internal cardioverter defibrillator. Europace. 15(1):83-88.