Received: July 12, 2023 | Accepted: August 15,2023 | Published: August 22, 2023

Crossref PEERCITE PUBLISHERS Open Access

Peercite Journal of Mental Health

ORIGINAL RESEARCH

Psychology and Epidemiology Distress in Human Brain

Angelika Wagner

Department of Psychology, Mental Health Center, UK

*Corresponding Author : Angelika Wagner

Email:dr.angelica@gracecenterhealing.com

Citation: Wagner A (2023) Psychology and epidemiology distress in human brain. Peercite J Ment Health. 1(3):526-530.

Copyright: © 2023 by the authors. Licensee MDPI, Basel, Switzerland. This article is an open access article distributed under the terms and conditions of the Creative Commons Attribution (CC BY) license (https:// peercite.org).

Abstract :

In USA miles predicted that over million humans consistent with year be afflicted by opioid use disorder because of illegal prescription use. It is also anticipated that the general price of these legally and illegally prescribed opioids is an ongoing disaster exceeding a thousand billion dollars. Although Opioid substitute therapy is presently the only common remedy for opioid addiction, the approach was observed to be useless, causing more brain trauma and escalating opioid use over the long time. Even after patients again and again relapsed, those sufferers are usually prescribed the equal drugs for replacement therapy treatments, as no opportunity treatment options had been recommended.

Keywords : Light Therapy, Botanical oils, Military veterans, Child suicide victims

Introduction :

Connected closely to the escalation of deaths in addictions is the pandemic of suicides in veterans, adolescents and kids. Studies show that over 50% of suicides are resulting from drug and alcohol dependency. Veterans at Camp Pendleton had been demise with the aid of suicide at a charge of 25 according to week as past due as 2017. Children in Orange County, California had been dying at the price of 20 per month because of drug overdose suicide as past due as 2017 [1].

The parent instructor affiliation stated, they did not have a hassle. A judge has recently dominated that elevated addiction to net use in excessive functioning countries like Japan, India, China and united states of America is likewise causing grave social damage [2]. What's going to it take for global leaders in technological know-how and era to be answerable for the overwhelming numbers of deaths because of dependency? what is going to it take to forestall feeding Benzodiazepines to our young children like skittles sweet for ADHD and despair?

The practice of mindless feeding kids ADHD medicinal drugs accommodates 59 % of benzodiazepine use in the global, happening in populations from 6- 16 years of age [3]. Records show the worldwide incidents of suicide in children among the age of 10 and 16 is the 0.33 leading reason of loss of life in kids in 2023 [4].

Children addiction:

USA leads the race consuming 5 times the complete global consumption in ADHD medications with eleven% of children addicted. Canada is in 4th place with 8% of the population addicted. The legalization of marijuana in Canada has best brought about a boom in fentanyl production through dirty dealers. This gets harmless kids marijuana customers hooked in as low as a few grains of fentanyl or a few tokes of weed [5]. Commonly, it is said by psychiatrists, “Antidepressant pills should not, however, be withheld for any cause, if indicated. Will it take our youngsters dropping lifeless inside the streets, pandemic- like earlier than the notice of an international addiction is raised?

Due to the fact that 1995, with the beginning of the third epidemic of methamphetamine abuse, drug abuse or dependence in Japan has modified markedly. At some point of the war, meth use became encouraged by the Japanese nation to beautify the productivity of manufacturing unit workers and to instill country wide duty to combat in battles," Brewster said. "Following the Japanese defeat, the usage of the drug spiraled into a pandemic. The act of selecting illegal pills was deemed to be innately selfish, socially and morally polluting." (MLA eighth edition). What other incidents in international locations worried in civil warfare, political distress or underperforming socio economic problems minimize human excellence due to drug use? In California by myself, the cost of housing and maintenance of a drug addict is $47,000 in keeping with year. With relapse taking place each 12 months, incarceration turns into a social event [6,7].

On the other hand, as some distance returned as 1990, researchers consisting of Dr. Kenneth Blum and Dr. Jay Holder changed into studying the genetic additives of addiction, discovering the natural chemical composition of the mind praise Cascade believed to be the chemical foundation of all addictions via the natural production of the chemical substances of dopamine, serotonin and nor-epinephrine inside the brain [8].

Dr. Jay Holder, MD DC discovered that tonality within the spine also modified the outcomes of drug use inside the anxious machine.

Primarily based at the speculation of "Spinal Tone" Dr. Holder developed two gadgets to evolve the backbone, nervous system and brain to the chemical adjustments due to dependency. This became not enough at the back of those crucial additives lurked the silent sleuth of trauma, no one discussed this root cause predating the neurobiology and neuropharmacology of the mind's chemistry to be distorted, and regular neuronal firing to be circumvented. The root motive of pre-addictive behavior in over one hundred instances from this medical trial turned into trauma. Addictive drug or alcohol use started as a coping mechanism to get away the reminiscences of the annoying activities [9].

Dr. Angelika Wagner studied with Dr. Blum and Dr. Holder in 1995-2004 even as writing the eBook, are You geared up for a Miracle with Chiropractic? After years of study, it appeared logical that the elusive puzzle of recidivism held on 3 hypothetical precepts with major mental psychosis directly linked to the chemical poisoning in prescription drug use.

The remedy of care currently seen through the medical version turned into extra drug use. The genetics of dependency and the incapacities of the mind and frightened gadget processing the combined chemical struggle of uppers and downers inside the device created a confluence of comorbidity in organ harm and longtime mind demise, eventuating in sluggish and positive death.

A first contradiction to the common belief become an effect of an ethical failing or loss of human will. The brain can neither be rewired with the aid of speak therapy or rewired through the escalation of prescription drug use to excessive achievement, overall performance and excellence.

The Psychology of dependency:

In studies performed considering that 2009, the Grace center for healing located in one hundred% of cases addiction and suicide issues were an end result of 1 or more initial stressful incidents. The origin of these traumas were bodily, chemical, emotional and mental. The origin of these traumas occurred as younger as three years of age, or maybe in utero by means of cocaine or alcohol addicted moms in the early term utero tiers. Following psychiatric prescription or illegal drug or alcohol use to break out some distance attaining effects of trauma, the broken mind persevered to misread neuronal signals and misfire because of chemical poisoning and incapacity to address the functioning of the brain reward Cascade [10].

This brought about a loop of tension accompanied by way of pleasure, observed by ache, a never ending cycle of chemical addiction. The toxicity of this neurobiology/neuropharmacology then created warm spots within the prefrontal lobe, concurrently creating cold spots in dying regions, ensuing in gradual mind death with multiplied prevalence of psychosis. In 33% of instances, it became deemed reasonable that the genetic and lengthy standing generational additives of the D2 allele had been an underlying resonant factor [11].

- May want to the trauma of an occasion in early life have brought about the preliminary opioid, drug or alcohol use on the way to break out the memory of it.

- If this attention of this occasion, erasing or loss of memory of the occasion might be carried out, would the man or woman nevertheless relapse into drug use to break out the memory and mental precedent?

- As soon as the trauma changed into deleted from the reminiscence, would new cognitive behavior therapy be capable of obtain recidivism.

- It was deletion of the trauma from chemical reminiscence of the mind entirely responsible to put off recidivism completely.

- Does the trauma of a selected united states have an effect on specific forms of dependency to proliferate the population, consisting of the conduct of drug dealers? those united states traumas covered wars, herbal screw ups, environmental screw ups, political or governmental incapacities of care, socio-economic monetary depletion due to the Covid pandemic.

Removing the basis cause of dependency; trauma. Acupressure on the scalp points, the use of a healing modality referred to as access awareness to lessen and take away the elicitation of publish traumatic ailment. Individuals experiencing loss of repeat trauma did enjoy an extra feel of nicely being, but this did not permanently end the recidivism of conquering the dependency [3].

The initial clinical trial worried 100 incarcerated contributors from the la prison with permission of the Los Angeles Sheriff's office from may Additionally-November in 2013. Although a hundred contributors started out the scientific trial, only 35 remained for ninety-one hundred twenty days. Thirty-two male members and three female contributors ranging in age from 23-61 with chronic drug or alcohol abuse or opioid addiction requiring incarceration.

All contributors had non penetrating mind trauma, co-morbidity of organ damage stated through survey. Restrictions in employment due to lack of motion/somatosensory manipulate due to chemical mind poisoning. All contributors had a history of 8-28 years' incarcerations because of drug or alcohol abuse [7].

The participants had forty outpatient sessions. Participants reported non yearning of abusive substances in 10 days or less, progressed cognitive ability, stepped forward sleep, fewer put up-worrying strain ailment (PTSD) signs and symptoms, if gift. All contributors stated improved hearing, eyesight, mobility and cognitive capabilities and have been able to go back to paintings or go to university to finish research. Households pronounced a stepped forward capacity to perform social, interpersonal and occupational features [9].

Those open-protocol data suggest that placebo-controlled studies are warranted for in addition examine and research [12]. Psychological testing, questionnaire on government and sensory function had been completed pre-trial. Testimonial motion pictures and written surveys have been completed submit treatment. All contributors suggested the ability of returning to work, education and that they have been now not a burden on society or their households.

History of hypothesis and Epidemiology of Care:

Research carried out at Harvard college studies have proven extraordinary frontal lobe activation in addiction sufferers. Two regions inside the frontal lobes at risk of damage all through dependancy are the prefrontal cortex and the anterior cingulate gyrus. The prefrontal cortex is worried in maintaining, tracking, and manipulating facts in operating reminiscence and mainly in sustaining interest [11]. The anterior cingulate gyrus has been implicated in divided interest, novelty detection, working memory, reminiscence retrieval, Stroop obligations (inhibition), evaluative judgment, motivation and performance.

Clinical hypothesis for the trial become primarily based at the brain reward cascade located by means of dr. Kenneth Blum in 1995. Dr. Angelika Wagner studied with Dr. Kennth Blum and Dr. Jay Holder for the duration of that time. This group located that the functioning of the brain dopamine receptors inside the mind praise Cascade will be quick circuited and influenced via amino acids and electro acupuncture.

The speculation of Dr. Wagner in long time care of sufferers included the law of the combat flight traits of the amygdala to the dopamine receptors. If the amygdala axis can be quick circuited, then probable the fight response inside the brain reward Cascade mitigated, then perhaps cravings could disappear [3,8]. No cravings equaled no need to use.

The mind reward Cascade is a complex machine involved inside the processing of fulfilling reports and the reinforcement of conduct. It is by and large mediated by means of the release and interaction of various neurotransmitters inside precise brain areas. One key issue of this cascade is the mesolimbic dopamine pathway, which performs a central function in motivation, praise and dependency.

The limbic device is managed by way of the feelings of the person escaping fact in his international, therefore, the release of dopamine within the nucleus accumbens (NAc), a place within the ventral striatum, is an essential event inside the brain reward Cascade (figure 1).



Figure 1: Limbic system in human brain.

Results:

Dopamine is synthesized within the ventral tegmental location (VTA) and is launched into the NAc in reaction to rewarding stimuli. This release acts as a sign, reinforcing the behavior that led to the pleasant revel in. In extreme dependency, the pride syndrome cascades into the ache of the crash as soon as the "high" effect of the drug wears off, within the research gathered by means of the Grace middle for recuperation while the amygdala, thalamus and hypothalamus are electronically balanced with 30 hertz at the exterior of the ears for 30 + days, relapse is not feasible.

The amygdala, thalamus and pituitary hormonal axis functions had been attaining sustainable effects brief circuiting the fight dependency loop [5].

The involvement of other neurotransmitters is also crucial in the mind reward Cascade. For instance, glutamate, the main excitatory neurotransmitter, is concerned in synaptic plasticity and the strengthening of neural connections in reward-associated circuits. GABA, the principle inhibitory neurotransmitter, performs a modulatory role within the regulation of praise-related behaviors, but GABA manufacturing and alternative therapy changed into not addressed in this trial [2,9].

Studies have highlighted the importance of the mind praise cascade in dependency. As an instance, emphasized the dysregulation of this cascade in drug addiction, leading to chronic drug-searching for conduct and lack of manipulate due to the loss of life of the prefrontal lobe and government features of cognition [1]. The repeated activation of the cascade through addictive materials led to long-lasting neuro adaptations, altering the reward structures functioning and perpetuating addictive behaviors. This created the never ending loop of the pride behavioral management in addiction, observed by the crash, the guilt and the disgrace. Accompanying criminal consequences therefore. It became this loop of destruction that Dr.Angelika Wagner's studies sought to disrupt in a non-pharma permanent manner (figure 2).



Figure 2: Brain in distress.

The brain on the left has some warm spots in the back of the skull indicating that perhaps there has been a fall or bump on the pinnacle, that is commonplace. The second mind photo has signs and symptoms of great distress and neuronal damage. This will be the mind of an athlete that had a baseball bat or a football shoe banged into his temporal lobe through a competitor, be aware the blue spots at the prefrontal lobe where the mind is already death. Ultimately a long way proper brain is the brain in critical distress due to the fact the prefrontal lobe has been critically stricken by drug use, it is so hot it cannot function [10].

Often drug customers will also note the forehead is warm to the touch with no fever. The remaining picture is an illustration of a schizophrenia brain, but in actuality it is the brain of a critical drug consumer.

Conclusion:

Moreover, current research has explored the function of the brain reward Cascade in non-substance-associated addictive behaviors, inclusive of playing, net and gaming disorders.

https://doi.org/10.61641/pjmh.2023.1.3.526-530

Those behaviors validated similarities inside the neurobiological mechanisms underlying each substance and behavioral addictions in genetic associated problems, suggesting a shared involvement of the reward cascade and the Dna, RNA genetic codes.

Conflict of interest:

Author declares there is no conflict of interest.

References:

1.Blum K, Dennen CA, Elman I et al. (2022) Should Reward Deficiency Syndrome (RDS) Be Considered an Umbrella Disorder for Mental Illness and Associated Genetic and Epigenetic Induced Dysregulation of Brain Reward Circuitry? J Pers Med. 12:1719.

2.Madigan MA, Gupta A, Bowirrat A et al. (2022) Precision Behavioral Management (PBM) and Cognitive Control as a Potential Therapeutic and Prophylactic Modality for Reward Deficiency Syndrome (RDS): Is There Enough Evidence? Int J Environ Res Public Health 19:6395.

3. Blum K, Steinberg B, Gondre-Lewis MC et al. (2021) A Review of DNA Risk Alleles to Determine Epigenetic Repair of mRNA Expression to Prove Therapeutic Effectiveness in Reward Deficiency Syndrome (RDS): Embracing "Precision Behavioral Management". Psychol Res Behav Manag. 14:2115-2134.

4. Comings DE, Blum K (2000) Reward deficiency syndrome: genetic aspects of behavioral disorders. Prog Brain Res. 126:325-341.

5. Blum K, Febo M, Badgaiyan RD et al. (2016) Neuronutrient Amino-Acid Therapy Protects Against Reward Deficiency Syndrome: Dopaminergic Key to Homeostasis and Neuroplasticity. Curr Pharm Des. 22:5837-5854.

6. Blum K, Ashford JW, Babak Kateb et al. (2023) Dopaminergic dysfunction: Role for genetic & epigenetic testing in the new psychiatry. J Neurol Sci. 453:120809.

7. Khaleque MA, Hossain MI, Ali MR et al. (2023) Nanostructured wearable electrochemical and biosensor towards healthcare management: a review. RSC. 33:22973-22997.

8. Xu J, Fang Y and Chen J (2021) Wearable biosensors for non-invasive sweat diagnostics. Biosensors. 11:245.

9. Zhou Z, Chen K, Li X et al. (2020) Sign-to-speech translation using machine-learning-assisted stretchable sensor arrays. Nat Electron. 3:571-578.

10. Chen G, Fang Y, Zhao X et al. (2021) Textiles for Learning Tactile Interactions. Nat Electron. 4:175-176.

11. Y. Yang, W. Gao (2019) Wearable and flexible electronics for continuous molecular monitoring. Chem Soc Rev. 48:1465-1491.

12. Kim J, Jeerapan I, Imani S et al. (2016) Non-Invasive Alcohol Monitoring Using a Wearable Tattoo-Based Iontophoretic-Biosensing System. ACS Sens. 1:1011-1019.