



Supplementary Material and Supplementary Information Cq_result



AGAGCGTCGAGATCCCGGACACCATCGAATGGCGCAAAACCTTTCGCGGTATGGCAT
GATAGCGCCCGGAAGAGAGTCAATTCAGGGTGGTGAATGTGAAACCAGTAACGTTATA
CGATGTGCGAGAGTATGCCGGTGTCTCTTATCAGACCGTTTCCCGCGTGGTGAACCAG
GCCAGCCACGTTTCTGCGAAAACGCGGGAAAAAGTGGAAGCGGCGATGGCGGAGCT
GAATTACATTCCCAACCGCGTGGCACAACAACCTGGCGGGCAAACAGTCGTTGCTGATT
GGCGTTGCCACCTCCAGTCTGGCCCTGCACGCGCCGTCGCAAATTGTCGCGGCGATT
AAATCTCGCGCCGATCAACTGGGTGCCAGCGTGGTGGTGTGATGGTAGAACGAAGC
GGCGTCGAAGCCTGTAAAGCGGCGGTGCACAATCTTCTCGCGCAACGCGTCAGTGG
GCTGATCATTAACATATCCGCTGGATGACCAGGATGCCATTGCTGTGGAAGCTGCCTGC
ACTAATGTTCCGGCGTTATTTCTTGATGTCTCTGACCAGACACCCATCAACAGTATTATT
TTCTCCCATGAAGACGGTACGCGACTGGGCGTGGAGCATCTGGTCGCATTGGGTCAC
CAGCAAATCGCGCTGTTAGCGGGCCCATTAAGTTCTGTCTCGGCGCGTCTGCGTCTG
GCTGGCTGGCATAAATATCTCACTCGCAATCAAATTCAGCCGATAGCGGAACGGGAAG

GCGACTGGAGTGCCATGTCCGGTTTTCAACAAACCATGCAAATGCTGAATGAGGGCAT
CGTTCCCCTGCGATGCTGGTTGCCAACGATCAGATGGCGCTGGGCGCAATGCGCG
CCATTACCGAGTCCGGGCTGCGCGTTGGTGCGGACATCTCGGTAGTGGGATACGACG
ATACCGAAGACAGCTCATGTTATATCCCGCCGTAAACCACCATCAAACAGGATTTTCGC
CTGCTGGGGCAAACCAGCGTGGACCGCTTGCTGCAACTCTCTCAGGGCCAGGCGGT
GAAGGGCAATCAGCTGTTGCCCGTCTCACTGGTGAAAAGAAAAACCACCCTGGCGCC
CAATACGCAAACCGCCTCTCCCCGCGCGTTGGCCGATTCAATTAATGCAGCTGGCACG
ACAGGTTTCCCGACTGGAAAGCGGGCAGTGAGCGCAACGCAATTAATGTAAGTTAGCT
CACTCATTAGGCACCGGGATCTCGACCGATGCCCTTGAGAGCCTTCAACCCAGTCAG
CTCCTTCCGGTGGGCGCGGGGCATGACTAACATGAGAATTACAACCTTATATCGTATGG
GGCTGACTTCAGGTGCTACATTTGAAGAGATAAATTGCACTGAAATCTAGAGTAACGGA
ATAGCTGTTTCGTTGACTTGATAGACCGATTGATTCATCATCTCATAAATAAAGAAAAACC
ACCGCTACCAACGGTGGTTTTCTCAAGGTTGCTGAGCTACCAACTCTTTGAACCAAG
GTAAGTGGGTTGGAGGACCGCACTCACCAAATCTGTTCTTTCAGTTTAGCCTTAACAG
GTGCATAACTTCAAGACAAAGTCCTCTAAATCAGTTACCAATGGCTGCTGCCAGTGGC
GATAAGTCGTGTCTTACCGGGTTGGA CTCAAGACGATAGTTACCGGATAAGGCGCAGC
GGTCGGGCTGAACGGGGGGTTCGTGCACACAGCCCAGCTTGGAGCGAACGACCTAC
ACCGAACTGAGATACCAACAGCGTGAGCTATGAGAAAGCGCCACGCTTCCCGAAGGG
AGAAAGGCGGACAGGTATCCGGTAAGCGGCAGGGTCGGAACAGGAGAGCGCACGAG
GGAGCTTCCAGGGGGAAACGCCTGGTATCTTTATAGTCCTGTGCGGGTTTCGCCACCTC
TGGCTTGAGCGTCGATTTTTGTGATGCTCGTCAGGGGGGCGGAGCCTATGGAAAAAC
GCCTGCGGCGTTGGCTTCTTCCGGTGCTTTGCTTTTTGCTCACATGTTCTTTCGGGCTT
TATCCCCTGATTCTGTGGATAACCGTATTACCGCTTTTGAGTGAGCTGACACCGCTCG
CCGCAGTCGAACGACCGAGCGTAGCGAGTCAGTGAGCGAGGAAGCGGAAGAGCGCT
GCATGCCTATTTGTTTATTTTTCTAAATACATTCAAATATGTATCCGCTCATGAGACAATA
ACCCTGATAAATGCTTCAATAATATTGAAAAAGGAAGAGTATGAGCCATATTCAACGGG
AAACGTCTTGCTCTAGGCCGCGATTAAATTCCAACATGGATGCTGATTTATATGGGTAT
AAATGGGCTCGCGATAATGTGCGGGCAATCAGGTGCGACAATCTATCGATTGTATGGGA
AGCCCGATGCGCCAGAGTTGTTTCTGAAACATGGCAAAGGTAGCGTTGCCAATGATGT
TACAGATGAGATGGTCAGACTAACTGGCTGACGGAATTTATGCCTCTTCCGACCATC
AAGCATTTTATCCGTA CTCTGATGATGCATGGT TACTCACCCTGCGATCCCCGGGA
AAACAGCATTCCAGGTATTAGAAGAATATCCTGATTCAGGTGAAAATATTGTTGATGCG
CTGGCAGTGTTCTGCGCCGGTTGCATTGATTCTGTTTGTAATTGTCCTTTTAACAG
CGACCGCGTATTTGCTCTCGCTCAGGCGCAATCACGAATGAATAACGGTTTGGTTGAT
GCGAGTGATTTTGATGACGAGCGTAATGGCTGGCCTGTTGAACAAGTCTGGAAAGAAA
TGCATAAACTTTTGCCATTCTCACCGGATTCAGTCGTCACTCATGGTGATTTCTCACTTG
ATAACCTTATTTTTGACGAGGGGAAATTAATAGGTTGTATTGATGTTGGACGAGTCGGA
ATCGCAGACCGATAACAGGATCTTGCCATCCTATGGA ACTGCCTCGGTGAGTTTTCTC
CTTCATTACAGAAACGGCTTTTTCAAAAATATGGTATTGATAATCCTGATATGAATAAATT
GCAGTTTCATTTGATGCTCGATGAGTTTTTCTAAGAATTAATTCATGAGCGGATACATAT
TTGAATGTATTTAGAAAAATAACAAATAGGGGTTCCGCGCACATTTCCCCGAAAAGTG
CCACTTGCGGAGACCCGGTCGT CAGCTTGTCGTGCGTTCAGGGCAGGGTCGT TAAAT
AGCCGCTTATGTCTATTGCTGGTTTACCGGTTTATTGACTACCGGAAGCAGTGTGACC
GTGTGCTT agagTAATACGACTCACTATAGGGGAATTGTGAGCGGATAACAATTCCTTTa

aagaggagaaataatcATGGAACAGGAGCTGCACTTCATCGGCATCGACGTGTCCAAAGCA
AAGCTGGACGTGGACGTGCTGCGACCTGACGGCAGACACAGAACTAAGAAATTCGCT
AATACCCCTAAGGGACACGACGAGCTGCTGAGATGGCTGAGCGGCCACAGAGTGGC
CCAGGCTCACATCTGCATGGAAGCTACAAGCACCTACATGGAGGATGTGGCCGCCCA
CCTGAGCGACGCCGGCTACACCGTGTCCGTGATCAACCCTGCCCTGGGCAAGGCCT
TTGCCCAAAGCGAGGGACTGCGAAGCAAGACAGATGCTGTTGATGCCAGAATGCTGG
CCGAGTTCTGTCTGGCAGAAGCGGCCTCCAGCCTGGGAGGCCCTCACCTGTGGAA
CGGGCCCTGAGGGCCCTCGTGCTGCGCCACCAGAGCCTGACCGATATGCACACCCA
GGAGCTGAACAGACTGGAAACCGCCCCGGGAAGTGCAAGCGGCCTAGCATTGACGCCC
ATCTGCTGTGGCTGCACGCCGAGCTGAAAAGAATCGAGAAACAGATCAAGGACCTGA
CAGATGATGACCCCGACATGAAGCACCGGCGGAAGCTGCTGGAAAGCATCCCCGGC
ATCGGAGAAAAGACCAGCGCCGTCCTGCTCGCTTATACAGGCCTGAAGGAAAGATTC
ACCCACGCCAGACAGTTTCGCTGCTTTTGCCGGCCTGACACCTAGAAGATACGAGAGC
GGCCATTCTGTGAACCGGGCCTCTAGAATGAGCAAGGCCGGACATGCCTCTCTGCGG
AGAGCCCTGTACATGCCTGCCATGGTGGCCGTGTCTAAGACCGAGTGGGGCAGAGC
CTTCCGGGACAGACTGGCCGGCAACGGCAAGAAGGGCAAAGTGATCATCGGCGCCA
TGATGAGAAAGCTGGCCCAGGTGGCCTACGGCGTGCTGAAGTCCGGCGTCCCCTTC
GACGCCAGCAGACACAACCCCGTGGCTGCTTAACAAAGCCCGCCGAAAGGCGGGCT
TTTTTTTcaGGCACTGATAGGGAGGTCAGTGCGTCCTGCTGAAAATGAACTACGCACAA
CTAGCATCCGACACTGCAAAAAACCCCTCAAGACCCGTTTAGAGGCCCCAAGGGGTT
ATGCTAGCTGTCAGATCagtgagaccagccttgtgaatgcggattaccgggaaaaccggtccatgatactgtc
cggtttgtcacttgtggagaacggcggtccgctgcataaatctacgtcacaggttattagcctgaggcctgatacggcat
gcggaccgcatggcagagagaactggccggttctccctgcactGCTAGCACTGTACCTAGGACTGAGC
TAGCCGTCAAGGATCCTGGCTGTGGTGATGATGGTGATGGCTGCTGCCCATGGTATAT
CTCATTTCTAATGCAGGAGTCGCATAAGGG



TCGCGCGTTTCGGTGATGACGGTGAAAACCTCTGACACATGCAGCTCCCGGAGACGG
TCACAGCTTGTCTGTAAGCacagtatcttgatCTATGCGGCATCAGAGCAGATTGTACTGAG
AGTGCACCATATGCGGTGTGAAATACCGCACAGATGCGTAAGGAGAAAATACCGCATC
AGGCGCCATTTCGCCATTCAGGCTGCGCAACTGTTGGGAAGGGCGATCGGTGCGGGC
CTCTTCGCTATTACGCCAGCTGGCGAAAGGGGGATGTGCTGCAAGGCGATTAAAGTTG
GGTAACGCCAGGGTTTTCCAGTCACGACGTTGTAAAACGACGGCCAGTGAATTCGA
GCTCGGTACCCGGGGATCCTCTAGAGTCGACCTGCAGGCATGCAAGCTTGGCGTAAT
CATGGTCATAGCTGTTTCCTGTGTGAAAttatcaggcctacgtcacGCCTGGGGTGCCTAATG
AGTGAGCTAACTCACATTAATTGCGTTGCGCTCACTGCCCCGCTTTCCAGTCGGGAAAC
CTGTCGTGCCAGCTGCATTAATGAATCGGCCAACGCGCGGGGAGAGGCGGTTTGCGT
ATTGGGCGCTCTTCCGCTTCCTCGCTCACTGACTCGCTGCGCTCGGTGCTTCGGCTG
CGGCGAGCGGTATCAGCTCACTCAAAGGCGGTAATACGGTTATCCACAGAATCAGGG
GATAACGCAGGAAAGAACATGTGAGCAAAAGGCCAGCAAAAGGCCAGGAACCGTAAA
AAGGCCGCGTTGCTGGCGTTTTTCCATAGGCTCCGCCCCCCTGACGAGCATCACAAA
AATCGACGCTCAAGTCAGAGGTGGCGAAACCCGACAGGACTATAAAGATACCAGGCG
TTTCCCCCTGGAAGCTCCCTCGTGCGCTCTCCTGTTCCGACCCTGCCGCTTACCGGA
TACCTGTCCGCCTTTCTCCCTTCGGGAAGCGTGGCGCTTTCTCATAGCTCACGCTGTA

GGTATCTCAGTTCGGTGTAGGTCGTTGCTCCAAGCTGGGCTGTGTGCACGAACCCC
CCG TTCAGCCCGACCGCTGCGCCTTATCCGGTAACTATCGTCTTGAGTCCAACCCGG
TAAGACACGACTTATCGCCACTGGCAGCAGCCACTGGTAACAGGATTAGCAGAGCGA
GGTATGTAGGCGGTGCTACAGAGTTCTTGAAGTGGTGGCCTAACTACGGCTACACTAG
AAGAACAGTATTTGGTATCTGCGCTCTGCTGAAGCCAGTTACCTTCGGAAAAAGAGTTG
GTAGCTCTTGATCCGGCAAACAAACCACCGCTGGTAGCGGTGGTTTTTTTGT TTGCAA
GCAGCAGATTACGCGCAGAAAAAAAGGATCTCAAGAAGATCCTTTGATCTTTTCTACGG
GGTCTGACGCTCAGTGGAACGAAAAC TACGTTAAGGGATTTTGGTCATGAGATTATC
AAAAAGGATCTTCACCTAGATCCTTTTAAATTAAAAATGAAGTTTTTAAATCAATCTAAAGT
ATATATGAGTAAACTTGGTCTGACAGTTACCAATGCTTAATCAGTGAGGCACCTATCTC
AGCGATCTGTCTATTTGTT CATCCATAGTTGCCTGACTCCCCGTCGTGTAGATAACTA
CGATACGGGAGGGCTTACCATCTGGCCCCAGTGCTGCAATGATACCGCGAGACCCAC
GCTCACCGGCTCCAGATTTATCAGCAATAAACCAGCCAGCCGGAAGGGCCGAGCGCA
GAAGTGGTCCTGCAACTTTATCCGCCTCCATCCAGTCTATTAATTGTTGCCGGGAAGCT
AGAGTAAGTAGTTCGCCAGTTAATAGTTTGCGCAACGTTGTTGCCATTGCTACAGGCAT
CGTGGTGT CACGCTCGTCGTTTGGTATGGCTTCATT CAGCTCCGGTTCCCAACGATCA
AGGCGAGTTACATGATCCCCCATGTTGTGCAAAAAAGCGGTTAGCTCCTTCGGTCCTC
CGATCGTTGTCAGAAGTAAGTTGGCCGCAGTGTTATCACTCATGGTTATGGCAGCACT
GCATAATTCTCTTACTGTCATGCCATCCGTAAGATGCTTTTCTGTGACTGGTGAGTACT
CAACCAAGTCATTCTGAGAATAGTGTATGCGGCGACCGAGTTGCTCTTGCCCGGCGTC
AATACGGGATAATACCGCGCCACATAGCAGAACTTTAAAAGTGCTCATCATTGGAAAAC
GTTCTTCGGGGCGAAAAC TCTCAAGGATCTTACCGCTGTTGAGATCCAGTTCGATGTA
ACCCACTCGTGCACCCA ACTGATCTTCAGCATCTTTTACTTTACCAGCGTTTCTGGGT
GAGCAAAAACAGGAAGGCAAAATGCCGCAAAAAAGGGAATAAGGGCGACACGGAAAT
GTTGAATACTCATACTCTTCCTTTTTCAATATTATTGAAGCATTTATCAGGGTTATTGTCT
CATGAGCGGATACATATTTGAATGTATTTAGAAAAATAAACAAATAGGGGTTCCGCGCA
CATTTCCCCGAAAAGTGCCACCTGACGTCTAAGAAACCATTATTATCATGACATTAACC
TATAAAAATAGGCGTATCACGAGGCCCTTTCGTC

Well	Fluor	Target 	Content	Sample	Cq	Cq Mean	Cq Std. Dev		
G03	SYBR	A	Unkn	S249D+pID06-3	17.04	17.04	0.000	17.09	−0.159748249923148
G06	SYBR	AmpR	Unkn	S249D+pID06-3	17.14	17.14	0.000	17.25	
H03	SYBR	A	Unkn	S249D+pID06-3	17.14	17.14	0.000		
H06	SYBR	AmpR	Unkn	S249D+pID06-3	17.36	17.36	0.000		
G02	SYBR	A	Unkn	S249D+pID06-2	18.77	18.77	0.000	18.92	−0.290688319607401
G05	SYBR	AmpR	Unkn	S249D+pID06-2	19.12	19.12	0.000	19.21	
H02	SYBR	A	Unkn	S249D+pID06-2	19.07	19.07	0.000		
H05	SYBR	AmpR	Unkn	S249D+pID06-2	19.30	19.30	0.000		
G01	SYBR	A	Unkn	S249D+pID06-1	18.73	18.73	0.000	18.80	−0.472856183440953
G04	SYBR	AmpR	Unkn	S249D+pID06-1	19.26	19.26	0.000	19.27	
H01	SYBR	A	Unkn	S249D+pID06-1	18.87	18.87	0.000		
H04	SYBR	AmpR	Unkn	S249D+pID06-1	19.29	19.29	0.000		
F01	SYBR	A	Unkn	S244A+pID06-3	18.40	18.40	0.000	18.53	0.701046774589997
F02	SYBR	A	Unkn	S244A+pID06-3	18.67	18.67	0.000		
F03	SYBR	AmpR	Unkn	S244A+pID06-3	17.89	17.89	0.000	17.83	
F04	SYBR	AmpR	Unkn	S244A+pID06-3	17.77	17.77	0.000		
E01	SYBR	A	Unkn	S244A+pID06-2	18.93	18.93	0.000	19.15	0.692457999522500
E02	SYBR	A	Unkn	S244A+pID06-2	19.38	19.38	0.000		
E03	SYBR	AmpR	Unkn	S244A+pID06-2	18.57	18.57	0.000	18.46	
E04	SYBR	AmpR	Unkn	S244A+pID06-2	18.35	18.35	0.000		
D01	SYBR	A	Unkn	S244A+pID06-1	19.06	19.06	0.000	19.23	1.014079568746050
D02	SYBR	A	Unkn	S244A+pID06-1	19.39	19.39	0.000		
D03	SYBR	AmpR	Unkn	S244A+pID06-1	18.23	18.23	0.000	18.21	
D04	SYBR	AmpR	Unkn	S244A+pID06-1	18.19	18.19	0.000		
C01	SYBR	A	Unkn	R238M+pID06-3	17.07	17.07	0.000	17.13	0.398868638546400
C02	SYBR	A	Unkn	R238M+pID06-3	17.18	17.18	0.000		
C03	SYBR	AmpR	Unkn	R238M+pID06-3	16.80	16.80	0.000	16.73	
C04	SYBR	AmpR	Unkn	R238M+pID06-3	16.65	16.65	0.000		
B01	SYBR	A	Unkn	R238M+pID06-2	19.19	19.19	0.000	19.38	0.953737134340049
B02	SYBR	A	Unkn	R238M+pID06-2	19.57	19.57	0.000		
B03	SYBR	AmpR	Unkn	R238M+pID06-2	18.53	18.53	0.000	18.43	
B04	SYBR	AmpR	Unkn	R238M+pID06-2	18.33	18.33	0.000		
A01	SYBR	A	Unkn	R238M+pID06-1	18.90	18.90	0.000	19.31	0.877392761497902
A02	SYBR	A	Unkn	R238M+pID06-1	19.72	19.72	0.000		
A03	SYBR	AmpR	Unkn	R238M+pID06-1	18.54	18.54	0.000	18.44	
A04	SYBR	AmpR	Unkn	R238M+pID06-1	18.33	18.33	0.000		
F07	SYBR	A	Unkn	R237H+pID06-3	18.85	18.85	0.000	18.80	−0.050548846010003
F08	SYBR	A	Unkn	R237H+pID06-3	18.75	18.75	0.000		
F09	SYBR	AmpR	Unkn	R237H+pID06-3	18.71	18.71	0.000	18.85	
F10	SYBR	AmpR	Unkn	R237H+pID06-3	18.99	18.99	0.000		
E07	SYBR	A	Unkn	R237H+pID06-2	18.39	18.39	0.000	18.40	0.614497017721899
E08	SYBR	A	Unkn	R237H+pID06-2	18.40	18.40	0.000		
E09	SYBR	AmpR	Unkn	R237H+pID06-2	17.51	17.51	0.000	17.78	
E10	SYBR	AmpR	Unkn	R237H+pID06-2	18.06	18.06	0.000		
D07	SYBR	A	Unkn	R237H+pID06-1	18.78	18.78	0.000	18.92	0.268833800155303
D08	SYBR	A	Unkn	R237H+pID06-1	19.05	19.05	0.000		
D09	SYBR	AmpR	Unkn	R237H+pID06-1	18.51	18.51	0.000	18.65	
D10	SYBR	AmpR	Unkn	R237H+pID06-1	18.79	18.79	0.000		
G10	SYBR		Unkn	N/A		0.00	0.000		
G11	SYBR		Unkn	N/A		0.00	0.000		
G12	SYBR		Unkn	N/A		0.00	0.000		
H10	SYBR		Unkn	N/A		0.00	0.000		
H11	SYBR		Unkn	N/A		0.00	0.000		
H12	SYBR		Unkn	N/A		0.00	0.000		
C07	SYBR	A	Unkn	A248I+pID06-3	18.28	18.28	0.000	18.43	0.690000919725652
C08	SYBR	A	Unkn	A248I+pID06-3	18.57	18.57	0.000		
C09	SYBR	AmpR	Unkn	A248I+pID06-3	17.45	17.45	0.000	17.74	
C10	SYBR	AmpR	Unkn	A248I+pID06-3	18.03	18.03	0.000		
B07	SYBR	A	Unkn	A248I+pID06-2	18.35	18.35	0.000	18.61	−0.610956723644605
B08	SYBR	A	Unkn	A248I+pID06-2	18.87	18.87	0.000		
B09	SYBR	AmpR	Unkn	A248I+pID06-2	18.94	18.94	0.000	19.22	
B10	SYBR	AmpR	Unkn	A248I+pID06-2	19.50	19.50	0.000		
A07	SYBR	A	Unkn	A248I+pID06-1	19.62	19.62	0.000	19.66	0.577000970224997
A08	SYBR	A	Unkn	A248I+pID06-1	19.69	19.69	0.000		
A09	SYBR	AmpR	Unkn	A248I+pID06-1	19.16	19.16	0.000	19.08	
A10	SYBR	AmpR	Unkn	A248I+pID06-1	19.00	19.00	0.000		

Well	Fluor	Target	Content	Sample	Cq	Cq Mean	Cq Std. Dev		
F07	SYBR	A	Unkn	Y239T+pID06-3	18.63	18.63	0.000	18.76	0.976821859465453
F08	SYBR	A	Unkn	Y239T+pID06-3	18.90	18.90	0.000		
F09	SYBR	AmpR	Unkn	Y239T+pID06-3	17.61	17.61	0.000	17.79	
F10	SYBR	AmpR	Unkn	Y239T+pID06-3	17.96	17.96	0.000		
E07	SYBR	A	Unkn	Y239T+pID06-2	18.61	18.61	0.000	18.83	0.734151123037151
E08	SYBR	A	Unkn	Y239T+pID06-2	19.05	19.05	0.000		
E09	SYBR	AmpR	Unkn	Y239T+pID06-2	17.83	17.83	0.000	18.09	
E10	SYBR	AmpR	Unkn	Y239T+pID06-2	18.36	18.36	0.000		
E11	SYBR	B	Unkn	Y239T+pID06-2	20.52	20.52	0.000		
E12	SYBR	B	Unkn	Y239T+pID06-2	20.20	20.20	0.000		
D07	SYBR	A	Unkn	Y239T+pID06-1	18.86	18.86	0.000	19.06	0.521744410876604
D08	SYBR	A	Unkn	Y239T+pID06-1	19.26	19.26	0.000		
D09	SYBR	AmpR	Unkn	Y239T+pID06-1	18.44	18.44	0.000	18.54	
D10	SYBR	AmpR	Unkn	Y239T+pID06-1	18.63	18.63	0.000		
C07	SYBR	A	Unkn	R250C+pID06-3	18.24	18.24	0.000	18.54	0.086843304541851
C08	SYBR	A	Unkn	R250C+pID06-3	18.84	18.84	0.000		
C09	SYBR	AmpR	Unkn	R250C+pID06-3	18.10	18.10	0.000	18.45	
C10	SYBR	AmpR	Unkn	R250C+pID06-3	18.81	18.81	0.000		
B07	SYBR	A	Unkn	R250C+pID06-2	18.87	18.87	0.000	19.12	#####
B08	SYBR	A	Unkn	R250C+pID06-2	19.38	19.38	0.000		
B09	SYBR	AmpR	Unkn	R250C+pID06-2	18.68	18.68	0.000	19.13	
B10	SYBR	AmpR	Unkn	R250C+pID06-2	19.58	19.58	0.000		
A07	SYBR	A	Unkn	R250C+pID06-1	19.02	19.02	0.000	19.19	0.697673309126799
A08	SYBR	A	Unkn	R250C+pID06-1	19.36	19.36	0.000		
A09	SYBR	AmpR	Unkn	R250C+pID06-1	18.53	18.53	0.000	18.49	
A10	SYBR	AmpR	Unkn	R250C+pID06-1	18.45	18.45	0.000		
G10	SYBR		Unkn	N/A		0.00	0.000		
G11	SYBR		Unkn	N/A		0.00	0.000		
G12	SYBR		Unkn	N/A		0.00	0.000		
H10	SYBR		Unkn	N/A		0.00	0.000		
H11	SYBR		Unkn	N/A		0.00	0.000		
H12	SYBR		Unkn	N/A		0.00	0.000		
G03	SYBR	A	Unkn	H224A+pID06-3	18.09	18.09	0.000	18.12	0.945070446622850
G06	SYBR	AmpR	Unkn	H224A+pID06-3	17.08	17.08	0.000	17.18	
H03	SYBR	A	Unkn	H224A+pID06-3	18.15	18.15	0.000		
H06	SYBR	AmpR	Unkn	H224A+pID06-3	17.27	17.27	0.000		
G02	SYBR	A	Unkn	H224A+pID06-2	18.73	18.73	0.000	18.81	1.546423523730900
G05	SYBR	AmpR	Unkn	H224A+pID06-2	17.06	17.06	0.000	17.27	
H02	SYBR	A	Unkn	H224A+pID06-2	18.90	18.90	0.000		
H05	SYBR	AmpR	Unkn	H224A+pID06-2	17.47	17.47	0.000		
G01	SYBR	A	Unkn	H224A+pID06-1	18.14	18.14	0.000	18.14	0.571587384729749
G04	SYBR	AmpR	Unkn	H224A+pID06-1	17.53	17.53	0.000	17.57	
H01	SYBR	A	Unkn	H224A+pID06-1	18.14	18.14	0.000		
H04	SYBR	AmpR	Unkn	H224A+pID06-1	17.61	17.61	0.000		
C01	SYBR	A	Unkn	A254H+pID06-3	18.46	18.46	0.000	18.73	1.136136571716500
C02	SYBR	A	Unkn	A254H+pID06-3	19.00	19.00	0.000		
C03	SYBR	AmpR	Unkn	A254H+pID06-3	17.49	17.49	0.000	17.60	
C04	SYBR	AmpR	Unkn	A254H+pID06-3	17.70	17.70	0.000		
B01	SYBR	A	Unkn	A254H+pID06-2	18.58	18.58	0.000	18.84	0.137938158390099
B02	SYBR	A	Unkn	A254H+pID06-2	19.10	19.10	0.000		
B03	SYBR	AmpR	Unkn	A254H+pID06-2	18.47	18.47	0.000	18.70	
B04	SYBR	AmpR	Unkn	A254H+pID06-2	18.93	18.93	0.000		
A01	SYBR	A	Unkn	A254H+pID06-1	17.96	17.96	0.000	18.59	1.191752633295800
A02	SYBR	A	Unkn	A254H+pID06-1	19.22	19.22	0.000		
A03	SYBR	AmpR	Unkn	A254H+pID06-1	17.35	17.35	0.000	17.40	
A04	SYBR	AmpR	Unkn	A254H+pID06-1	17.44	17.44	0.000		
F01	SYBR	A	Unkn	A225S+pID06-3	19.04	19.04	0.000	19.21	1.751930132054500
F02	SYBR	A	Unkn	A225S+pID06-3	19.38	19.38	0.000		
F03	SYBR	AmpR	Unkn	A225S+pID06-3	17.29	17.29	0.000	17.46	
F04	SYBR	AmpR	Unkn	A225S+pID06-3	17.62	17.62	0.000		
E01	SYBR	A	Unkn	A225S+pID06-2	19.11	19.11	0.000	19.29	1.717073538443900
E02	SYBR	A	Unkn	A225S+pID06-2	19.46	19.46	0.000		
E03	SYBR	AmpR	Unkn	A225S+pID06-2	17.52	17.52	0.000	17.57	
E04	SYBR	AmpR	Unkn	A225S+pID06-2	17.62	17.62	0.000		
D01	SYBR	A	Unkn	A225S+pID06-1	18.31	18.31	0.000	18.42	1.618707431204300
D02	SYBR	A	Unkn	A225S+pID06-1	18.54	18.54	0.000		
D03	SYBR	AmpR	Unkn	A225S+pID06-1	16.65	16.65	0.000	16.81	
D04	SYBR	AmpR	Unkn	A225S+pID06-1	16.96	16.96	0.000		

Well	Fluor	Target	Content	Sample	Cq	Cq Mean	Cq Std. Dev		
F01	SYBR	A	Unkn	pID05+pID06-3	19.65	19.65	0.000	19.43	1.312115507480250
F02	SYBR	A	Unkn	pID05+pID06-3	19.20	19.20	0.000		
F03	SYBR	AmpR	Unkn	pID05+pID06-3	18.08	18.08	0.000	18.11	
F04	SYBR	AmpR	Unkn	pID05+pID06-3	18.15	18.15	0.000		
E01	SYBR	A	Unkn	pID05+pID06-2	19.18	19.18	0.000	19.13	1.310676726737750
E02	SYBR	A	Unkn	pID05+pID06-2	19.08	19.08	0.000		
E03	SYBR	AmpR	Unkn	pID05+pID06-2	17.76	17.76	0.000	17.82	
E04	SYBR	AmpR	Unkn	pID05+pID06-2	17.89	17.89	0.000		
D01	SYBR	A	Unkn	pID05+pID06-1	18.12	18.12	0.000	18.41	1.246989475692050
D02	SYBR	A	Unkn	pID05+pID06-1	18.71	18.71	0.000		
D03	SYBR	AmpR	Unkn	pID05+pID06-1	17.18	17.18	0.000	17.17	
D04	SYBR	AmpR	Unkn	pID05+pID06-1	17.15	17.15	0.000		
A07	SYBR		Unkn	N/A		0.00	0.000		
A08	SYBR		Unkn	N/A		0.00	0.000		
B07	SYBR		Unkn	N/A		0.00	0.000		
B08	SYBR		Unkn	N/A		0.00	0.000		
C07	SYBR		Unkn	N/A		0.00	0.000		
C08	SYBR		Unkn	N/A		0.00	0.000		
D07	SYBR		Unkn	N/A		0.00	0.000		
D08	SYBR		Unkn	N/A		0.00	0.000		
E07	SYBR		Unkn	N/A		0.00	0.000		
E08	SYBR		Unkn	N/A		0.00	0.000		
F07	SYBR		Unkn	N/A		0.00	0.000		
F08	SYBR		Unkn	N/A		0.00	0.000		
C01	SYBR	A	Unkn	E60Q+pID06-3	19.39	19.39	0.000	19.03	0.079538880657452
C02	SYBR	A	Unkn	E60Q+pID06-3	18.66	18.66	0.000		
C03	SYBR	AmpR	Unkn	E60Q+pID06-3	18.93	18.93	0.000	18.95	
C04	SYBR	AmpR	Unkn	E60Q+pID06-3	18.96	18.96	0.000		
B01	SYBR	A	Unkn	E60Q+pID06-2	19.20	19.20	0.000	19.21	#####
B02	SYBR	A	Unkn	E60Q+pID06-2	19.22	19.22	0.000		
B03	SYBR	AmpR	Unkn	E60Q+pID06-2	19.32	19.32	0.000	19.38	
B04	SYBR	AmpR	Unkn	E60Q+pID06-2	19.44	19.44	0.000		
A01	SYBR	A	Unkn	E60Q+pID06-1	19.02	19.02	0.000	19.05	#####
A02	SYBR	A	Unkn	E60Q+pID06-1	19.08	19.08	0.000		
A03	SYBR	AmpR	Unkn	E60Q+pID06-1	19.10	19.10	0.000	19.14	
A04	SYBR	AmpR	Unkn	E60Q+pID06-1	19.17	19.17	0.000		
A09	SYBR		Unkn			0.00	0.000		
A10	SYBR		Unkn			0.00	0.000		
A11	SYBR		Unkn			0.00	0.000		
A12	SYBR		Unkn			0.00	0.000		
B09	SYBR		Unkn			0.00	0.000		
B10	SYBR		Unkn			0.00	0.000		
B11	SYBR		Unkn			0.00	0.000		
B12	SYBR		Unkn			0.00	0.000		
C09	SYBR		Unkn			0.00	0.000		
C10	SYBR		Unkn			0.00	0.000		
C11	SYBR		Unkn			0.00	0.000		
C12	SYBR		Unkn			0.00	0.000		
D09	SYBR		Unkn			0.00	0.000		
D10	SYBR		Unkn			0.00	0.000		
D11	SYBR		Unkn			0.00	0.000		
D12	SYBR		Unkn			0.00	0.000		
E09	SYBR		Unkn			0.00	0.000		
E10	SYBR		Unkn			0.00	0.000		
E11	SYBR		Unkn			0.00	0.000		
E12	SYBR		Unkn			0.00	0.000		
F09	SYBR		Unkn			0.00	0.000		
F10	SYBR		Unkn			0.00	0.000		
F11	SYBR		Unkn			0.00	0.000		
F12	SYBR		Unkn			0.00	0.000		
G01	SYBR		Unkn			0.00	0.000		
G02	SYBR		Unkn			0.00	0.000		
G03	SYBR		Unkn			0.00	0.000		
G04	SYBR		Unkn			0.00	0.000		
G05	SYBR		Unkn			0.00	0.000		
G06	SYBR		Unkn			0.00	0.000		
G07	SYBR		Unkn			0.00	0.000		
G08	SYBR		Unkn			0.00	0.000		
G09	SYBR		Unkn			0.00	0.000		
G10	SYBR		Unkn			0.00	0.000		
G11	SYBR		Unkn			0.00	0.000		
G12	SYBR		Unkn			0.00	0.000		
H01	SYBR		Unkn			0.00	0.000		
H02	SYBR		Unkn			0.00	0.000		
H03	SYBR		Unkn			0.00	0.000		
H04	SYBR		Unkn			0.00	0.000		
H05	SYBR		Unkn			0.00	0.000		
H06	SYBR		Unkn			0.00	0.000		
H07	SYBR		Unkn			0.00	0.000		
H08	SYBR		Unkn			0.00	0.000		
H09	SYBR		Unkn			0.00	0.000		
H10	SYBR		Unkn			0.00	0.000		
H11	SYBR		Unkn			0.00	0.000		
H12	SYBR		Unkn			0.00	0.000		