3. Project 3 - Call – Web – Map - Email

Android Studio

3. Project 3 - Call – Web – Map - Email





```
class HomeActivity : AppCompatActivity() {
    override fun onCreate(savedInstanceState: Bundle?) {
        super.onCreate(savedInstanceState)
        enableEdgeToEdge()
        setContentView(R.layout.activity_home)
        ViewCompat.setOnApplyWindowInsetsListener( view = findViewById( id = R.id.main)) { v, insets ->
            val systemBars = insets.getInsets( typeMask = WindowInsetsCompat.Type.systemBars())
            v.setPadding( left = systemBars.left,  top = systemBars.top,  right = systemBars.right,  bottom = systemBars.bottom)
            insets
        }

        val ok = findViewById<Button>( id = R.id.ok)
        val close = findViewById<Button>( id = R.id.close)
        val call = findViewById<Button>( id = R.id.call)
        val web = findViewById<Button>( id = R.id.web)

        val txtCall = findViewById<EditText>( id = R.id.txtCall)
        val txtWeb = findViewById<EditText>( id = R.id.txtWeb)


        call.setOnClickListener {
            val i = Intent( action = Intent.ACTION_CALL, Uri.parse( uriString = "tel:" + txtCall.text.toString().trim()))
            startActivity( intent = i)
        }

        web.setOnClickListener {
            val i = Intent( action = Intent.ACTION_VIEW, Uri.parse( uriString = txtWeb.text.toString().trim()))
            startActivity( intent = i)
        }

        ok.setOnClickListener {
            val i = Intent( packageContext = this,  cls = DisplayActivity::class.java)
            startActivity( intent = i)
        }

        close.setOnClickListener {
            exitProcess( status = -1)
        }
    }
}
```

Call Phone Permission

AndroidManifest.xml × | activity_home.xml | activity_display.xml | DisplayActivity.kt | Home

```xml
<?xml version="1.0" encoding="utf-8"?>
<manifest xmlns:android="http://schemas.android.com/apk/res/android"
    xmlns:tools="http://schemas.android.com/tools">

    <uses-feature
        android:name="android.hardware.telephony"
        android:required="false" />

    <uses-permission android:name="android.permission.INTERNET" />
    <uses-permission android:name="android.permission.CALL_PHONE" />

    <application
        android:allowBackup="true"
        android:dataExtractionRules="@xml/data_extraction_rules"
        android:fullBackupContent="@xml/backup_rules"
```


AB_D2
App info
Split screen
Pause app
Web
TxtWeb
Screenshot
Select


App info
AB_D2
Open
Uninstall
Force stop
Notifications
~0 notifications per week
Permissions
No permissions granted
Storage & cache
18.27 MB used in internal storage
Mobile data & Wi-Fi
No data used


App permissions
AB_D2
Allowed
No permissions allowed
Not allowed
Phone
Unused apps
Remove permissions and free up space


Phone permission
AB_D2
PHONE ACCESS FOR THIS APP
Allow
Don't allow
See all apps with this permission

Map



```
14  class MapActivity : AppCompatActivity() {
        2 Usages
15      private lateinit var latitude: EditText
        2 Usages
16      private lateinit var longitude: EditText
17
18      override fun onCreate(savedInstanceState: Bundle?) {
19          super.onCreate(savedInstanceState)
20          setContentView(R.layout.activity_map)
21          latitude = findViewById<EditText>( id = R.id.latitude)
22          longitude = findViewById<EditText>( id = R.id.longitude)
23          val map = findViewById<Button>( id = R.id.map)
24          val back = findViewById<ImageButton>( id = R.id.back)
25          back.setOnClickListener {
26              var i = Intent( packageContext = this,  cls = HomeActivity::class.java)
27              startActivity( intent = i)
28          }
29          map.setOnClickListener {
30              myMap()
31          }
32      }
        1 Usage
33      private fun myMap(){
34          var w = latitude.text.toString().trim()
35          var t = longitude.text.toString()
36          val i = Intent( action = Intent.ACTION_VIEW)
37          i.data = Uri.parse( uriString = "geo:$w,$t")
38          val chooser = Intent.createChooser( target = i, title = "open map")
39          startActivity( intent = chooser)
40      }
41  }
```

Email

```
2 Usages
class EmailActivity : AppCompatActivity() {
    @SuppressLint( ...value = "MissingInflatedId")
    override fun onCreate(savedInstanceState: Bundle?) {
        super.onCreate(savedInstanceState)
        enableEdgeToEdge()
        setContentView(R.layout.activity_email)
        ViewCompat.setOnApplyWindowInsetsListener( view = findViewById( id = R.id.main)) { v, insets ->
            val systemBars = insets.getInsets( typeMask = WindowInsetsCompat.Type.systemBars())
            v.setPadding( left = systemBars.left,  top = systemBars.top,  right = systemBars.right,  bottom = systemBars.bottom)
            insets
        }

        val mail_from = findViewById<EditText>( id = R.id.mail_from)
        val mail_to = findViewById<EditText>( id = R.id.mail_to)
        val subject = findViewById<EditText>( id = R.id.subject)
        val msg = findViewById<EditText>( id = R.id.msg)

        val sendEmail = findViewById<Button>( id = R.id.sendEmail)

        sendEmail.setOnClickListener {
            val i = Intent( action = Intent.ACTION_SEND)
            i.data = Uri.parse( uriString = "mailto:")
            var to = arrayOf(mail_from.text.toString(), mail_to.text.toString())
            i.putExtra( name = Intent.EXTRA_EMAIL,  value = to)
            i.putExtra( name = Intent.EXTRA_SUBJECT,  value = subject.text.toString())
            i.putExtra( name = Intent.EXTRA_TEXT,  value = msg.text.toString())
            i.type = "message/rfc822"
            val chooser = Intent.createChooser( target = i,  title = "Send an Email")
            startActivity( intent = chooser)
        }

    }
}
```