



CQ 1110

Material Safety Data Sheet

HMIS Ratings
Health 1
Flammability 1
Reactivity 0
Protection X

1 Chemical Product and Company Identification

Manufacturer Information

Wesmar Products, Inc
1440 NW 45th St
Seattle, WA 98107
Phone (206)782-8186
Emergency Phone 1-800-424-9300
FOR INTERNATIONAL
CALLS 703-527-3887
Date Prepared 2002-Jul-26
Supercedes 2002-Jun-24
Product Identity GLOSS IT
Product Code Number A018C
Product Use Automotive Reconditioning Products
Version # 1.1
CAS # Mixture

2 Composition / Information on Ingredients

The manufacturer lists no ingredients as hazardous according to OSHA 29 CFR 1910.1200.

3 Hazards Identification

Potential Health Effects

Skin Prolonged and/or repeated skin contact with this product may cause irritation/dermatitis.
Eyes This product may cause irritation to the eyes.
Inhalation This product may cause slight irritation to the respiratory system.
Ingestion Ingestion of this product may cause nausea, vomiting and diarrhea.

Hazard Statements

CAUTION: EYE AND SKIN IRRITANT.

4 First Aid Measures

First Aid

Skin	Wash affected area with water.
Eyes	Immediately flush eyes with plenty of water for at least 15 minutes.
Inhalation	Move person to fresh air.
Ingestion	No need for first aid is anticipated if material is swallowed.

5 Fire Fighting Measures

Hazardous Combustion Products

Product is not considered combustible.

Extinguishing Media

Use methods for the surrounding fire.

General Fire Hazards

Not a fire hazard.

Fire Fighting Equipment/Instructions

Firefighters should wear full protective gear.

Flash Point N/AP

6 Accidental Release Measures

Containment Procedures

Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb with inert absorbent such as dry clay, sand or diatomaceous earth, commercial sorbents, or recover using pumps.

Clean-Up Procedures

Absorb spill with inert material. Shovel material into appropriate container for disposal.

7 Handling and Storage

Handling Procedures

Avoid prolonged or repeated skin contact with this material.

Storage Procedures

Keep the container tightly closed. Do not store, incinerate, or heat this material above 120 degrees Fahrenheit. Do not freeze.

8 Exposure Controls / Personal Protection

Engineering Controls

Use local exhaust ventilation.

Personal Protective Equipment

Eyes/Face

Wear chemical goggles.

Skin

Use impervious gloves.

Respiratory

Not normally needed.

General

Eye wash fountain and emergency showers are recommended.

9 Physical & Chemical Properties

Boiling Point	< 212 F
Specific Gravity	1
Vapor Pressure	< 20 mm/Hg
Vapor Density	> 1
Solubility (H₂O)	Soluble
pH	7
Freezing Point	32 F

10 Chemical Stability & Reactivity Information

Chemical Stability

This is a stable material.

Hazardous Decomposition

None known.

Hazardous Polymerization

Will not occur.

11 Toxicological Information

Toxicological Information

No data available for this product.

12 Ecological Information

Ecological Information

No data available for this product.

13 Disposal Considerations

Disposal Instructions

Dispose of waste material according to Local, State, Federal, and Provincial Environmental Regulations.

14 Transportation Information

General

This product is not regulated as a hazardous material by the United States (DOT) or Canadian (TDG) transportation regulations.

15 Regulatory Information

US Federal Regulations

16 Other Information

Disclaimer

NOTICE: The information presented herein is based on data considered to be accurate as of the date of preparation of this Material Safety Data Sheet. However, MSDS may not be used as a commercial specification sheet of manufacturer or seller, and no warranty or representation, expressed or implied, is made as to the accuracy or comprehensiveness of the foregoing data and safety information, nor is any authorization given or implied to practice any patented invention without a license. In addition, no responsibility can be assumed by vendor for any damage or injury resulting from abnormal use, from any failure to adhere to recommended practices, or from any hazards inherent in the nature of the product.

Prepared By	Technical Department
Issue Date	26-Jul-2002