

ER 1008

ASHLAND
SAFETY DATA SHEET

Page: 1

Revision Date: 03/28/2007

Print Date: 5/24/2007

MSDS Number: R0336563

Version: 1.

EAGLE ONE® LEATHER CARE
CONDITIONER LEATHER CARE
E13041614

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Wesmar Products
1440 NW 45th ST
Seattle, WA 98107
(206) 782-8186

Emergency telephone number

1-800-ASHLAND
(1-800-274-5263)

Product name	EAGLE ONE® LEATHER CARE CONDITIONER LEATHER CARE
Product code	E13041614
Product Use Description	No data

2. HAZARDS IDENTIFICATION

Emergency Overview

Appearance: liquid
Moderate skin irritant, Moderate eye irritant, Carcinogen.

Potential Health Effects

Routes of Exposure

Inhalation, Skin contact, Eye Contact, Ingestion

Eye Contact

Can cause eye irritation. Symptoms include stinging, tearing, redness, and swelling of eyes.

Skin Contact

Unlikely to cause skin irritation or injury. Passage of this material into the body through the skin is possible, but it is unlikely that this would result in harmful effects during safe handling and use.

Ingestion

Swallowing small amounts of this material during normal handling is not likely to cause harmful effects. Swallowing large amounts may be harmful.

Inhalation

Breathing small amounts of this material during normal handling is not likely to cause harmful effects. Breathing large amounts may be harmful.

ASHLAND

SAFETY DATA SHEET

Page: 2
Revision Date: 03/28/2007
Print Date: 5/24/2007
MSDS Number: R0336563
Version: 1.

EAGLE ONE® LEATHER CARE
CONDITIONER LEATHER CARE
E13041614

Aggravated Medical Condition

No data

Symptoms

Signs and symptoms of exposure to this material through breathing, swallowing, and/or passage of the material through the skin may include: stomach or intestinal upset (nausea, vomiting, diarrhea), irritation (nose, throat, airways)

Target Organs

No data

Carcinogenicity

There is no information available. The chance of this material causing cancer is unknown.

Reproductive Hazard

There are no data available for assessing risk to the fetus from maternal exposure to this material.

Other Information

No data

3. COMPOSITION/INFORMATION ON INGREDIENTS

Components	CAS-No.	Concentration
SODIUM CHLORIDE	7647-14-5	>=40-<50%
GLYCERINE	56-81-5	>=5-<10%
LUBRICANT	LUBRICANT	>=1.5-<5%
MORPHOLINE	110-91-8	>=1-<1.5%
BUTYLATED HYDROXYANISOLE	25013-16-5	>=0.1-<0.5%

4. FIRST AID MEASURES

Eyes

If symptoms develop, immediately move individual away from exposure and into fresh air. Flush eyes gently with water for at least 15 minutes while holding eyelids apart; seek immediate medical attention.

Skin

ASHLAND

SAFETY DATA SHEET

Page: 3
Revision Date: 03/28/2007
Print Date: 5/24/2007
MSDS Number: R0336563
Version: 1.

EAGLE ONE® LEATHER CARE
CONDITIONER LEATHER CARE
E13041614

First aid is not normally required. However, it is recommended that exposed areas be cleaned by washing with soap and water.

Ingestion

Seek medical attention. If individual is drowsy or unconscious, do not give anything by mouth; place individual on the left side with the head down. Contact a physician, medical facility, or poison control center for advice about whether to induce vomiting. If possible, do not leave individual unattended.

Inhalation

First aid is not normally required. If symptoms develop, move individual away from exposure and into fresh air. If symptoms persist, seek medical attention.

Notes to Physician

Hazards: This material is an aspiration hazard. Potential danger from aspiration must be weighed against possible oral toxicity (See Section 2 - Swallowing) when deciding whether to induce vomiting.

Treatment: No information available.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Water mist, carbon dioxide (CO₂), dry chemical

Hazardous Combustion Products

May form: acrolein, carbon dioxide and carbon monoxide, formaldehyde, metal oxides, silicon dioxide, sulfur oxides

Precautions for Fire-Fighting

No special fire hazards are known to be associated with this product. Wear full firefighting turn-out gear (full Bunker gear), and respiratory protection (SCBA). No special precautions necessary when fighting fires involving this product.

Flammability Class for Flammable Liquids

Combustible Liquid Class IIIB

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions

ASHLAND

SAFETY DATA SHEET

Page: 4
Revision Date: 03/28/2007
Print Date: 5/24/2007
MSDS Number: R0336563
Version: 1.

EAGLE ONE® LEATHER CARE
CONDITIONER LEATHER CARE
E13041614

No data

Environmental Precautions

No data

Methods for Cleaning Up

Absorb liquid on vermiculite, floor absorbent or other absorbent material.

7. HANDLING AND STORAGE

Handling

Containers of this material may be hazardous when emptied. Since emptied containers retain product residues (vapor, liquid, and/or solid), all hazard precautions given in the data sheet must be observed.

Storage

Keep containers closed when not in use.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure Guidelines

GLYCERINE		56-81-5	
ACGIH	time weighted average	10 mg/m3	Mist.
OSHA Z1	Permissible exposure limit	5 mg/m3	Respirable fraction.
OSHA Z1	Permissible exposure limit	15 mg/m3	Total dust.
MORPHOLINE		110-91-8	
ACGIH	time weighted average	20 ppm	
NIOSH	Recommended exposure limit	20 ppm	
	(REL):		
NIOSH	Recommended exposure limit	70 mg/m3	
	(REL):		
NIOSH	Short term exposure limit	30 ppm	
NIOSH	Short term exposure limit	105 mg/m3	
OSHA Z1	Permissible exposure limit	20 ppm	
OSHA Z1	Permissible exposure limit	70 mg/m3	

General Advice

These recommendations provide general guidance for handling this product. Personal protective equipment should be selected for individual applications and should consider factors which affect exposure potential, such as handling practices, chemical concentrations and ventilation. It is ultimately the responsibility of the employer to follow regulatory guidelines established by local authorities.

ASHLAND

SAFETY DATA SHEET

Page: 5
Revision Date: 03/28/2007
Print Date: 5/24/2007
MSDS Number: R0336563
Version: 1.

EAGLE ONE® LEATHER CARE
CONDITIONER LEATHER CARE
E13041614

Exposure Controls

Not required under normal conditions of use. However, if unusual operating conditions exist, then provide sufficient mechanical (general and/or local exhaust) ventilation to maintain exposure below PEL/TLV(s).

Eye Protection

Not required under normal conditions of use. Chemical splash goggles in compliance with OSHA regulations are advised; however, OSHA regulations also permit other type safety glasses. Consult your safety representative.

Skin and Body Protection

Not required under normal conditions of use.

Respiratory Protection

Respiratory protection is not required under normal conditions of use.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state	liquid
Form	No data
Colour	No data
Odour	No data
Boiling point/range	No data
pH	No data
Flash point	200.1 °F / 93.4 °C
Evaporation rate	No data
Explosion limits	No data
Vapour pressure	No data
Vapour density	No data
Density	No data
Solubility	No data
Partition coefficient (n-octanol/water)	No data
Autoignition temperature	No data

10. STABILITY AND REACTIVITY

ASHLAND

SAFETY DATA SHEET

Page: 6
Revision Date: 03/28/2007
Print Date: 5/24/2007
MSDS Number: R0336563
Version: 1.

EAGLE ONE® LEATHER CARE
CONDITIONER LEATHER CARE
E13041614

Stability

Stable.

Conditions to Avoid

Avoid contact with:

Incompatible Products

Avoid contact with: acids, alkalis, chlorine, chromium trioxide, peroxides, potassium permanganate, strong oxidizing agents, strong reducing agents

Hazardous Decomposition Products

May form: acrolein, carbon dioxide and carbon monoxide, formaldehyde, metal oxides, silicon dioxide, sulfur oxides

Hazardous Reactions

Product will not undergo hazardous polymerization.

Thermal Decomposition

No data

11. TOXICOLOGICAL INFORMATION

Acute Oral Toxicity

SODIUM CHLORIDE	LD 50 Rat: 3,000 mg/kg
GLYCERINE	LD 50 Rat: 12,600 mg/kg
MORPHOLINE	LD 50 Rat: 1,050 mg/kg
BUTYLATED HYDROXYANISOLE	LD 50 Rat: 2,200 mg/kg

Acute Inhalation Toxicity

SODIUM CHLORIDE	LC 50 Rat: 42 g/m3, 1 h
GLYCERINE	LC 50 Rat: 570 mg/m3, 1 h

ASHLAND

SAFETY DATA SHEET

Page: 7
Revision Date: 03/28/2007
Print Date: 5/24/2007
MSDS Number: R0336563
Version: 1.

EAGLE ONE® LEATHER CARE
CONDITIONER LEATHER CARE
E13041614

MORPHOLINE

LC 50 Rat: 8000 ppm, 8 h

Acute Dermal Toxicity

SODIUM CHLORIDE

LD 50 Rabbit: 10 g/kg

GLYCERINE

LD 50 Rabbit: 10 g/kg

MORPHOLINE

LD 50 Rabbit: 500 mg/kg

12. ECOLOGICAL INFORMATION

Aquatic Toxicity

Acute and Prolonged Toxicity to Fish

No data

Acute Toxicity to Aquatic Invertebrates

No data

Environmental Fate and Pathways

No data

13. DISPOSAL CONSIDERATIONS

Waste Disposal Methods

Dispose of in accordance with all applicable local, state and federal regulations. For assistance with your waste management needs - including disposal, recycling and waste stream reduction, contact Ashland Distribution's Environmental Services Group at 800-637-7922.

14. TRANSPORT INFORMATION

Dangerous goods descriptions may not reflect package size, quantity, end-use or region-specific exceptions that can be applied to shipments. Consult shipping documents for material-specific descriptions.

ASHLAND
SAFETY DATA SHEET

Page: 8
Revision Date: 03/28/2007
Print Date: 5/24/2007
MSDS Number: R0336563
Version: 1.

EAGLE ONE® LEATHER CARE
CONDITIONER LEATHER CARE
E13041614

15. REGULATORY INFORMATION

California Prop. 65

WARNING! This product contains a chemical known in the State of California to cause cancer.

BUTYLATED HYDROXYANISOLE

BENZENE

NICKEL

COBALT

WARNING! This product contains a chemical known in the State of California to cause birth defects or other reproductive harm.

BENZENE

SARA Hazard Classification Acute Health Hazard
Chronic Health Hazard

SARA 313 Component(s)

OSHA Hazards Moderate skin irritant
Moderate eye irritant
Carcinogen

	Health	Flammability	Reactivity	Other
HMIS	1	1	0	
NFPA	1	1	0	

16. OTHER INFORMATION

The information accumulated herein is believed to be accurate but is not warranted to be whether originating with the company or not. Recipients are advised to confirm in advance of need that the information is current, applicable, and suitable to their circumstances.

This MSDS has been prepared by Ashland's Environmental Health and Safety Department (1-800-325-3751).