

FO405-02, Ver A, Mars 2000

Created 30/03/1999 Modified 08/2004 12:47 PM

Product: DSJ300

MATERIAL SAFETY DATA SHEET**SUPPLIER**

Wesmar Products, Inc.
1440 NW 45th St
Seattle, Wa 98107
(206) 782-8186

**EMERGENCY TELEPHONE
NUMBER****EMERGENCY 24 HOURS****(613) 996-6666**

SECTION I IDENTIFICATION AND USE	
PRODUCT NUMBER	PA 8015
PRODUCT NAME	Clear Flex Seal
PRODUCT USE	Adhesive Sealant
CHEMICAL NAME/FAMILY	
SECTION II REPORTABLE INGREDIENTS	

INGREDIENT	% BY WEIGHT	CAS NUMBER	LD50 (ORAL-RAT)	TLV (ppm)	
Toluene	30-40	108-88-3	2500 mg/kg	100	

SECTION III PHYSICAL DATA	
PURE MATERIAL OR MIXTURE	Mixture
PHYSICAL FORM	Paste
APPEARANCE/ODOR	Clear paste/aromatic odor
pH AS IS	Not available
INITIAL BOILING POINT	> 56°
MELTING POINT	Not available
SOLUBILITY IN WATER	Insoluble
SPECIFIC GRAVITY (WATER=1)	0.93

VOLATILES (% W/W)	40%
EVAPORATION RATE	Not established
VAPOUR DENSITY (AIR=1)	Not available
VAPOUR PRESSURE (MM)	Not established

SECTION IV FIRE AND EXPLOSION DATA

AUTO-IGNITION TEMPERATURE	Not established
FLASH POINT	Over 6°C
UPPER EXPLOSIVE LIMIT (%)	0.6%
LOWER EXPLOSIVE LIMIT (%)	13%
SENSITIVE TO STATIC DISCHARGE	Not established
SENSITIVE TO MECHANICAL IMPACT	Not established
EXTINGUISH MEDIA	CO2, dry chemical, CCL4
SPECIAL FIREFIGHTING PROCEDURES	Self-contained breathing apparatus
FIRE OR EXPLOSIVE HAZARD	Can react vigorously with oxidizing materials.
HAZARDOUS COMBUSTION PRODUCTS	Not available

SECTION V HEALTH EFFECTS DATA

SHORT TERM EFFECTS OF EXPOSURE

ROUTE OF ENTRY Ingestion, contact, inhalation

ACUTE EFFECTS--INGESTION	Hazardous if ingested
ACUTE EFFECTS--SKIN	Skin irritation
ABSORPTION	Unknown
ACUTE EFFECTS--INHALATION	Hazardous if inhaled
ACUTE EFFECTS--EYE	Eye irritation Corrosion: Possible eye damage
OVEREXPOSURE SYMPTOMS	Irritation, dizziness, nausea, headache

LONG TERM EFFECTS OF EXPOSURE

EFFECTS OF CHRONIC EXPOSURE	Dermatitis, C.N.S. problems
------------------------------------	-----------------------------

SPECIAL HEALTH EFFECTS

CARCINOGENICITY	Not available

TARGET ORGANS	C.N.S., respiratory system, skin, lungs
----------------------	---

SECTION VI FIRST AID MEASURES

INGESTION	Call physician who must decide to induce or not vomiting.
SKIN CONTACT	Flush with water for a minimum of 15 minutes. Call a physician.
INHALATION	Remove patient to fresh air. Give mouth to mouth if patient is not breathing. Call a physician.
EYE CONTACT	Flush with water for a minimum of 15 minutes. Call a physician.

SECTION VII RECOMMENDATIONS FOR PERSONAL PROTECTIVE EQUIPMENT

CONDITIONS UNDER WHICH PPE REQ'D

EYE PROTECTION REQUIREMENTS	Safety glasses
GLOVE REQUIREMENTS	Neoprene rubber, nitrile, impervious plastic
CLOTHING REQUIREMENTS	
CHANGE/REMOVAL OF CLOTHING	
WASH REQUIREMENTS	
RESPIRATOR REQUIREMENTS	
ENGINEERING CONTROLS REQUIRES	Local exhaust is preferred.
OTHER PROTECTION	Safety shower, eye bath

SECTION VIII REACTIVITY DATA

STABILITY	Stable
INCOMPATIBILITIES	Strong oxidizers
CONDITIONS TO AVOID	
HAZARDOUS DECOMPOSITION PRODUCTS	Unknown
HAZARDOUS POLYMERIZATION	Will not occur

SECTION IX SPILL AND LEAK PROCEDURES

SPILL AND LEAK PROCEDURES	Eliminate all sources of ignition. Soak up all liquid with absorbent material.
WASTE DISPOSAL METHODS	Dispose in accordance with federal, provincial and

	municipal regulations in Canada and the United States. Consult these authorities for hazardous waste disposal procedures.
OTHER PRECAUTIONS	

SECTION X HANDLING AND STORAGE PRECAUTIONS

STORAGE TEMPERATURE	Not available
HANDLING/STORAGE	Store in a cool location away from sunlight and any source of heat, sparks or flame. Keep container lid tightly closed after partial use or when storing.
OTHER PRECAUTIONS	Insure there is adequate ventilation when using. Avoid skin contact. Use in an area where there is no danger of flames or sparks contacting product.
SPECIAL COMMENTS	

SECTION XI TOXICOLOGICAL INFORMATION

SECTION XII REGULATORY INFORMATION

T.D.G. INFORMATION

SHIPPING NAME	Adhesive
P.I.N. NUMBER	UN 1133
TDG CLASS	3.2
PACKAGING GROUP	II

WHMIS INFORMATION

CLASS	B2 flammable Liquid D2B Other toxic effects-eye irritant
--------------	---

SECTION XII TECHNICAL CONTACT

EXPIRATION DATE: 01/09/2005 Approved

FOR TECHNICAL INFORMATION, CONTACT:
ADCHEM ADHESIVES INC.

2670, PAULUS STREET
VILLE SAINT-LAURENT (QC)
H4S 1G1
(514) 337-7534

2696, SLOUGH ST.,

MISSISSAUGA (ONT.)
L4T 1G3
(905) 405-9346

IMPORTANT

The information given and the recommendations made herein apply to our products alone and not combine with other products. This information is based on our research and on data from reliable sources and is believed to be accurate. No guaranty of accuracy is made. It is the purchaser's or the user's responsibility before using any product to verify this data under their own operating conditions and to determine whether the product is suitable for their purposes.