

WM 5001-5005

## Material Safety Data Sheet FALLOUT REMOVER

Wesmar Products, Inc.  
1440 NW 45th St  
Seattle, Wa 98107  
(206) 782-8186

DATE PREPARED:..... FEB 17, 2000

REVISED DATE:..... MAR 1, 2001

CHEMTREC:..... 800-424-9300

### SECTION I - IDENTIFICATION

PRODUCT NAME: .....FALLOUT REMOVER  
CHEMICAL FAMILY: .....MODERATELY ACIDIC MATERIAL  
FORMULA: .....N/A  
CAS NUMBER: .....N/A

### SECTION II - HAZARDOUS INGREDIENTS

| HAZARDOUS INGREDIENT | PERCENT | CAS NUMBER | ACGIH/TLV           | STEL/PEL            |
|----------------------|---------|------------|---------------------|---------------------|
| Oxalic acid          | 5-10    | 144-62-7   | 1 mg/M <sup>3</sup> | 2 mg/M <sup>3</sup> |
| Citric acid          | 5-10    | 77-92-9    | NOT EST.            | NOT EST.            |

(See section VI for additional TLV information. Also contains biodegradable surfactant.)

### SECTION III - PHYSICAL DATA

APPEARANCE: .....Clear colorless liquid with mild odor.  
BOILING POINT: .....212° F.  
VAPOR PRESSURE: .....NOT EST.  
VAPOR DENSITY (AIR=1): .....NOT EST.  
SPECIFIC GRAVITY: .....1.05  
pH: .....< 2.0 as is  
SOLUBILITY IN WATER: .....Completely soluble in water.

### SECTION IV - FIRE AND EXPLOSION DATA

FLASHPOINT: .....> 200° F.  
LOWER EXPLOSIVE LIMIT: ...N/A  
UPPER EXPLOSIVE LIMIT: ...N/A  
EXTINGUISHING MEDIA: .....Use extinguishing media appropriate to primary cause of fire.  
SPECIAL FIRE FIGHTING PROCEDURES: .....Avoid contact with fire fighting personnel as burns may result from contact with skin. When fighting a fire near or involving this product, wear a self-contained breathing apparatus (SCBA).  
UNUSUAL FIRE AND EXPLOSION HAZARDS: .....None known

# Material Safety Data Sheet

## FALLOUT REMOVER

### SECTION V - REACTIVITY DATA

**STABILITY:**.....Stable

**HAZARDOUS POLYMERIZATION:** Will not occur.

**INCOMPATIBILITY:**.....Chlorinated products such as bleach, alkaline materials, metals, metal powder, carbides, chlorates, fumigates, nitrates, picrates, strong oxidizing, reducing, or combustible organic material. Hazardous gases are evolved on contact with chemicals such as chlorine bleach, cyanides, sulfides and carbides.

**HAZARDOUS**

**DECOMPOSITION:**.....Carbon monoxide and carbon dioxide upon thermal decomposition.

**HAZARDOUS**

**POLYMERIZATION:**.....Will not occur.

### SECTION VI - HEALTH DATA

**THRESHOLD LIMIT VALUE:**..The TLV in section II is the ACGIH/TLV-TWA and OSHA/PEL, (the time weighted average concentration for an eight hour work day.) The STEL is the (short term exposure limit.) (C) is the ceiling limit.

**OSHA PEL:**.....Since this product is a mixture, there is no defined PEL(s) established by OSHA. Hazardous components are listed in the Hazardous Ingredients Section of this data sheet.

**LISTED CARCINOGEN:**.....This product does not contain any components listed by NTP, IARC, or OSHA as carcinogens at the OSHA reportable levels.

**MEDICAL CONDITION AGGRAVATED:**..... Existing skin and/or respiratory disorders may be aggravated by exposure.

**EYES:**.....May cause severe eye irritation with possible permanent eye damage and impairment of vision.

**SKIN (DERMAL):** .....Skin contact may cause irritation while prolonged exposure may cause chemical burns.

**INGESTION:** .....May cause severe gastrointestinal irritation and/or ulceration of the mouth and throat. Single dose oral LD50 has not been determined.

**INHALATION:**.....Vapors and mist may cause respiratory tract irritation.

**CHRONIC OVEREXPOSURE:**..None known

### SECTION VII FIRST AID

**EYES:**.....In case of contact, immediately flush eyes with lots of running water for at least 15 minutes. Call for medical assistance.

**SKIN (DERMAL):** .....Immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Wash contaminated clothing and shoes before reuse.

**INGESTION:** .....Do not induce vomiting. Give large amounts of water or milk if available and transport to medical facility. Never give anything by mouth to an unconscious person.

**INHALATION:**.....Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen as directed by medical personnel.

# Material Safety Data Sheet

## FALLOUT REMOVER

### SECTION VIII EMPLOYEE PROTECTION

**EYE PROTECTION:** .....Chemical safety goggles. Contact lenses should not be worn when working with any chemicals.

**RESPIRATORY PROTECTION:** Respiratory protection should be worn if levels exceed defined PEL(s) for this product or any hazardous component listed in the Hazardous Ingredient Section of this DATA SHEET.

**PROTECTIVE CLOTHING:**.....Rubber gloves, coveralls and protective footwear.

**VENTILATION:**.....Local exhaust sufficient to maintain TLV below permissible exposure limits.

### SECTION IX - SPILL AND DISPOSAL DATA

**SPILL:**.....Appropriate protective clothing must be worn by trained clean-up personnel. Dike the area to contain the spill. Dilute with large quantities of dilute soda ash or sodium bicarbonate (baking soda) solution to neutralized any residual acid. Properly neutralized liquids, pH (6-9) may be disposed of in waste water treatment facilities. Check with local authorities first. Appropriate protective clothing must be worn by trained clean-up personnel. Dike the area to contain the spill. Dilute with large quantities of dilute soda ash or sodium bicarbonate (baking soda) solution to neutralized any residual acid. Properly neutralized liquids, pH (6-9) may be disposed of in waste water treatment facilities. Check with local authorities first.

**WASTE DISPOSAL:** .....Consult all LOCAL, STATE, and FEDERAL regulations with regard to proper and suitable disposal methods.

### SECTION X - TRANSPORTATION DATA

**HAZARD CLASS AND LABEL:** 8 (CORROSIVE)

**PROPER SHIPPING NAME:** .....CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S. (OXALIC ACID, CITRIC ACID) 8 UN-3265 PG-II

**UN NUMBER:** .....UN-3265

**PACKAGING GROUP:** .....PG – II

**REPORTABLE QUANTITY:**.....N/A

### SECTION XI - OTHER REGULATORY INFORMATION

**TSCA STATUS:** .....All components in this product are listed on the TSCA inventory.

**NFPA HEALTH:** .....2

**NFPA FLAMMABILITY:**.....0

**NFPA REACTIVITY:**.....0

**NFPA OTHER:**.....N/A

### SECTION XII - PRECAUTIONARY LABEL STATEMENTS

**LABEL HANDLING:**.....Store away from acids, oxidizing compounds and other incompatible materials. Keep containers tightly closed when not in use. KEEP OUT OF REACH OF CHILDREN.

## Material Safety Data Sheet FALLOUT REMOVER

### SECTION XIII - ADDITIONAL INFORMATION

**REFERENCES:** .....The information contained herein has been compiled from sources believed to be reliable and accurate to the best of our knowledge at this date. It is provided without warranty, expressed or implied, as to the results of use of this information or to the product to which it relates. WESMAR CO. assumes no responsibility for injury to any person or property resulting from any use of the material if reasonable safety procedures are not adhered to. Each user assumes the risk in their use of this product and should review the data and recommendations in the specific context of their intended use.

**FOOT NOTES:**

NOT EST. = Not established

N/A = Not applicable