

MATERIAL SAFETY DATA SHEET

RESPECT

SECTION 1. IDENTIFICATION

COMPANY NAME Wesmar Products, Inc.
1440 NW 45th St
Seattle, WA 98107
(206) 782-8186

EMERGENCY PHONE NUMBER 206 783-5344, 800 824-4917,
CHEMTREC 800 424-9300

EFFECTIVE DATE: N/A

REVISED DATE NOV. 12, 1998

TRADE NAME: RESPECT

CHEMICAL FORMULA N/A

CHEMICAL FAMILY MODERATELY ALKALINE MATERIAL

SECTION 2. HAZARDOUS INGREDIENTS

HAZARDOUS COMPONENTS	%	ACGIH/TLV	STEL/PEL	PRODUCT CAS#
TETRAPOTASSIUM PYROPHOSPHATE	1-5	NOT EST.	NOT EST.	7320-34-5
EDTA Na4	1-5	NOT EST.	NOT EST.	64-02-8

(ALSO CONTAINS BIODEGRADABLE SURFACTANT)

SECTION 3. PHYSICAL DATA

BOILING POINT (F) N/D

FREEZING POINT (F) N/D

VOLATILITY / VOL (%) N/D

VAPOR PRESSURE N/D

VAPOR DENSITY N/D

SOLUBILITY IN WATER COMPLETELY SOLUBLE IN WATER

APPEARANCE / ODOR CLEAR BLUE LIQUID WITH MILD TO NO ODOR

SPECIFIC GRAVITY 1.05

EVAPORATION RATE N/D

pH 11.5 - 11.9

MATERIAL SAFETY DATA SHEET

RESPECT

SECTION 4. FIRE AND EXPLOSION HAZARD DATA

FLASH POINT	NON COMBUSTIBLE
LOWER FLAME LIMIT	N/A
HIGHER FLAME LIMIT	N/A
EXTINGUISHING MEDIA	Use extinguishing media appropriate to primary cause of fire.
FOR FIRE	Avoid contact with fire fighting personnel as burns may result from contact with skin. Wear complete protective clothing and self contained breathing apparatus.
UNUSUAL FIRE HAZARDS	Contact with soft metals may produce flammable or explosive hydrogen air mixtures.

SECTION 5. HEALTH HAZARD DATA

THRESHOLD LIMIT VALUE	The TLV in section II is the ACGIH/TLV-TWA and OSHA/PEL, (the time weighted average concentration for an eight hour work day). The STEL is the short term exposure limit. None of the components present in this material at concentrations of 0.1% or greater are listed by IARC, NTP, WISHA/OSHA as a carcinogen.
OVER EXPOSURE EFFECTS	ACUTE HAZARDS: Product is moderately alkaline. Brief exposure causes skin and eye irritation. Permanent eye damage with impairment of vision may occur. Prolonged and or repeated exposure may cause chemical burns to skin, eyes and respiratory tract. Vapors and mist may
FIRST AID PROCEDURES	EYES: Immediately flush eyes with plenty of water for at least 15 minutes. Get immediate medical attention. SKIN: Immediate flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes.. Wash contaminated clothing before reuse. INGESTION: Do not induce vomiting unless directed to do so by medical personnel. Give large amounts of water or milk if available and transport to medical facility. Never give anything by mouth to an unconscious person. INHALATION: Remove to fresh air if effects occur. Consult medical personnel.

MATERIAL SAFETY DATA SHEET

RESPECT

SECTION 6. SPILL OR LEAK PROCEDURE

FOR SPILL:	Appropriate protective clothing must be worn by trained clean-up personnel. Dike the area to contain the spill. Dilute with large quantities of water and neutralize with dilute acids such as phosphoric, hydrochloric or sulfuric. Properly neutralized liquids (pH 6-9) may be disposed of in waste water treatment facilities. Check with local authorities first.
WASTE DISPOSAL METHOD	Dispose of in approved chemical disposal area or in a manner which complies with all local, state and federal regulations.

SECTION 7. REACTIVITY DATA

CHEMICAL STABILITY	STABLE
CONDITIONS TO AVOID	Excessive heat and contact with incompatible materials.
INCOMPATIBLE MATERIALS	Acids and oxidizing materials.
DECOMPOSITION PRODUCTS	Carbon monoxide and carbon dioxide upon thermal decomposition.
HAZARDOUS POLYMERIZATION	Will not occur.
POLYMERIZATION AVOID	N/A

MATERIAL SAFETY DATA SHEET

RESPECT

SECTION 8. SPECIAL PROTECTION

RESPIRATORY PROTECTION	Use NIOSH/MSHA approved dust/mist filter respirator when exposure to mists exceed the permissible exposure limits. The respirator use limitations made by NIOSH/MSHA or the manufacturer must be observed. Respirator protection programs must be in accordance with 29 CFR 1910.134.
VENTILATION	Local exhaust sufficient to maintain TLV below permissible exposure limits.
PROTECTIVE GLOVES	Rubber or other chemical resistant gloves.
EYE PROTECTION	Chemical safety goggles plus full face shield to protect against splashing. Contact lenses should not be worn when working with any chemicals.
OTHER PROTECTIVE EQUIPMENT	Impervious protective clothing and chemical resistant safety shoes or boots should be worn to prevent contact with skin. Emergency shower and eyewash facility should be in close proximity. (ANSI Z358.1).
HANDLING AND STORAGE	Store away from acids, oxidizing compounds and other incompatible materials. Keep container closed when not in use. Do not mix with other chemicals, hazardous vapors may occur. KEEP OUT OF REACH OF CHILDREN!

SECTION 9. SPECIAL PRECAUTIONS

HAZARD CLASS	Not DOT regulated
DOT SHIPPING NAME	N/A
REPORTABLE QUANTITY	N/A
UN NUMBER	N/A
NA #	N/A
PACKAGING SIZE	N/A

FOOT NOTES:

REFERENCES: The information contained herein has been compiled from sources believed to be reliable and accurate to the best of our knowledge at this date. It is provided without warranty, expressed or implied, as to the results of use of this information or to the product to which it relates. WESMAR CO. INC. assumes no responsibility for injury to any person or property resulting from any use of the material if reasonable safety procedures are not adhered to. Each user assumes the risk in their use of this product and should review the date and recommendations in the specific context of their intended use.