



## Safety Data Sheet

Copyright, 2018, 3M Company.

All rights reserved. Copying and/or downloading of this information for the purpose of properly utilizing 3M products is allowed provided that: (1) the information is copied in full with no changes unless prior written agreement is obtained from 3M, and (2) neither the copy nor the original is resold or otherwise distributed with the intention of earning a profit thereon.

|                        |           |                         |          |
|------------------------|-----------|-------------------------|----------|
| <b>Document Group:</b> | 32-6230-0 | <b>Version Number:</b>  | 4.01     |
| <b>Issue Date:</b>     | 10/23/18  | <b>Supersedes Date:</b> | 02/12/18 |

### SECTION 1: Identification

#### 1.1. Product identifier

3M(TM) Perfect-It(TM) Rubbing Compound PN 06085, 06086, 06087, 39060, 6070

#### Product Identification Numbers

LB-K100-1467-7, LB-K100-1467-8, LB-K100-1467-9, LB-K100-1468-0, 60-4550-7365-4, 60-4550-7366-2, 60-4550-7367-0, 60-4550-7368-8, 60-4551-0167-9, 60-4551-0168-7

7100041350, 7100041351, 7100057152, 7100041352, 7100153719, 7100153720

#### 1.2. Recommended use and restrictions on use

##### Recommended use

Automotive

#### 1.3. Supplier's details

|                      |                                         |
|----------------------|-----------------------------------------|
| <b>MANUFACTURER:</b> | 3M                                      |
| <b>DIVISION:</b>     | Automotive Aftermarket                  |
| <b>ADDRESS:</b>      | 3M Center, St. Paul, MN 55144-1000, USA |
| <b>Telephone:</b>    | 1-888-3M HELPS (1-888-364-3577)         |

#### 1.4. Emergency telephone number

1-800-364-3577 or (651) 737-6501 (24 hours)

### SECTION 2: Hazard identification

The label elements below were prepared in accordance with OSHA Hazard Communication Standard, 29 CFR 1910.1200. This information may be different from the actual product label information for labels regulated by other agencies.

#### 2.1. Hazard classification

Skin Corrosion/Irritation: Category 2.

Skin Sensitizer: Category 1.

Carcinogenicity: Category 2.

Specific Target Organ Toxicity (single exposure): Category 3.

#### 2.2. Label elements

##### Signal word

Warning

**Symbols**

Exclamation mark | Health Hazard |

**Pictograms****Hazard Statements**

Causes skin irritation.

May cause an allergic skin reaction.

May cause drowsiness or dizziness.

Suspected of causing cancer.

**Precautionary Statements****General:**

Keep out of reach of children.

**Prevention:**

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Avoid breathing dust/fume/gas/mist/vapors/spray.

Use only outdoors or in a well-ventilated area.

Wear protective gloves.

Wash thoroughly after handling.

Contaminated work clothing must not be allowed out of the workplace.

**Response:**

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

IF ON SKIN: Wash with plenty of soap and water.

If skin irritation or rash occurs: Get medical advice/attention.

Take off contaminated clothing and wash it before reuse.

IF exposed or concerned: Get medical advice/attention.

**Storage:**

Store in a well-ventilated place. Keep container tightly closed.

Store locked up.

**Disposal:**

Dispose of contents/container in accordance with applicable local/regional/national/international regulations.

1% of the mixture consists of ingredients of unknown acute oral toxicity.

1% of the mixture consists of ingredients of unknown acute dermal toxicity.

5% of the mixture consists of ingredients of unknown acute inhalation toxicity.

**SECTION 3: Composition/information on ingredients**

| Ingredient                   | C.A.S. No. | % by Wt                |
|------------------------------|------------|------------------------|
| Water                        | 7732-18-5  | 40 - 70 Trade Secret * |
| Aluminum Oxide (non-fibrous) | 1344-28-1  | 10 - 30 Trade Secret * |
| Aluminum Oxide               | 1344-28-1  | 10 20 Trade Secret *   |

|                                                                  |            |                       |
|------------------------------------------------------------------|------------|-----------------------|
| Stoddard Solvent                                                 | 8052-41-3  | 7 - 14 Trade Secret * |
| Hydrotreated Light Petroleum Distillates                         | 64742-47-8 | 2 - 7 Trade Secret *  |
| Castor Oil                                                       | 8001-79-4  | 1 - 5 Trade Secret *  |
| Ethylene oxide, polymer with ethylenediamine and propylene oxide | 26316-40-5 | 0 - 2 Trade Secret *  |
| Ethylbenzene                                                     | 100-41-4   | < 0.5 Trade Secret *  |
| tERPENES AND tERPENOIDS, SWEET ORANGE-OIL                        | 68647-72-3 | < 0.5 Trade Secret *  |

\*The specific chemical identity and/or exact percentage (concentration) of this composition has been withheld as a trade secret.

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

#### Inhalation:

Remove person to fresh air. If you feel unwell, get medical attention.

#### Skin Contact:

Immediately wash with soap and water. Remove contaminated clothing and wash before reuse. If signs/symptoms develop, get medical attention.

#### Eye Contact:

Flush with large amounts of water. Remove contact lenses if easy to do. Continue rinsing. If signs/symptoms persist, get medical attention.

#### If Swallowed:

Rinse mouth. If you feel unwell, get medical attention.

### 4.2. Most important symptoms and effects, both acute and delayed

See Section 11.1. Information on toxicological effects.

### 4.3. Indication of any immediate medical attention and special treatment required

Not applicable

## SECTION 5: Fire-fighting measures

### 5.1. Suitable extinguishing media

Material will not burn. Use a fire fighting agent suitable for the surrounding fire.

### 5.2. Special hazards arising from the substance or mixture

None inherent in this product.

#### Hazardous Decomposition or By-Products

##### Substance

Carbon monoxide  
Carbon dioxide  
Oxides of Nitrogen

##### Condition

During Combustion  
During Combustion  
During Combustion

### 5.3. Special protective actions for fire-fighters

No special protective actions for fire-fighters are anticipated.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

Evacuate area. Ventilate the area with fresh air. For large spill, or spills in confined spaces, provide mechanical ventilation to disperse or exhaust vapors, in accordance with good industrial hygiene practice. Refer to other sections of this SDS for information regarding physical and health hazards, respiratory protection, ventilation, and personal protective equipment.

### 6.2. Environmental precautions

Avoid release to the environment. For larger spills, cover drains and build dikes to prevent entry into sewer systems or bodies of water.

### 6.3. Methods and material for containment and cleaning up

Contain spill. Working from around the edges of the spill inward, cover with bentonite, vermiculite, or commercially available inorganic absorbent material. Mix in sufficient absorbent until it appears dry. Remember, adding an absorbent material does not remove a physical, health, or environmental hazard. Collect as much of the spilled material as possible. Place in a closed container approved for transportation by appropriate authorities. Clean up residue with detergent and water. Seal the container. Dispose of collected material as soon as possible in accordance with applicable local/regional/national/international regulations.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Store work clothes separately from other clothing, food and tobacco products. Keep out of reach of children. Do not handle until all safety precautions have been read and understood. Avoid breathing dust/fume/gas/mist/vapors/spray. Do not get in eyes, on skin, or on clothing. Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace. Avoid release to the environment. Wash contaminated clothing before reuse. Use personal protective equipment (gloves, respirators, etc.) as required.

### 7.2. Conditions for safe storage including any incompatibilities

Store in a well-ventilated place. Keep container tightly closed. Store away from areas where product may come into contact with food or pharmaceuticals.

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### Occupational exposure limits

If a component is disclosed in section 3 but does not appear in the table below, an occupational exposure limit is not available for the component.

| Ingredient                    | C.A.S. No. | Agency | Limit type                                                   | Additional Comments                |
|-------------------------------|------------|--------|--------------------------------------------------------------|------------------------------------|
| Ethylbenzene                  | 100-41-4   | ACGIH  | TWA:20 ppm                                                   | A3: Confirmed animal carcin.       |
| Ethylbenzene                  | 100-41-4   | OSHA   | TWA:435 mg/m3(100 ppm)                                       |                                    |
| Aluminum Oxide                | 1344-28-1  | OSHA   | TWA(as total dust):15 mg/m3;TWA(respirable fraction):5 mg/m3 |                                    |
| Aluminum Oxide (non-fibrous)  | 1344-28-1  | OSHA   | TWA(as total dust):15 mg/m3;TWA(respirable fraction):5 mg/m3 |                                    |
| Aluminum, insoluble compounds | 1344-28-1  | ACGIH  | TWA(respirable fraction):1 mg/m3                             | A4: Not class. as human carcin     |
| Kerosine (petroleum)          | 64742-47-8 | ACGIH  | TWA(as total hydrocarbon vapor, non-aerosol):200 mg/m3       | A3: Confirmed animal carcin., SKIN |

|                  |           |       |                         |  |
|------------------|-----------|-------|-------------------------|--|
| Stoddard Solvent | 8052-41-3 | ACGIH | TWA:100 ppm             |  |
| Stoddard Solvent | 8052-41-3 | OSHA  | TWA:2900 mg/m3(500 ppm) |  |

ACGIH : American Conference of Governmental Industrial Hygienists

AIHA : American Industrial Hygiene Association

CMRG : Chemical Manufacturer's Recommended Guidelines

OSHA : United States Department of Labor - Occupational Safety and Health Administration

TWA: Time-Weighted-Average

STEL: Short Term Exposure Limit

CEIL: Ceiling

## 8.2. Exposure controls

### 8.2.1. Engineering controls

Provide appropriate local exhaust ventilation on open containers. Provide appropriate local exhaust ventilation for cutting, grinding, sanding or machining.

### 8.2.2. Personal protective equipment (PPE)

#### Eye/face protection

Select and use eye/face protection to prevent contact based on the results of an exposure assessment. The following eye/face protection(s) are recommended:

Safety Glasses with side shields

#### Skin/hand protection

Select and use gloves and/or protective clothing approved to relevant local standards to prevent skin contact based on the results of an exposure assessment. Selection should be based on use factors such as exposure levels, concentration of the substance or mixture, frequency and duration, physical challenges such as temperature extremes, and other use conditions. Consult with your glove and/or protective clothing manufacturer for selection of appropriate compatible gloves/protective clothing. Note: Nitrile gloves may be worn over polymer laminate gloves to improve dexterity.

Gloves made from the following material(s) are recommended: Polymer laminate

If this product is used in a manner that presents a higher potential for exposure (eg. spraying, high splash potential etc.), then use of protective coveralls may be necessary. Select and use body protection to prevent contact based on the results of an exposure assessment. The following protective clothing material(s) are recommended: Apron - polymer laminate

#### Respiratory protection

An exposure assessment may be needed to decide if a respirator is required. If a respirator is needed, use respirators as part of a full respiratory protection program. Based on the results of the exposure assessment, select from the following respirator type(s) to reduce inhalation exposure:

Half facepiece air-purifying respirator suitable for organic vapors and particulates

For questions about suitability for a specific application, consult with your respirator manufacturer.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

**General Physical Form:**

Liquid

**Odor, Color, Grade:**

Creamy off-white liquid; Solvent odor

**Odor threshold**

No Data Available

**pH**

7.5 - 8.5

**Melting point**

No Data Available

**Boiling Point**

100 °C

**Flash Point**

No flash point

**Evaporation rate**

No Data Available

|                                         |                                                             |
|-----------------------------------------|-------------------------------------------------------------|
| Flammability (solid, gas)               | Not Applicable                                              |
| Flammable Limits(LEL)                   | No Data Available                                           |
| Flammable Limits(UEL)                   | No Data Available                                           |
| Vapor Pressure                          | 18 mmHg [ @ 20 °C]                                          |
| Vapor Density                           | No Data Available                                           |
| Density                                 | 1.06 - 1.08 g/ml                                            |
| Specific Gravity                        | 1.06 - 1.08 [Ref Std: WATER=1]                              |
| Solubility in Water                     | Moderate                                                    |
| Solubility- non-water                   | No Data Available                                           |
| Partition coefficient: n-octanol/ water | No Data Available                                           |
| Autoignition temperature                | No Data Available                                           |
| Decomposition temperature               | No Data Available                                           |
| Viscosity                               | 30,000 - 38,000 centipoise [ @ 77 °F ] [Details:#6 Spindle] |
| Hazardous Air Pollutants                | 0.06072 lb HAPS/gal [Test Method:Calculated]                |
| Volatile Organic Compounds              | 16 % weight [Test Method:calculated per CARB title 2]       |
| Volatile Organic Compounds              | 172 g/l [Test Method:calculated SCAQMD rule 443.1]          |
| Percent volatile                        | 79.7 % weight                                               |
| VOC Less H2O & Exempt Solvents          | 540 g/l [Test Method:calculated SCAQMD rule 443.1]          |

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

This material is considered to be non reactive under normal use conditions.

### 10.2. Chemical stability

Stable.

### 10.3. Possibility of hazardous reactions

Hazardous polymerization will not occur.

### 10.4. Conditions to avoid

None known.

### 10.5. Incompatible materials

None known.

### 10.6. Hazardous decomposition products

#### Substance

None known.

#### Condition

Refer to section 5.2 for hazardous decomposition products during combustion.

## SECTION 11: Toxicological information

The information below may not be consistent with the material classification in Section 2 if specific ingredient classifications are mandated by a competent authority. In addition, toxicological data on ingredients may not be reflected in the material classification and/or the signs and symptoms of exposure, because an ingredient may be present below the threshold for labeling, an ingredient may not be available for exposure, or the data may not be relevant to the material as a whole.

### 11.1. Information on Toxicological effects

## Signs and Symptoms of Exposure

Based on test data and/or information on the components, this material may produce the following health effects:

### Inhalation:

Respiratory Tract Irritation: Signs/symptoms may include cough, sneezing, nasal discharge, headache, hoarseness, and nose and throat pain.

May cause additional health effects (see below).

### Skin Contact:

Skin Irritation: Signs/symptoms may include localized redness, swelling, itching, dryness, cracking, blistering, and pain.

Allergic Skin Reaction (non-photo induced): Signs/symptoms may include redness, swelling, blistering, and itching.

### Eye Contact:

Dust created by cutting, grinding, sanding, or machining may cause eye irritation. Signs/symptoms may include redness, swelling, pain, tearing, and blurred or hazy vision.

### Ingestion:

Gastrointestinal Irritation: Signs/symptoms may include abdominal pain, stomach upset, nausea, vomiting and diarrhea.

May cause additional health effects (see below).

## Additional Health Effects:

### Single exposure may cause target organ effects:

Central Nervous System (CNS) Depression: Signs/symptoms may include headache, dizziness, drowsiness, incoordination, nausea, slowed reaction time, slurred speech, giddiness, and unconsciousness.

### Carcinogenicity:

Contains a chemical or chemicals which can cause cancer.

| Ingredient   | CAS No.  | Class Description             | Regulation                                  |
|--------------|----------|-------------------------------|---------------------------------------------|
| Ethylbenzene | 100-41-4 | Grp. 2B: Possible human carc. | International Agency for Research on Cancer |

## Toxicological Data

If a component is disclosed in section 3 but does not appear in a table below, either no data are available for that endpoint or the data are not sufficient for classification.

### Acute Toxicity

| Name                         | Route                          | Species | Value                                          |
|------------------------------|--------------------------------|---------|------------------------------------------------|
| Overall product              | Dermal                         |         | No data available; calculated ATE >5,000 mg/kg |
| Overall product              | Inhalation-Vapor(4 hr)         |         | No data available; calculated ATE >50 mg/l     |
| Overall product              | Ingestion                      |         | No data available; calculated ATE >5,000 mg/kg |
| Stoddard Solvent             | Inhalation-Vapor               |         | LC50 estimated to be 20 - 50 mg/l              |
| Stoddard Solvent             | Dermal                         | Rabbit  | LD50 > 3,000 mg/kg                             |
| Stoddard Solvent             | Ingestion                      | Rat     | LD50 > 5,000 mg/kg                             |
| Aluminum Oxide               | Dermal                         |         | LD50 estimated to be > 5,000 mg/kg             |
| Aluminum Oxide (non-fibrous) | Dermal                         |         | LD50 estimated to be > 5,000 mg/kg             |
| Aluminum Oxide               | Inhalation-Dust/Mist (4 hours) | Rat     | LC50 > 2.3 mg/l                                |
| Aluminum Oxide               | Ingestion                      | Rat     | LD50 > 5,000 mg/kg                             |
| Aluminum Oxide (non-fibrous) | Inhalation-Dust/Mist           | Rat     | LC50 > 2.3 mg/l                                |

|                                           |                                |        |                              |
|-------------------------------------------|--------------------------------|--------|------------------------------|
|                                           | (4 hours)                      |        |                              |
| Aluminum Oxide (non-fibrous)              | Ingestion                      | Rat    | LD50 > 5,000 mg/kg           |
| Hydrotreated Light Petroleum Distillates  | Dermal                         | Rabbit | LD50 > 3,160 mg/kg           |
| Hydrotreated Light Petroleum Distillates  | Inhalation-Dust/Mist (4 hours) | Rat    | LC50 > 3 mg/l                |
| Hydrotreated Light Petroleum Distillates  | Ingestion                      | Rat    | LD50 > 5,000 mg/kg           |
| Castor Oil                                | Dermal                         |        | LD50 estimated to be > 5,000 |
| Castor Oil                                | Ingestion                      |        | LD50 estimated to be > 5,000 |
| Ethylbenzene                              | Dermal                         | Rabbit | LD50 15,433 mg/kg            |
| Ethylbenzene                              | Inhalation-Vapor (4 hours)     | Rat    | LC50 17.4 mg/l               |
| Ethylbenzene                              | Ingestion                      | Rat    | LD50 4,769 mg/kg             |
| TERPENES AND TERPENOIDS, SWEET ORANGE-OIL | Inhalation-Vapor (4 hours)     | Mouse  | LC50 > 3.14 mg/l             |
| TERPENES AND TERPENOIDS, SWEET ORANGE-OIL | Dermal                         | Rabbit | LD50 > 5,000 mg/kg           |
| TERPENES AND TERPENOIDS, SWEET ORANGE-OIL | Ingestion                      | Rat    | LD50 4,400 mg/kg             |

ATE = acute toxicity estimate

#### Skin Corrosion/Irritation

| Name                                      | Species | Value                     |
|-------------------------------------------|---------|---------------------------|
| Stoddard Solvent                          | Rabbit  | Irritant                  |
| Aluminum Oxide                            | Rabbit  | No significant irritation |
| Aluminum Oxide (non-fibrous)              | Rabbit  | No significant irritation |
| Hydrotreated Light Petroleum Distillates  | Rabbit  | Mild irritant             |
| Castor Oil                                | Human   | Minimal irritation        |
| Ethylbenzene                              | Rabbit  | Mild irritant             |
| TERPENES AND TERPENOIDS, SWEET ORANGE-OIL | Rabbit  | Mild irritant             |

#### Serious Eye Damage/Irritation

| Name                                      | Species | Value                     |
|-------------------------------------------|---------|---------------------------|
| Stoddard Solvent                          | Rabbit  | No significant irritation |
| Aluminum Oxide                            | Rabbit  | No significant irritation |
| Aluminum Oxide (non-fibrous)              | Rabbit  | No significant irritation |
| Hydrotreated Light Petroleum Distillates  | Rabbit  | Mild irritant             |
| Castor Oil                                | Rabbit  | Mild irritant             |
| Ethylbenzene                              | Rabbit  | Moderate irritant         |
| TERPENES AND TERPENOIDS, SWEET ORANGE-OIL | Rabbit  | Mild irritant             |

#### Skin Sensitization

| Name                                      | Species    | Value          |
|-------------------------------------------|------------|----------------|
| Stoddard Solvent                          | Guinea pig | Not classified |
| Hydrotreated Light Petroleum Distillates  | Guinea pig | Not classified |
| Castor Oil                                | Human      | Not classified |
| Ethylbenzene                              | Human      | Not classified |
| TERPENES AND TERPENOIDS, SWEET ORANGE-OIL | Mouse      | Sensitizing    |

#### Respiratory Sensitization

For the component/components, either no data are currently available or the data are not sufficient for classification.

#### Germ Cell Mutagenicity

| Name             | Route    | Value                                                                        |
|------------------|----------|------------------------------------------------------------------------------|
| Stoddard Solvent | In vivo  | Not mutagenic                                                                |
| Stoddard Solvent | In Vitro | Some positive data exist, but the data are not sufficient for classification |



|                                           |          |                                                                              |
|-------------------------------------------|----------|------------------------------------------------------------------------------|
| Aluminum Oxide                            | In Vitro | Not mutagenic                                                                |
| Aluminum Oxide (non-fibrous)              | In Vitro | Not mutagenic                                                                |
| Hydrotreated Light Petroleum Distillates  | In Vitro | Not mutagenic                                                                |
| Castor Oil                                | In Vitro | Not mutagenic                                                                |
| Castor Oil                                | In vivo  | Not mutagenic                                                                |
| Ethylbenzene                              | In vivo  | Not mutagenic                                                                |
| Ethylbenzene                              | In Vitro | Some positive data exist, but the data are not sufficient for classification |
| TERPENES AND TERPENOIDS, SWEET ORANGE-OIL | In Vitro | Not mutagenic                                                                |
| TERPENES AND TERPENOIDS, SWEET ORANGE-OIL | In vivo  | Not mutagenic                                                                |

### Carcinogenicity

| Name                                      | Route      | Species                 | Value                                                                        |
|-------------------------------------------|------------|-------------------------|------------------------------------------------------------------------------|
| Stoddard Solvent                          | Dermal     | Mouse                   | Some positive data exist, but the data are not sufficient for classification |
| Stoddard Solvent                          | Inhalation | Human and animal        | Some positive data exist, but the data are not sufficient for classification |
| Aluminum Oxide                            | Inhalation | Rat                     | Not carcinogenic                                                             |
| Aluminum Oxide (non-fibrous)              | Inhalation | Rat                     | Not carcinogenic                                                             |
| Hydrotreated Light Petroleum Distillates  | Dermal     | Mouse                   | Some positive data exist, but the data are not sufficient for classification |
| Ethylbenzene                              | Inhalation | Multiple animal species | Carcinogenic                                                                 |
| TERPENES AND TERPENOIDS, SWEET ORANGE-OIL | Ingestion  | Rat                     | Some positive data exist, but the data are not sufficient for classification |

### Reproductive Toxicity

#### Reproductive and/or Developmental Effects

| Name                                      | Route      | Value                                  | Species                 | Test Result         | Exposure Duration              |
|-------------------------------------------|------------|----------------------------------------|-------------------------|---------------------|--------------------------------|
| Stoddard Solvent                          | Inhalation | Not classified for development         | Rat                     | NOAEL 2.4 mg/l      | during organogenesis           |
| Ethylbenzene                              | Inhalation | Not classified for development         | Rat                     | NOAEL 4.3 mg/l      | prematuring & during gestation |
| TERPENES AND TERPENOIDS, SWEET ORANGE-OIL | Ingestion  | Not classified for female reproduction | Rat                     | NOAEL 750 mg/kg/day | prematuring & during gestation |
| TERPENES AND TERPENOIDS, SWEET ORANGE-OIL | Ingestion  | Not classified for development         | Multiple animal species | NOAEL 591 mg/kg/day | during organogenesis           |

### Target Organ(s)

#### Specific Target Organ Toxicity - single exposure

| Name               | Route      | Target Organ(s)                   | Value                                                                        | Species               | Test Result         | Exposure Duration |
|--------------------|------------|-----------------------------------|------------------------------------------------------------------------------|-----------------------|---------------------|-------------------|
| Stoddard Solvent   | Inhalation | central nervous system depression | May cause drowsiness or dizziness                                            | Human and animal      | NOAEL Not available |                   |
| Stoddard Solvent   | Inhalation | respiratory irritation            | Some positive data exist, but the data are not sufficient for classification |                       | NOAEL Not available |                   |
| Stoddard Solvent   | Inhalation | nervous system                    | Not classified                                                               | Dog                   | NOAEL 6.5 mg/l      | 4 hours           |
| Stoddard Solvent   | Ingestion  | central nervous system depression | May cause drowsiness or dizziness                                            | Professional judgment | NOAEL Not available |                   |
| Hydrotreated Light | Inhalation | central nervous                   | May cause drowsiness or                                                      | Human                 | NOAEL Not           |                   |

|                                           |            |                                   |                                                                              |                       |                     |  |
|-------------------------------------------|------------|-----------------------------------|------------------------------------------------------------------------------|-----------------------|---------------------|--|
| Petroleum Distillates                     |            | system depression                 | dizziness                                                                    | and animal            | available           |  |
| Hydrotreated Light Petroleum Distillates  | Inhalation | respiratory irritation            | Some positive data exist, but the data are not sufficient for classification |                       | NOAEL Not available |  |
| Hydrotreated Light Petroleum Distillates  | Ingestion  | central nervous system depression | May cause drowsiness or dizziness                                            | Professional judgment | NOAEL Not available |  |
| Ethylbenzene                              | Inhalation | central nervous system depression | May cause drowsiness or dizziness                                            | Human                 | NOAEL Not available |  |
| Ethylbenzene                              | Inhalation | respiratory irritation            | Some positive data exist, but the data are not sufficient for classification | Human and animal      | NOAEL Not available |  |
| Ethylbenzene                              | Ingestion  | central nervous system depression | May cause drowsiness or dizziness                                            | Professional judgment | NOAEL Not available |  |
| TERPENES AND TERPENOIDS, SWEET ORANGE-OIL | Ingestion  | nervous system                    | Not classified                                                               |                       | NOAEL Not available |  |

**Specific Target Organ Toxicity - repeated exposure**

| Name                         | Route      | Target Organ(s)                                           | Value                                                                        | Species                 | Test Result            | Exposure Duration     |
|------------------------------|------------|-----------------------------------------------------------|------------------------------------------------------------------------------|-------------------------|------------------------|-----------------------|
| Stoddard Solvent             | Inhalation | nervous system                                            | Not classified                                                               | Rat                     | LOAEL 4.6 mg/l         | 6 months              |
| Stoddard Solvent             | Inhalation | kidney and/or bladder                                     | Not classified                                                               | Rat                     | LOAEL 1.9 mg/l         | 13 weeks              |
| Stoddard Solvent             | Inhalation | respiratory system                                        | Not classified                                                               | Multiple animal species | NOAEL 0.6 mg/l         | 90 days               |
| Stoddard Solvent             | Inhalation | bone, teeth, nails, and/or hair   blood   liver   muscles | Not classified                                                               | Rat                     | NOAEL 5.6 mg/l         | 12 weeks              |
| Stoddard Solvent             | Inhalation | heart                                                     | Not classified                                                               | Multiple animal species | NOAEL 1.3 mg/l         | 90 days               |
| Aluminum Oxide               | Inhalation | pneumoconiosis                                            | Some positive data exist, but the data are not sufficient for classification | Human                   | NOAEL Not available    | occupational exposure |
| Aluminum Oxide               | Inhalation | pulmonary fibrosis                                        | Not classified                                                               | Human                   | NOAEL Not available    | occupational exposure |
| Aluminum Oxide (non-fibrous) | Inhalation | pneumoconiosis                                            | Some positive data exist, but the data are not sufficient for classification | Human                   | NOAEL Not available    | occupational exposure |
| Aluminum Oxide (non-fibrous) | Inhalation | pulmonary fibrosis                                        | Not classified                                                               | Human                   | NOAEL Not available    | occupational exposure |
| Castor Oil                   | Ingestion  | heart   hematopoietic system   liver                      | Not classified                                                               | Rat                     | NOAEL 4,800 mg/kg/day  | 13 weeks              |
| Castor Oil                   | Ingestion  | kidney and/or bladder                                     | Not classified                                                               | Mouse                   | NOAEL 13,000 mg/kg/day | 13 weeks              |
| Ethylbenzene                 | Inhalation | kidney and/or bladder                                     | Some positive data exist, but the data are not sufficient for classification | Rat                     | NOAEL 1.1 mg/l         | 2 years               |
| Ethylbenzene                 | Inhalation | liver                                                     | Some positive data exist, but the data are not sufficient for classification | Mouse                   | NOAEL 1.1 mg/l         | 103 weeks             |
| Ethylbenzene                 | Inhalation | hematopoietic system                                      | Not classified                                                               | Rat                     | NOAEL 3.4 mg/l         | 28 days               |
| Ethylbenzene                 | Inhalation | auditory system                                           | Not classified                                                               | Rat                     | NOAEL 2.4 mg/l         | 5 days                |
| Ethylbenzene                 | Inhalation | endocrine system                                          | Not classified                                                               | Mouse                   | NOAEL 3.3 mg/l         | 103 weeks             |
| Ethylbenzene                 | Inhalation | gastrointestinal tract                                    | Not classified                                                               | Rat                     | NOAEL 3.3              | 2 years               |

|                                           |            |                                                                                                                                                   |                |                         | mg/l                  |           |
|-------------------------------------------|------------|---------------------------------------------------------------------------------------------------------------------------------------------------|----------------|-------------------------|-----------------------|-----------|
| Ethylbenzene                              | Inhalation | bone, teeth, nails, and/or hair   muscles                                                                                                         | Not classified | Multiple animal species | NOAEL 4.2 mg/l        | 90 days   |
| Ethylbenzene                              | Inhalation | heart   immune system   respiratory system                                                                                                        | Not classified | Multiple animal species | NOAEL 3.3 mg/l        | 2 years   |
| Ethylbenzene                              | Ingestion  | liver   kidney and/or bladder                                                                                                                     | Not classified | Rat                     | NOAEL 680 mg/kg/day   | 6 months  |
| TERPENES AND TERPENOIDS, SWEET ORANGE-OIL | Ingestion  | kidney and/or bladder                                                                                                                             | Not classified | Rat                     | LOAEL 75 mg/kg/day    | 103 weeks |
| TERPENES AND TERPENOIDS, SWEET ORANGE-OIL | Ingestion  | liver                                                                                                                                             | Not classified | Mouse                   | NOAEL 1,000 mg/kg/day | 103 weeks |
| TERPENES AND TERPENOIDS, SWEET ORANGE-OIL | Ingestion  | heart   endocrine system   bone, teeth, nails, and/or hair   hematopoietic system   immune system   muscles   nervous system   respiratory system | Not classified | Rat                     | NOAEL 600 mg/kg/day   | 103 weeks |

**Aspiration Hazard**

| Name                                      | Value             |
|-------------------------------------------|-------------------|
| Stoddard Solvent                          | Aspiration hazard |
| Hydrotreated Light Petroleum Distillates  | Aspiration hazard |
| Ethylbenzene                              | Aspiration hazard |
| TERPENES AND TERPENOIDS, SWEET ORANGE-OIL | Aspiration hazard |

Please contact the address or phone number listed on the first page of the SDS for additional toxicological information on this material and/or its components.

**SECTION 12: Ecological information****Ecotoxicological information**

Please contact the address or phone number listed on the first page of the SDS for additional ecotoxicological information on this material and/or its components.

**Chemical fate information**

Please contact the address or phone number listed on the first page of the SDS for additional chemical fate information on this material and/or its components.

**SECTION 13: Disposal considerations****13.1. Disposal methods**

Dispose of contents/ container in accordance with the local/regional/national/international regulations.

Dispose of waste product in a permitted industrial waste facility. Empty drums/barrels/containers used for transporting and handling hazardous chemicals (chemical substances/mixtures/preparations classified as Hazardous as per applicable regulations) shall be considered, stored, treated & disposed of as hazardous wastes unless otherwise defined by applicable waste regulations. Consult with the respective regulating authorities to determine the available treatment and disposal facilities.

**SECTION 14: Transport Information**

For Transport Information, please visit <http://3M.com/Transportinfo> or call 1-800-364-3577 or 651-737-6501.

## SECTION 15: Regulatory information

### 15.1. US Federal Regulations

Contact 3M for more information.

#### EPCRA 311/312 Hazard Classifications:

##### Physical Hazards

Not applicable

##### Health Hazards

Carcinogenicity

Respiratory or Skin Sensitization

Skin Corrosion or Irritation

Specific target organ toxicity (single or repeated exposure)

#### Section 313 Toxic Chemicals subject to the reporting requirements of that section and 40 CFR part 372 (EPCRA):

| <u>Ingredient</u>                                    | <u>C.A.S. No</u> | <u>% by Wt</u>     |
|------------------------------------------------------|------------------|--------------------|
| Aluminum Oxide                                       | 1344-28-1        | Trade Secret 10 20 |
| Aluminum Oxide (ALUMINUM OXIDE (FIBROUS FORMS ONLY)) | 1344-28-1        | 10 20              |
| Ethylbenzene                                         | 100-41-4         | Trade Secret < 0.5 |

### 15.2. State Regulations

Contact 3M for more information.

#### California Proposition 65

| <u>Ingredient</u>  | <u>C.A.S. No.</u> | <u>Listing</u> |
|--------------------|-------------------|----------------|
| NAPHTHALENE        | 91-20-3           | Carcinogen     |
| FORMALDEHYDE (GAS) | 50-00-0           | Carcinogen     |
| ETHYLBENZENE       | 100-41-4          | Carcinogen     |

### 15.3. Chemical Inventories

The components of this product are in compliance with the chemical notification requirements of TSCA.

Contact 3M for more information.

### 15.4. International Regulations

Contact 3M for more information.

This SDS has been prepared to meet the U.S. OSHA Hazard Communication Standard, 29 CFR 1910.1200.

## SECTION 16: Other information

### NFPA Hazard Classification

Health: 2 Flammability: 1 Instability: 0 Special Hazards: None

National Fire Protection Association (NFPA) hazard ratings are designed for use by emergency response personnel to address

the hazards that are presented by short-term, acute exposure to a material under conditions of fire, spill, or similar emergencies. Hazard ratings are primarily based on the inherent physical and toxic properties of the material but also include the toxic properties of combustion or decomposition products that are known to be generated in significant quantities.

**Document Group:** 32-6230-0  
**Issue Date:** 10/23/18

**Version Number:** 4.01  
**Supersedes Date:** 02/12/18

DISCLAIMER: The information in this Safety Data Sheet (SDS) is believed to be correct as of the date issued. 3M MAKES NO WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR COURSE OF PERFORMANCE OR USAGE OF TRADE. User is responsible for determining whether the 3M product is fit for a particular purpose and suitable for user's method of use or application. Given the variety of factors that can affect the use and application of a 3M product, some of which are uniquely within the user's knowledge and control, it is essential that the user evaluate the 3M product to determine whether it is fit for a particular purpose and suitable for user's method of use or application.

3M provides information in electronic form as a service to its customers. Due to the remote possibility that electronic transfer may have resulted in errors, omissions or alterations in this information, 3M makes no representations as to its completeness or accuracy. In addition, information obtained from a database may not be as current as the information in the SDS available directly from 3M.

**3M USA SDSs are available at [www.3M.com](http://www.3M.com)**