



SAFETY DATA SHEET

Date Prepared: 06/16/2014

SECTION 1 – IDENTIFICATION

TRADE NAMES: One Step Sealant

PRODUCT NUMBER: 11075

RECOMMENDED USE: Paint Sealant and Polish

MANUFACTURER/SUPPLIER:

Griot's Garage
333 South 38th Street
Tacoma, WA 98409
800-345-5789

EMERGENCY NUMBER: 1-800-345-5789

SECTION 2– HAZARD IDENTIFICATION

Emergency Overview

GHS-US Classification



Warning:

Health Hazards

Skin Irritation – Category 2 - Causes skin irritation.

Eye Damage/Irritation - Category 2 - Causes serious eye irritation.

Physical Hazards – Category 3 - Flammable liquid and vapor.

Precautionary Statement:

Wash hands and exposed areas after handling.

Wear protective gloves.

Wear eye protection.

Keep away from heat/sparks/open flames/hot surfaces. – No smoking.

Keep container tightly closed.

Use only non-sparking tools.

Take precautionary measures against static discharge.

Other Hazards:

Ingestion: Possible irritation of the gastrointestinal tract; nausea, vomiting.

Inhalation: Nasal and respiratory irritation.

Overexposure to this material has shown respiratory system, eye, skin, kidney and central nervous system effects in lab animals.

SECTION 3 – COMPOSITION/INFORMATION ON INGREDIENTS

<u>Component</u>	<u>CAS #</u>	<u>%</u>
Aliphatic Hydrocarbon Blend	64742-47-8	30-40%
	64742-89-8	
Calcined Clay	66402-68-4	10-15%
Isopropanol	67-63-0	1-5%
Diethylenimide Oxide	110-91-8	1-3%

Alkyl Amines
Ammonium Hydroxide

61790-33-8 / 68783-24-4
1336-21-6

<1%
< 0.5%

SECTION 4 – FIRST AID MEASURES

Description of first aid measures

Eye Irritation:

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
If eye irritation persists: Get medical advice/attention.

Skin Irritation:

If on skin after use: Wash skin with plenty of water. Take off contaminated clothing and wash it before reuse. If skin irritation occurs: Get medical advice/attention.

After Ingestion:

Rinse mouth. Do not induce vomiting. Get medical attention. Never give anything by mouth to an unconscious or convulsing person.

After inhalation:

If irritation occurs move to fresh air. Consult physician if problems persist.

SECTION 5 – FIREFIGHTING MEASURES

Suitable Extinguishing Media: Carbon Dioxide, Dry Chemical, Foam, or Water Fog as appropriate for surrounding materials.

Flash Point: 28°C (82°F)

Flammable Limits: Not established.

Auto Ignition Temperature: Not determined.

Unusual Fire Hazards: Flammable. Keep work areas free of hot metal surfaces and other sources of ignition.

Advice for firefighting:

Wear a self-contained breathing apparatus (SCBA) with a full face piece operated in pressure-demand or positive pressure-mode.

Wear chemical face shield, chemical resistant gloves and rubber boots when fight fire.

Use water spray to keep fire-exposed containers cool.

Move containers from fire area if it can be done without undue risk.

SECTION 6 - ACCIDENTAL RELEASE MEASURES

Precautions: Spill Response:

Eliminate sources of ignition of vapors, wear protective clothing while cleaning up.

Small spill: wipe up and discard.

Moderate spill: absorb on sand, clay, or other inert absorbent material.

Large spill: dike area, pump liquid into tank for reclaim or disposal.

Recommended Disposal: Dispose of contaminated product and materials used in cleaning up spills in a manner consistent with all local, state and federal regulations.

Environmental precautions: Avoid letting product enter ground or waterways in large quantities.

SECTION 7 – HANDLING AND STORAGE

Handling:

Precautions for safe handling:

Do not store near incompatible chemicals.

Store in moderate temperatures (above freezing, below 115 ° F) away from heat and flames.

This material is to be handled and applied according to label directions.

Conditions for Safe Storage:

Keep containers closed when not in use.

Keep from freezing.

Specific end use(s)

Wash hands with soap and water after handling.

Keep this product and all chemicals away from children and pets.

Do not eat, drink, or smoke while using this product.

In use, application and storage, care should be taken to avoid contamination of food or other materials for which this product is not intended.

SECTION 8 – EXPOSURE CONTROLS/PERSONAL PROTECTION**Exposure Controls**

<u>Component</u>	<u>CAS #</u>	<u>Exposure Limit</u>
Aliphatic Hydrocarbon Blend	64742-47-8	TLV 100 ppm / PEL 500 ppm
	64742-89-8	TLV 300 ppm / STEL 400 ppm
Calcined Clay	66402-68-4	TLV 10 mg/m ³ (as dust)
Isopropanol	67-63-0	TLV 400 ppm / STEL 300 ppm
Diethylenimine Oxide	110-91-8	STEL 30 ppm
Ammonium Hydroxide	1336-21-6	TLV 2 10 mg/m ³

Eye Protection: Wear safety goggles if risk of eye exposure.

Skin Protection: Gloves are recommended for direct contact, especially with prolonged or repeated use.

Ventilation Recommended: Use in well-ventilated area.

Respiratory protection: Not normally required unless TLV will be exceeded.

Other Protection: Eye bath and safety shower recommended.

SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Creamy beige liquid.

Odor: Banana

Odor Threshold: Not available.

pH: 9.6

Melting Point/ Freezing Point: Not available.

Initial Boiling Point and Boiling Range: Not available.

Flash Point 28°C (82°F) .

Evaporation Rate (Butyl Acetate = 1): < 1

Flammability (solid/gas): Does not apply.

Upper/Lower Flammability or Explosive Limits: Not available.

Vapor Pressure: Not available.

Vapor Density (air = 1): > 1

Relative Density: 0.98

Solubility in Water: Negligible.

Partition Coefficient: n-octanol/water: Not available.

Auto-ignition Temperature: Not available.

Decomposition Temperature: Not available.

Viscosity: 3000 cps

Reactivity in Water: Non-reactive.

SECTION 10 – STABILITY AND REACTIVITY**Reactivity**

Chemical Stability: Stable.

Possibility of hazardous reaction: No dangerous reactions known.

Conditions to Avoid: Heat, sparks, open flame and temperatures above 46° C (115° F). Contact with incompatible materials (see below).

Incompatibility (Materials to Avoid): Strong acids, oxidizing agents like bleach and hydrogen peroxide.

Hazardous Decomposition Products: Oxides of carbon with incomplete combustion.

Hazardous Polymerization: None known.

SECTION 11 – TOXICOLOGY INFORMATION

The information below may not be consistent with the material classification in Section 2 if specific ingredient classifications are mandated by a competent authority. In addition, toxicological data on ingredients may not be reflected in the material classification and/or the signs of exposure, because an ingredient may be present below the threshold for labelling, and ingredient may not be available for exposure, or the data may not be relevant to the material as a whole.

Based on test data and/or information on the components, this material may produce the following effects:

Inhalation:

Respiratory tract irritation: Signs/symptoms may include cough, sneezing, nasal discharge, headache, hoarseness.

Skin Contact:

Skin irritation: Signs/symptoms may include localized redness, swelling, itching, dryness, cracking, blistering.

Eye Contact:

Contact with eyes may result in itching, burning and redness.

Ingestion:

Gastrointestinal irritation: Signs/symptoms may include abdominal pain, stomach upset, or nausea.

Acute Toxicity:

Isopropanol:

Inhalation: LD₅₀ (Rat) > 25000 mg/m³

Ingestions: LD₅₀ (Rat) 5840 mg/kg

Dermal: LD₅₀ (Rat) 13900 mg/kg

Fatty Acid (CAS 68476-03-9)

Oral: LD₅₀ (Rat) > 2000 mg/kg

Dermal: LD₅₀ (Rat) > 2000 mg/kg

Alkyl Amines:

Oral: LD₅₀ (Rat) 1950 mg/kg

Aliphatic Hydrocarbon Blend:

Oral: LD₅₀ (Rat) >15400 mg/kg

Dermal: LD₅₀ (Rabbit) > 2000 mg/kg

Ammonium Hydroxide:

Oral: LD₅₀ (Cats) 250 mg/kg

Inhalation: LD₅₀ (Mice) 1000 ppm

Diethylenimide Oxide:

Oral: LD₅₀ 1900mg/kg

Dermal: LD₅₀ (Rat, Male) 500 mg/kg

Inhalation: LC₅₀ 8 mg/m³

SECTION 12 – ECOLOGICAL INFORMATION

Ecotoxicity: No further relevant data available.

Mobility: No further relevant data available

Persistence and degradability: Biodegradable.

Bioaccumulation: Potential is low.

Other adverse ecological effects: May change the pH of receiving waters in the event of major spills.

SECTION 13 – DISPOSAL CONSIDERATIONS

Recommended Waste Disposal: Dispose of contaminated product and materials used in cleaning up spills in a manner consistent with all local, state and federal regulations.

SECTION 14 – TRANSPORT INFORMATION

DOT Transportation Data (49 CFR 172.101): Not regulated.

TDG: Not regulated.

IATA: Not regulated.

IMDG: Not regulated.

SECTION 15 – REGULATORY INFORMATION

USA: The following information relates to product regulation specific to the USA.

SARA Title III, Section 313 (40 CFR 372.65): None listed.

TSCA: Components of this material are listed.

Inventory Status: Components of this material have been listed (or are exempt from listing) in the TSCA.

State Regulations: This mixture is not regulated under the following lists –
California Safe Drinking Water and Toxic Enforcement Act of 1986 – No warning label required
Massachusetts Right-to-Know List - Components of this material are listed.
Minnesota Hazardous Substance List - Components of this material are listed..
New Jersey Right-to-Know List - Components of this material are listed.
Pennsylvania Right-to-Know List – Components of this material are listed.
Rhode Island Right-to-Know List - Components of this material are listed.

Canada:

WHMIS Classification – Not a WHMIS controlled mixture.

Inventory Status: Components of this material have been listed (or are exempt from listing) in the DSL inventories.

SECTION 16 – OTHER INFORMATION

ABBREVIATIONS:

N/A = Not Applicable or Not Available

DSL: Dangerous Substance List (Canada)

IATA: International Air Transport Association

IMDG: International Maritime Code for Dangerous Goods

SARA: Superfund Amendments and Reauthorization Act

TDG: Transportation of Dangerous Goods (Canada)

TSCA: Toxic Substances Control Act

WHMIS: Workplace Hazardous Materials Information System (Canada)

Disclaimer: The data presented here relates only to the specific material designated herein and does not relate to use in combination with any other materials or in any process. The information set forth above is based on technical data believed to be reliable. It is intended for use by persons having technical skill and at their own discretion and risk. Since conditions of use are outside our control, no warranties, expressed or implied are made, and no liability is assumed in connection with any use of this information. Judgments as to the suitability of this information for the user's purposes are necessarily the user's responsibility. Although reasonable care has been taken in the preparation of this information, no responsibility is assumed as to the accuracy or suitability of this information for its application to the users intended purpose or for consequences of its use. Potential Health Effects. This product is a mixture for which no specific health hazard data exists. OSHA requires that one should assume such mixtures present the same health hazards as do any components present in amounts greater than 1% (0.1% for carcinogens).