



Material Safety Data Sheet

Section I. Chemical Product and Company Identification

Siskin Enterprises, Inc. (800) 453-8470
P.O. Box 58
Salt Lake City, UT 84110

Updated: 02/16/2010

PRODUCT NAME: **PermaPlate Paintguard®**

HAZARD(S) as defined by OSHA Hazard Communication Standard: Eye irritant.

IMPORTANT! Read this MSDS before use or disposal of this product. Pass along the information to employees and other persons who could be exposed to the product to be sure that they are aware of the information before use or other exposure. This MSDS has been prepared according to the OSHA Hazard Communication Standard [29 CFR 1910.1200]. The MSDS information is based on sources believed to be reliable. However, since data, safety standards, and government regulations are subject to change and the conditions of handling and use, or misuse are beyond our control, SISKIN ENTERPRISES, INC. makes no warranty, either expressed or implied, with respect to the completeness or continuing accuracy of the information contained herein and disclaims all liability for reliance thereon. Also, additional information may be necessary or helpful for specific conditions and circumstances of use. It is the user's responsibility to determine the suitability of this product and to evaluate risks prior to use, and then to exercise appropriate precautions for protection of employees and others.

Section II. Hazardous Ingredients

Chemical Name	CAS NUMBER	(%)	OSHA PEL	ACGIH TLV
Hydrocarbons	64742-47-8	20 –25	500 ppm	100 ppm
Formaldehyde*	50-00-0	0.0 –0.2	.75 ppm	N/A
Morpholine	110-91-8	0.1 –0.5	20 ppm	N/A

*SARA TITLE III Section 313 toxic release inventory chemical. See section XV

Section III. Hazard Identification

Potential Health Effects

- Inhalation:** Breathing the vapors at concentrations above the exposure standard can cause central nervous system depression.
- Skin Contact:** Prolonged or repeated contact may cause skin irritation or may cause the skin to become cracked or dry from the defatting action of the material.
- Eye Contact:** Not expected to be a primary eye irritant. However, minor irritation may be noted following contact.
- Ingestion:** Irritation of the gastrointestinal tract.
- Carcinogenicity:** Formaldehyde is listed on NTP and IARC list of carcinogens.



Section IV. First Aid Measures

- Inhalation:** If there are signs or symptoms, as described in this bulletin, due to breathing this material, move the person to fresh air. If breathing has stopped, apply artificial respiration. Call a physician immediately.
- Skin Contact:** Wash thoroughly with soap and water following skin contact. Launder contaminated clothing.
- Eye Contact:** Wash eyes with fresh water for at least 15 minutes. If irritation persists, see a physician.
- Ingestion:** If swallowed, Do not make person vomit. Call a Physician immediately.
- Additional Health Data:** Signs and symptoms of central nervous system depression may include one or more of the following: headache, dizziness, loss of appetite, weakness, and loss of coordination. Affected persons usually experience complete recovery when removed from the exposure area.

Section V. Fire Fighting Measures

Flash point: >200°F

Method: EPA 1010; Pensky-Martens closed-cup method for determining ignitability

Flammable limits in air: Lower: NE Upper: NE

Extinguishing Media: Carbon dioxide, dry chemical, foam, or water spray.

Special Firefighting Procedures: For fires involving this material, do not enter any enclosed or confined space without proper protective equipment. This may include self-contained breathing apparatus to protect against the hazardous effects of normal products of combustion or oxygen deficiency.

Section VI. Environmental Protection Procedures

Precautions if material is spilled or released: Eliminate all open flames in vicinity of spill or released vapor. Clean up spills as soon as possible, observing precautions in Special Protection Information. Absorb large spills with absorbent clay, diatomaceous earth, or other suitable material. A fire of vapor hazard may exist since these cleanup materials will only absorb liquid; they will not absorb vapor.

Section VII. Handling And Storage

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORAGE:

This material is combustible. It should be stored in tightly closed containers in a cool, well ventilated area. All sources of ignition should be controlled. Keep this and other chemicals out of reach of children.

Section VIII. Special Protection Information

- Ventilation:** Use adequate ventilation to keep the airborne concentrations below the exposure standard.
- Respirator:** Approved organic vapor cartridge respirator or air—supplying respirator unless ventilation equipment is adequate to keep airborne concentrations.
- Gloves:** Rubber
- Eye protection:** Safety goggles
- Other protective equipment:** Eyewash and safety shower

Section IX. Physical and Chemical Properties

- Specific gravity (H₂O=1):** 0.977 g/mL
- pH (neat):** Approx. 9
- Odor:** Solvent odor
- Boiling point:** 212° F
- Percent volatile by volume (VOC):** 37 ppm or 0.037% **Method:** EPA 8260B
- Vapor Pressure (mm Hg):** 18 **Solubility:** Disperses
- Vapor Density:** 1
- Appearance:** White viscous liquid
- Evaporation rate (BuOAc =1):** .03
- Reactivity in water:** None

Section X. Stability and Reactivity

- Stability:** Stable
- Incompatibility:** May react with strong acids or alkali (May break the emulsion).
- Hazardous Decomposition Products:** Oxides of carbon, Nitrogen, and Silica on incineration.
- Hazardous Polymerization:** Will not occur
- Conditions to avoid:** None known

Section XI. Toxicological Information

Hazardous Ingredients	%	CAS #	LD50 of Ingredient
Hydrocarbons	20 –25	64742-47-8	N/A
Formaldehyde	0.0 –0.2	50-00-0	100 mg/kg
Morpholine	0.1 –0.5	110-91-8	N/A

Section XII. Ecological Information

No data is available on the adverse effects of this material on the environment.



Section XIII. Disposal Considerations

Product disposal: Incinerate in accordance with applicable local, state, and federal regulations.

Section XIV. Transport Information

Not regulated by the U.S. Department of Transportation

Section XV. Regulatory Information

SARA TITLE III (Superfund Amendments and Reauthorization Act) 313 Reportable ingredients:

A "*" in the Hazardous Ingredients column indicates a toxic chemical subject to annual reporting requirements of Section 313 of the Emergency Planning and Community Right-To-Know Act of 1986 and of 40 CFR 372. The reporting Threshold Planning Quantity (TPQ) is 500 lbs. This mixture contains 0.1%–0.2% (0.00814 lbs –0.01628 lbs per gallon) of Formaldehyde which is below the reporting TPQ.

Section XVI. Other Information

The information on this Material Safety Data sheet reflects the latest information and data that we have on hazards, properties, and handling of this product under the recommended conditions of use. Any use of this product or method of application that is not described in the Product Data Sheet is the responsibility of the user.

This Material Safety Data Sheet was prepared to comply with the OSHA Hazard Communication regulations.

® Indicates Registered Trademark