

Material Safety Data Sheet

BIOSOL 100

Wesmar Products, Inc.
1440 NW 45th St
Seattle, Wa 98107
(206) 782-8186

DATE PREPARED: MAR 1, 2003

REVISED DATE: MAR 1, 2003

24 HOUR EMERGENCY PHONE NUMBER:

CHEMTREC: 800-424-9300

STOCK NO: WM 6201 - 6205

SECTION I - IDENTIFICATION

PRODUCT NAME: BIOSOL 100
CHEMICAL FAMILY: CITRUS EXTRACT
FORMULA: N/A
CAS NUMBER: N/A

SECTION II - HAZARDOUS INGREDIENTS

HAZARDOUS INGREDIENT	PERCENT	CAS NUMBER	ACGIH/TLV	STEL/PEL
D-Limonene	> 80	5989-27-5	NOT EST.	NOT EST.

SECTION III - PHYSICAL DATA

APPEARANCE: Clear colorless liquid with citrus odor.
BOILING POINT: > 300° F.
VAPOR PRESSURE: NOT EST.
VAPOR DENSITY (AIR=1): NOT EST.
SPECIFIC GRAVITY: 0.79
pH: N/A
SOLUBILITY IN WATER: Completely soluble in water.

SECTION IV - FIRE AND EXPLOSION DATA

FLASHPOINT: 115° F (46° C) (D-limonene tech grade)
LOWER EXPLOSIVE LIMIT: .. 0.7% (D-limonene tech grade)
UPPER EXPLOSIVE LIMIT: 6.1% (D-limonene tech grade)
EXTINGUISHING MEDIA: Carbon dioxide, foam or dry chemical.
SPECIAL FIRE FIGHTING
PROCEDURES: Avoid contact with fire fighting personnel as burns may result from contact with skin. When fighting a fire near or involving this product, wear a self-contained breathing apparatus (SCBA).
UNUSUAL FIRE AND
EXPLOSION HAZARDS: Combustible liquid. Keep away from heat, sparks, and open flame. Guard against spontaneous combustion of improperly discarded oily rags.

SECTION V - REACTIVITY DATA

STABILITY: Stable
HAZARDOUS POLYMERIZATION: Will not occur.

Material Safety Data Sheet

BIOSOL 100

INCOMPATIBILITY:..... Strong oxidizing agents and acidic agents including acidic clays, peroxides, halogens, vinyl chloride, and iodine pentafluoride.

HAZARDOUS

DECOMPOSITION:..... Smoke may be acrid and fume irritating. Burning generates carbon monoxide, carbon dioxide and smoke.

HAZARDOUS

POLYMERIZATION:..... Will not occur.

SECTION VI - HEALTH DATA

THRESHOLD LIMIT VALUE:.. The TLV in section II is the ACGIH/TLV-TWA and OSHA/PEL, (the time weighted average concentration for an eight hour work day.) The STEL is the (short term exposure limit.) (C) is the ceiling limit.

OSHA PEL:..... Since this product is a mixture, there is no defined PEL(s) established by OSHA. Hazardous components are listed in the Hazardous Ingredients Section of this data sheet.

LISTED CARCINOGEN:..... This product does not contain any components listed by NTP, IARC, or OSHA as carcinogens at the OSHA reportable levels.

MEDICAL CONDITION AGGRAVATED:..... Persons with allergies or pre-existing skin conditions should avoid contact with this product.

EYES:..... May cause moderate to high irritation of the eyes.

SKIN (DERMAL):..... May cause skin irritation. Skin contact may cause slight redness. Contains a potential skin sensitizer. Prolonged or repeated exposure can cause drying, defatting and dermatitis of skin.

INGESTION:..... Harmful if swallowed. Ingestion may cause vomiting, headache, and other medical problems.

INHALATION:..... Inhalation can cause nose, throat and respiratory tract irritation, coughing and headache.

CHRONIC OVEREXPOSURE:.. None known

SECTION VII FIRST AID

EYES:..... Remove contact lenses at once. Flush with water for at least 15 minutes. If irritation persists, seek medical attention.

SKIN (DERMAL):..... Wash affected area with copious amounts of soap and water. If irritation develops, seek medical attention.

INGESTION:..... Seek medical attention immediately. Do not induce vomiting. Rinse mouth with water, then drink one glass of water. Do not leave victim unattended. Never give anything by mouth if victim is unconscious, is rapidly losing consciousness, or is convulsing.

INHALATION:..... If symptoms of overexposure are experienced, evacuate to fresh air. If symptoms persist, seek medical attention.

SECTION VIII EMPLOYEE PROTECTION

EYE PROTECTION:..... Safety goggles or glasses suggested.

RESPIRATORY PROTECTION: Not normally required. If vapor concentration becomes high, use NIOSH approved respirators.

PROTECTIVE CLOTHING:..... Oil resistant apron, emergency eye wash and shower stations. Wash thoroughly after handling. Launder contaminated clothing before re-use.

VENTILATION:..... Local exhaust sufficient to maintain TLV below permissible exposure limits.

Material Safety Data Sheet

BIOSOL 100

SECTION IX - SPILL AND DISPOSAL DATA

SPILL: Use protective gloves to avoid skin contact. Small spills can be wiped up. Large spills should be absorbed by dirt, sand or other suitable absorbents for disposal. Do not hose spills down drains, sewers or waterways. D-Limonene may be toxic to aquatic organisms. Move leaking containers to well ventilated area. No smoking. Eliminate any source of ignition. Minimize inhalation. Use NIOSH approved respiratory device in areas of high vapor concentration. CAUTION: Slippery on floor.

WASTE DISPOSAL: Consult all LOCAL, STATE, and FEDERAL regulations with regard to proper and suitable disposal methods.

SECTION X - TRANSPORTATION DATA

HAZARD CLASS AND LABEL: TDG Status: Hazardous DOT Label/Placard (exemption 173.150(f) applies):
IMO Status: Hazardous Highway/Rail: per requirements for Combustible liquids
IATA Status: Hazardous Air/Ship: per requirements for Flammable Liquids
PROPER SHIPPING NAME:..... TERPENE HYDROCARBONS, N.O.S. 3 UN-2319 PG-III
UN NUMBER: UN-2319 (when shipped by air or international)
PACKAGING GROUP: PG – III (when shipped air or international)
REPORTABLE QUANTITY:..... N/A

SECTION XI - OTHER REGULATORY INFORMATION

TSCA STATUS:..... All components in this product are listed on the TSCA inventory.
SARA SECTION 313: This product does not contain any EPCRA section 313 chemicals subject to the reporting requirements of section 313 of the Emergency Planning and Community Right-To-Know Act of 1986 (40CFR 372).

C A S #	CHEMICAL NAME	PERCENT BY WEIGHT

.....
NFPA HEALTH: 1
NFPA FLAMMABILITY: 2
NFPA REACTIVITY: 0
NFPA OTHER: N/A

SECTION XII - PRECAUTIONARY LABEL STATEMENTS

WARNING: May cause eye or skin irritation. Harmful if swallowed.
HANDLING: Store away from acids, oxidizing compounds and other incompatible materials. Keep containers tightly closed when not in use. Store away from heat or flames. Do not weld, cut or grind on or near any empty containers as vapors may ignite. KEEP OUT OF REACH OF CHILDREN.

SECTION XIII - ADDITIONAL INFORMATION

REFERENCES:..... The information contained herein has been compiled from sources believed to be reliable and accurate to the best of our knowledge at this date. It is provided without warranty, expressed or implied, as to the results of use of this information or to the product to which it relates. WESMAR CO. assumes no

Material Safety Data Sheet

BIOSOL 100

responsibility for injury to any person or property resulting from any use of the material. Each user assumes the risk in their use of this product and should review the data and recommendations in the specific context of their intended use.

FOOTNOTES:

NOT EST. = Not established

N/A = Not applicable