



Safety Data Sheet

Section 1- Identification and Company Information

Product Name: Xzilon Glass Modifier

Trade Name: Glass Modifier

Address: 10 pointe dr suite 150,
Brea, Ca 92821

Telephone: 800-553-6866

Fax: 714-332-0320

Email: www.xzilon.com

Emergency Response Hotline
INTOTRAC
1-800-535-5053 (within the USA)
+1 352-323-3500 (International)
www.infotrac.net

Section 2: Hazards Identification

Classification of the substance or mixture

OSHA HCS (29 CFR 1910.1200)

Eye Dam.1; STOT SE1

Label elements

Hazard Symbols



Signal Word(s)

DANGER

Hazard Statement(s)

Causes serious eye damage
Causes damage to organs; Optic nerve, Central nervous system

Precautionary Statement

Wash hands and exposed skin after use
Wear protective gloves/protective clothing/ eye protections/ face protection
Do not eat, drink or smoke when using this product

Other hazards

None

Additional Information

None

Section 3: Composition/ Information on Ingredients

Composition of Ingredients	% W/W	CAS No.	Hazard Classification
Quarterly Ammonium Chloride Compound	1-2	Trade Secret	Skin Irrit, 2; H315 Eye Dam. 1: H318
Methanol	<1	37-56-1	Flam. Liq. 2; H225 Acute Tox. 3; H301, H311, H331 STOT SE 1; H370

Additional information- Substances in the product which may present a health or environmental hazard, or which have been assigned occupational exposure limits, are detailed below. –None

Section 4: First Air Measures



Description of First Air procedures:

Inhalation	Move person to air. If breathing is labored, administer oxygen. If symptoms Develop, obtain medical attention.
Skin Contact	Wash affected skin area with plenty of water. If irritation (redness, rash, blistering) develops, get medical attention.
Eye Contact	Remove any contact lenses. If substance has got into the eyes, immediately wash out with plenty of water at least 15 minutes. If symptoms develop, obtain medical attention.
Ingestion	Do not give anything by mouth to an unconscious person. Do NOT induce vomiting. Get immediate medical attention.

Most important symptoms and effects both acute and delayed contains: Methanol- Causes damage to organs: Optic nerve, Central nervous system.

Section 5: Fire-Fighting Measures

Extinguishing Media

-Suitable Extinguishing Media	In case of fire: Use CO2, dry chemical, or foam
-Unsuitable Extinguishing Media	None anticipated

Special hazards arising from the substance or mixture Combustion or thermal decomposition will evolve toxic irritant vapors. Forms toxic fumes of hydrogen chloride, oxides of carbon, nitrogen and silica.

Advice for fire fighters Fire fighters should wear complete protective clothing including self-contained breathing apparatus. Keep containers cool by spraying with water if exposed to fire.

Section 6: Accidental Release Measures

Personal precautions, protective Equipment and emergency procedures	Avoid skin contact. Do not get in eyes Wear protective gloves/ protective clothing/ eye protection/ face protection. Do not breathe mist/ vapors/spray
--	---

Environmental precautions	Contain spillages with sand, earth or any suitable absorbent material. Do not allow to enter drains, sewers or watercourses.
Methods and material for containment and cleaning up	Contain spillages with sand, earth or any suitable absorbent material. Transfer to container for disposal or recovery. Wash the spillage area with water. If possible prevent water running into sewers.
Reference to other sections	None
Additional Information	None

Section 7: Handling and Storage

Precautions for safe handling	Avoid skin contact. Do not get in eyes. Wear protective gloves/ eye protection/ face protection/protective clothing
Conditions for safe storage, including any incompatibilities	
-Storage temperature	Store at temperatures not exceeding 50 C or 122 F. Do not freeze.
-Incompatible materials	Strong oxidizing agents and reducing agents
Specific end use(s)	Coating Product

Section 8: Exposure Controls/ Personal Protection

Control parameters

Occupational Exposure Limits

		LTEL	LTEL	STEL	STEL	
Substance	CAS No.	PEL (OSHA)	TLV (ACGIH)	PEL (OSHA)	TLV (ACGIH)	Note:
Methanol	67-56-1	200 ppm	200 ppm	-----	250 ppm	None

Recommended monitoring method	NIOSH 2000 (Methanol)
--------------------------------------	-----------------------

Exposure Controls

Appropriate engineering controls

Not normally required

Personal Protection Equipment

The following to be used as necessary:

Eye/ face protection



Safety glasses with side-shields

Skin protection (hand/other)

Gloves (PVC, Neoprene or Natural rubber)



Respiratory protection

Not normally required



Thermal hazards

Not normally required

Environmental Exposure Controls

Avoid release to the environment. Do not allow to enter drains, sewers or watercourses.

Section 9: Physical and Chemical Properties

Information on basic physical and chemical properties

Appearance	Liquid
Color	Almost colorless to pale yellow
Odor	Mild
Odor Threshold (ppm)	Not available
pH (Value)	4-7
Melting Point/ Freezing Point (C)	Not available
Boiling Point/ boiling range (C)	Not available
Flash Point (C)	>93.3 (>200F)
Evaporation Rate	Not available
Flammability	Not applicable
Explosive Limit Ranges	Not available
Vapor pressure (Pascal)	Not available
Vapor Density (Air =1)	Not available
Density (g/ml)	1.00 +/-0.02
Solubility (Water)	Soluble
Solubility (Other)	Not available
Partition Coefficient (n-Octanol/water)	Not available
Auto Ignition Point (C)	Not applicable
Decomposition Temperature	Not available
Kinematic Viscosity (cSt) @ 40 C	Not available/ Not applicable
Explosive properties	Not explosive
Oxidizing properties	Not oxidizing

Other information Not available

Section 10: Stability and Reactivity

Reactivity	Stable under normal conditions
Chemical Stability	Stable
Possibility of hazardous reactions	None anticipated
Conditions to avoid	Avoid excessive heat. Do not freeze. Perishable if frozen
Incompatible materials	Avoid oxidizing agents and reducing agents
Hazardous decomposition product(s)	Combustion or thermal decomposition will evolve toxic and irritant vapors. Forms toxic fumes of hydrogen chloride, oxides of carbon, nitrogen and silica.

Section 11: Toxicological Information

Exposure routes: Skin Contact, eye contact, inhalation

Information on toxicological effects

Methanol (CAS # 67-56-1):

Acute toxicity	LD50 (oral, monkey): 7000 mg/kg-bw LD0 (oral, rat): > 2528 mg/kg-bw LC50 (inhal., monkey, 4-hours): 52 mg/L Ingestion may damage the optic nerve May cause dizziness and drowsiness
----------------	---

Irritation/Corrosivity
Sensitization
Repeated dose toxicity
Mutagenicity
Carcinogenicity

May cause eye irritation
It is not a skin sensitizer
NOAEC (2- ys. Inhal., mouse) : >1.3 mg/L
Negative

NTP	IARC	ACGIH	OSHA
No	No	No	No

Developmental Toxicity
Toxicity for reproduction
Other Information

Negative. Not a specific developmental toxin
Negative. Not a specific reproduction toxin
*ATE (oral) = 100 mg/kg
*ATE (dermal) = 300 mg/kg
*ATE (inhalation) = 3 mg/L

*ATE = Acute Toxicity Estimate for purpose of classification

Section 12: Ecological Information

Substances in preparations/mixtures:

Methanol (CAS # 67-56-1):

Acute toxicity

LC50 (96 hour): 15400 mg/L (Lepomis macrochirus)
EC50 (48 hour): 18260 mg/L (Daphnia magna, mobility)
EC50 (96 hour): 22000 mg/L (Pseudokirchnerella subcapitata)

Long Term Toxicity

NOEC (28 days): 446.7 mg/L (Fish) QSAR
NOEC (21 days): 208 mg/L (Daphnia magna) QSAR

Section 13: Disposal Information

Waste treatment methods

Disposal should be in accordance with local, state or national legislation. Consult an accredited waste disposal contractor or the local authority for advice.

Additional Information

None known.

Section 14: Transport Information

	Land transport (U.S. DOT)	Sea transport (IMDG)	Air transport (ICAS/IATA)
UN number			
Proper Shipping Name			
Transport hazard class(es)			
Packing group			Not classified as dangerous for transport
Environmental hazards			
Special precautions for user			

Transport in bulk accordance to AnnexII of MARPOL73/78 and IBC Code: Not applicable

Section 15- Regulatory Information

Safety, health and environmental regulations/legislation specific for the substance or mixture:

TSCA (Toxic Substance Control Act) - Inventory status: All components listed or polymer exempt.

Designated Hazardous Substances and Reportable Quantities (40 CFR 302.4)

Chemical Name	CAS NO	Typical % wt	RQ (Pounds)
Methanol	67-56-1	~1	5000

SARA 311/312 – Hazardous Categories: None

___Fire ___Sudden Release ___Reactivity **X Immediate** ___Chronic

SARA 313 – Toxic Chemicals (40CFR 372)

Chemical Name	CAS #	Typical % wt.
Methanol	67-56-1	~1

SARA 302 – Extremely Hazardous Substances (40 CFR 355)

Chemical Name	CAS No.	Typical % wt	RQ (Pounds)	TPQ (Pounds)
None	----	-----	-----	-----

Proposition 65 (California)

Chemical Name	CAS No.	Typical % wt.	Hazards
Methanol	67-56-1	~1	Developmental

Section 16: Other Information

Date of Preparation: November 3, 2015

Hazard Statement(s) Listed in: SECTION 3

H225: Highly flammable liquid and vapor

H301: Toxic if swallowed

H311: Toxic in contact with skin

H315: Causes skin irritation

H318: Causes serious eye damage

H331: Toxic if inhaled

H370: Causes damage to organs: Optic nerve, central nervous system

Training advice: None

This information related only to the specific material designated herein and does not relate to use in combination with any other material or in any process. To the best of our knowledge, information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.