

CG 3050
ASHLAND
SAFETY DATA SHEET

Page: 1
Revision Date: 03/28/2007
Print Date: 4/24/2007
MSDS Number: R0352295
Version: 1.

CAR BRITE® BLUE CLEAR COAT
CONDITIONER TRIPLE FOAMING
CONDITIONER CBOOAE316-05-S5

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Wesmar Products
1440 NW 45th ST
Seattle, WA 98107
(206) 782-8186

Emergency telephone number 1-800-ASHLAND
(1-800-274-5263)

Product name CAR BRITE® BLUE CLEAR COAT CONDITIONER
TRIPLE FOAMING CONDITIONER
Product code CBOOAE316-05-S5
Product Use Description No data

2. HAZARDS IDENTIFICATION

Emergency Overview

Appearance: liquid
CAUTION! Moderate skin irritant, Moderate eye irritant.

Potential Health Effects

Routes of Exposure

Inhalation, Skin absorption, Skin contact, Eye Contact, Ingestion

Eye Contact

Can cause eye irritation. Symptoms include stinging, tearing, redness, and swelling of eyes.

Skin Contact

Can cause skin irritation. Symptoms may include redness and burning of skin, and other skin damage. Passage of this material into the body through the skin is possible, but it is unlikely that this would result in harmful effects during safe handling and use.

Ingestion

Swallowing small amounts of this material during normal handling is not likely to cause harmful effects. Swallowing large amounts may be harmful.

Inhalation

ASHLAND

SAFETY DATA SHEET

Page: 2
Revision Date: 03/28/2007
Print Date: 4/24/2007
MSDS Number: R0352295
Version: 1.

CAR BRITE® BLUE CLEAR COAT
CONDITIONER TRIPLE FOAMING
CONDITIONER CBOOAE316-05-S5

Breathing of dust, vapor, and/or mist is possible. Breathing small amounts of this material during normal handling is not likely to cause harmful effects. Breathing large amounts may be harmful.

Aggravated Medical Condition

Preexisting disorders of the following organs (or organ systems) may be aggravated by exposure to this material: skin

Symptoms

Signs and symptoms of exposure to this material through breathing, swallowing, and/or passage of the material through the skin may include: stomach or intestinal upset (nausea, vomiting, diarrhea), irritation (nose, throat, airways)

Target Organs

No data

Carcinogenicity

There is no information available. The chance of this material causing cancer is unknown. This material is not listed as a carcinogen by the International Agency for Research on Cancer (IARC), the National Toxicology Program (NTP), or the Occupational Safety and Health Administration (OSHA).

Reproductive Hazard

There are no data available for assessing risk to the fetus from maternal exposure to this material.

Other Information

No data

3. COMPOSITION/INFORMATION ON INGREDIENTS

Components	CAS-No.	Concentration
SODIUM SULFONATE C14-C16 ALKANE HYDROXY	68439-57-6	>=20-<30%

4. FIRST AID MEASURES

Eyes

**CAR BRITE® BLUE CLEAR COAT
CONDITIONER TRIPLE FOAMING
CONDITIONER CBOOAE316-05-S5**

If symptoms develop, immediately move individual away from exposure and into fresh air. Flush eyes gently with water for at least 15 minutes while holding eyelids apart; seek immediate medical attention.

Skin

Remove contaminated clothing. Flush exposed area with large amounts of water. If skin is damaged, seek immediate medical attention. If skin is not damaged and symptoms persist, seek medical attention. Launder clothing before reuse.

Ingestion

Seek medical attention. If individual is drowsy or unconscious, do not give anything by mouth; place individual on the left side with the head down. Contact a physician, medical facility, or poison control center for advice about whether to induce vomiting. If possible, do not leave individual unattended.

Inhalation

If symptoms develop, move individual away from exposure and into fresh air. If symptoms persist, seek medical attention. If breathing is difficult, administer oxygen. Keep person warm and quiet; seek immediate medical attention.

Notes to Physician

Hazards: No information available.

Treatment: No information available.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Water mist, carbon dioxide (CO₂), dry chemical

Hazardous Combustion Products

May form: carbon dioxide and carbon monoxide, various hydrocarbons

Precautions for Fire-Fighting

Never use welding or cutting torch on or near drum (even empty) because product (even just residue) can ignite explosively. Wear full firefighting turn-out gear (full Bunker gear), and respiratory protection (SCBA). Use water spray to cool fire exposed containers and structures until fire is out if it can be done with minimal risk. Avoid spreading burning liquid with water used for cooling purposes.

CAR BRITE® BLUE CLEAR COAT
CONDITIONER TRIPLE FOAMING
CONDITIONER CBOOAE316-05-S5

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions

For personal protection see section 8. Persons not wearing protective equipment should be excluded from area of spill until clean-up has been completed.

Environmental Precautions

Prevent run-off to sewers, streams or other bodies of water. If run-off occurs, notify proper authorities as required, that a spill has occurred.

Methods for Cleaning Up

Absorb liquid on vermiculite, floor absorbent or other absorbent material.

7. HANDLING AND STORAGE

Handling

Containers of this material may be hazardous when emptied. Since emptied containers retain product residues (vapor, liquid, and/or solid), all hazard precautions given in the data sheet must be observed. Avoid prolonged or repeated contact. Static ignition hazard can result from handling and use. Electrically bond and ground all containers, personnel and equipment before transfer or use of material. Special precautions may be necessary to dissipate static electricity for non-conductive containers. Use proper bonding and grounding during product transfer as described in National Fire Protection Association document NFPA 77.

Storage

Do not store near extreme heat, open flame, or sources of ignition.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure Guidelines

General Advice

These recommendations provide general guidance for handling this product. Personal protective equipment should be selected for individual applications and should consider factors which affect exposure potential, such as handling practices, chemical concentrations and ventilation. It is ultimately the responsibility of the employer to follow regulatory guidelines established by local authorities.

Exposure Controls

ASHLAND

SAFETY DATA SHEET

Page: 5
Revision Date: 03/28/2007
Print Date: 4/24/2007
MSDS Number: R0352295
Version: 1.

CAR BRITE® BLUE CLEAR COAT
CONDITIONER TRIPLE FOAMING
CONDITIONER CBOOAE316-05-S5

Not required under normal conditions of use.

Eye Protection

Chemical splash goggles in compliance with OSHA regulations are advised; however, OSHA regulations also permit other type safety glasses. Consult your safety representative.

Skin and Body Protection

Wear resistant gloves (consult your safety equipment supplier). To prevent repeated or prolonged skin contact, wear impervious clothing and boots.

Respiratory Protection

Respiratory protection is not required under normal conditions of use.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state	liquid
Form	No data
Colour	No data
Odour	No data
Boiling point/range	No data
pH	8.5
Flash point	No data
Evaporation rate	No data
Explosion limits	No data
Vapour pressure	No data
Vapour density	No data
Density	No data
Solubility	No data
Partition coefficient (n-octanol/water)	No data
Autoignition temperature	No data

10. STABILITY AND REACTIVITY

Stability

Stable.

ASHLAND

SAFETY DATA SHEET

Page: 6
Revision Date: 03/28/2007
Print Date: 4/24/2007
MSDS Number: R0352295
Version: 1.

CAR BRITE® BLUE CLEAR COAT
CONDITIONER TRIPLE FOAMING
CONDITIONER CBOOAE316-05-S5

Conditions to Avoid

Avoid contact with:

Incompatible Products

Avoid contact with: bromine, chromic acid, peroxides, strong oxidizing agents

Hazardous Decomposition Products

May form: carbon dioxide and carbon monoxide, various hydrocarbons

Hazardous Reactions

Product will not undergo hazardous polymerization.

Thermal Decomposition

No data

11. TOXICOLOGICAL INFORMATION

Acute Oral Toxicity

SODIUM SULFONATE C14-C16
ALKANE HYDROXY

LD 50 Rat: 3,800 mg/kg

Acute Inhalation Toxicity

Acute Dermal Toxicity

SODIUM SULFONATE C14-C16
ALKANE HYDROXY

LD 50 Rabbit: 6,300 mg/kg

12. ECOLOGICAL INFORMATION

Aquatic Toxicity

Acute and Prolonged Toxicity to Fish

No data

Acute Toxicity to Aquatic Invertebrates

No data

Environmental Fate and Pathways

ASHLAND

SAFETY DATA SHEET

Page: 7
Revision Date: 03/28/2007
Print Date: 4/24/2007
MSDS Number: R0352295
Version: 1.

CAR BRITE® BLUE CLEAR COAT
CONDITIONER TRIPLE FOAMING
CONDITIONER CBOOAE316-05-S5

No data

13. DISPOSAL CONSIDERATIONS

Waste Disposal Methods

Dispose of in accordance with all applicable local, state and federal regulations. For assistance with your waste management needs - including disposal, recycling and waste stream reduction, contact Ashland Distribution's Environmental Services Group at 800-637-7922.

14. TRANSPORT INFORMATION

Dangerous goods descriptions may not reflect package size, quantity, end-use or region-specific exceptions that can be applied to shipments. Consult shipping documents for material-specific descriptions.

15. REGULATORY INFORMATION

California Prop. 65

WARNING! This product contains a chemical known in the State of California to cause cancer.

FORMALDEHYDE

ACETALDEHYDE

SARA Hazard Classification Acute Health Hazard

SARA 313 Component(s)

OSHA Hazards Moderate skin irritant
Moderate eye irritant

	Health	Flammability	Reactivity	Other
HMIS	2	1	0	
NFPA	2	1	0	

16. OTHER INFORMATION

ASHLAND
SAFETY DATA SHEET

Page: 8
Revision Date: 03/28/2007
Print Date: 4/24/2007
MSDS Number: R0352295
Version: 1.

CAR BRITE® BLUE CLEAR COAT
CONDITIONER TRIPLE FOAMING
CONDITIONER CBOOAE316-05-S5

The information accumulated herein is believed to be accurate but is not warranted to be whether originating with the company or not. Recipients are advised to confirm in advance of need that the information is current, applicable, and suitable to their circumstances.

This MSDS has been prepared by Ashland's Environmental Health and Safety Department (1-800-325-3751).