

CG 1460-1461
ASHLAND
SAFETY DATA SHEET

Page: 1
Revision Date: 06/04/2007
Print Date: 6/14/2007
MSDS Number: R0406061
Version: 1.1

CAR BRITE® BRITE SPOT Enzyme-
Based Spot Remover CBOOE050-05-S5

**1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE
COMPANY/UNDERTAKING**

Wesmar Products, Inc
1440 NW 45th ST
Seattle, WA 98107
(206) 782-8186

Emergency telephone number 1-800-ASHLAND
(1-800-274-5263)

Product name CAR BRITE® BRITE SPOT Enzyme-Based Spot
Remover
Product code CBOOE050-05-S5
Product Use Description No data

2. HAZARDS IDENTIFICATION

Emergency Overview

Appearance: liquid, amber

CAUTION! MAY BE HARMFUL IF INHALED OR SWALLOWED. MAY CAUSE
EYE IRRITATION. PROLONGED OR REPEATED CONTACT MAY DRY THE
SKIN AND CAUSE IRRITATION AND BURNS.

Potential Health Effects

Routes of Exposure

Inhalation, Skin absorption, Skin contact, Eye Contact, Ingestion

Eye Contact

Can cause eye irritation. Symptoms include stinging, tearing, redness, and
swelling of eyes.

Skin Contact

May cause mild skin irritation. Prolonged or repeated contact may dry the skin.
Symptoms may include redness, burning, drying and cracking of skin, and skin burns.
Passage of this material into the body through the skin is possible, but it is unlikely that
this would result in harmful effects during safe handling and use.

Ingestion

Swallowing small amounts of this material during normal handling is not likely to
cause harmful effects. Swallowing large amounts may be harmful.

CAR BRITE® BRITE SPOT Enzyme-
Based Spot Remover CBOOE050-05-S5

Inhalation

It is possible to breathe this material under certain conditions of handling and use (for example, during heating, spraying, or stirring). Breathing small amounts of this material during normal handling is not likely to cause harmful effects. Breathing large amounts may be harmful.

Aggravated Medical Condition

Preexisting disorders of the following organs (or organ systems) may be aggravated by exposure to this material: skin, lung (for example, asthma-like conditions), kidney

Symptoms

Signs and symptoms of exposure to this material through breathing, swallowing, and/or passage of the material through the skin may include: stomach or intestinal upset (nausea, vomiting, diarrhea), irritation (nose, throat, airways). Exposure to this product (or a component) may cause an allergic reaction (narrowing of the air passages of the lungs resulting in difficult breathing, tightness in the chest, coughing and wheezing) in some sensitive individuals. Other symptoms of an allergic reaction may include itchy and watery eyes, runny and stuffy nose, sweating, flushing, hives, rapid heart rate, and lowered blood pressure.

Target Organs

Overexposure to this material (or its components) has been suggested as a cause of the following effects in laboratory animals: kidney damage

Carcinogenicity

There is no information available. The chance of this material causing cancer is unknown. This material is not listed as a carcinogen by the International Agency for Research on Cancer (IARC), the National Toxicology Program (NTP), or the Occupational Safety and Health Administration (OSHA).

Reproductive Hazard

There are no data available for assessing risk to the fetus from maternal exposure to this material.

Other Information

No data

3. COMPOSITION/INFORMATION ON INGREDIENTS

CAR BRITE® BRITE SPOT Enzyme-
Based Spot Remover CBOOE050-05-S5

Components	CAS-No.	Concentration
DIPROPYLENE GLYCOL MONOBUTYL ETHER	29911-28-2	>=5-<10%
POLYOL ESTER POLYALKOXYLATE	NJTS# 254504001- 5429	>=1.5-<5%
INORGANIC SALT	NJTS# 254504001- 5294	>=1-<1.5%

4. FIRST AID MEASURES**Eyes**

If symptoms develop, immediately move individual away from exposure and into fresh air. Flush eyes gently with water for at least 15 minutes while holding eyelids apart; seek immediate medical attention.

Skin

Remove contaminated clothing. Wash exposed area with soap and water. If symptoms persist, seek medical attention. Launder clothing before reuse.

Ingestion

Seek medical attention. If individual is drowsy or unconscious, do not give anything by mouth; place individual on the left side with the head down. Contact a physician, medical facility, or poison control center for advice about whether to induce vomiting. If possible, do not leave individual unattended.

Inhalation

If symptoms develop, move individual away from exposure and into fresh air. If symptoms persist, seek medical attention. If breathing is difficult, administer oxygen. Keep person warm and quiet; seek immediate medical attention.

Notes to Physician

Hazards: No information available.

Treatment: No information available.

5. FIRE-FIGHTING MEASURES**Suitable Extinguishing Media**

CAR BRITE® BRITE SPOT Enzyme-
Based Spot Remover CBOOE050-05-S5

alcohol-resistant foam, Agents approved for class B hazards or water fog., carbon dioxide (CO₂), dry chemical

Hazardous Combustion Products

May form:, carbon dioxide and carbon monoxide, various hydrocarbons

Precautions for Fire-Fighting

No special fire hazards are known to be associated with this product. Wear full firefighting turn-out gear (full Bunker gear), and respiratory protection (SCBA).

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions

For personal protection see section 8. Persons not wearing proper personal protective equipment should be excluded from area of spill.

Environmental Precautions

Prevent run-off to sewers, streams or other bodies of water. If run-off occurs, notify proper authorities as required, that a spill has occurred.

Methods for Cleaning Up

Absorb liquid on vermiculite, floor absorbent or other absorbent material. Persons not wearing protective equipment should be excluded from area of spill until clean-up has been completed. Stop spill at source, dike area of spill to prevent spreading, pump liquid to salvage tank. Remaining liquid may be taken up on sand, clay, earth, floor absorbent, or other absorbent material and shoveled into containers.

7. HANDLING AND STORAGE

Handling

Containers of this material may be hazardous when emptied. Since emptied containers retain product residues (vapor, liquid, and/or solid), all hazard precautions given in the data sheet must be observed. Avoid prolonged or frequently repeated skin contact with this material. Skin contact can be minimized by wearing impervious protective gloves. As with all products of this nature, good personal hygiene is essential. Hands and other exposed areas should be washed thoroughly with soap and water after contact, especially before eating and/or smoking. Regular laundering of contaminated clothing is essential to reduce indirect skin contact with this material. Warning. Sudden release of hot organic chemical vapors or mists from process equipment operating at elevated temperature and pressure, or sudden ingress of air into vacuum equipment, may

CAR BRITE® BRITE SPOT Enzyme-
Based Spot Remover CBOOE050-05-S5

result in ignitions without the presence of obvious ignition sources. Published "autoignition" or "ignition" temperature values cannot be treated as safe operating temperatures in chemical processes without analysis of the actual process conditions. Any use of this product in elevated temperature processes should be thoroughly evaluated to establish and maintain safe operating conditions.

Storage

Store in closed containers in a dry, well-ventilated area.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure Guidelines

General Advice

These recommendations provide general guidance for handling this product. Personal protective equipment should be selected for individual applications and should consider factors which affect exposure potential, such as handling practices, chemical concentrations and ventilation. It is ultimately the responsibility of the employer to follow regulatory guidelines established by local authorities.

Exposure Controls

Provide sufficient mechanical (general and/or local exhaust) ventilation to maintain exposure below level of overexposure (from known, suspected or apparent adverse effects).

Eye Protection

Chemical splash goggles in compliance with OSHA regulations are advised; however, OSHA regulations also permit other type safety glasses. Consult your safety representative.

Skin and Body Protection

Wear resistant gloves (consult your safety equipment supplier). To prevent repeated or prolonged skin contact, wear impervious clothing and boots.

Respiratory Protection

If needed, use a NIOSH-approved respirator suitable for the potential exposure level.

CAR BRITE® BRITE SPOT Enzyme-
Based Spot Remover CBOOE050-05-S5**9. PHYSICAL AND CHEMICAL PROPERTIES**

Physical state	liquid
Form	No data
Colour	amber
Odour	No data
Boiling point/range	212 °F / 100 °C @ 1,013.333333 hPa
pH	No data
Flash point	No data
Evaporation rate	No data
Explosion limits	5.5 %(V) 17 %(V)
Vapour pressure	33.3333333 hPa @ 77 °F / 25 °C
Vapour density	No data
Density	1.03 g/cm3 8.63 lb/gal @ 60.00 °F / 15.56 °C
Solubility	No data
Partition coefficient (n-octanol/water)	No data
Autoignition temperature	No data

10. STABILITY AND REACTIVITY**Stability**

Stable.

Conditions to Avoid**Incompatible Products**

Avoid contact with: strong oxidizing agents, strong reducing agents, This product should not be used in conjunction with trimethylol propane or trimethylol propane-derived products. There is a possibility that bicyclic phosphates or phosphites can be produced as a result of the thermal decomposition of this product in combination with trimethylol propane, trimethylol propane-derived products or their corresponding trimethylol propane alkane homologs. Bicyclic phosphates and phosphites are a class of materials with acute neurotoxic properties which produce characteristic convulsive seizures in test animals.

Hazardous Decomposition Products

May form: carbon dioxide and carbon monoxide, various hydrocarbons

CAR BRITE® BRITE SPOT Enzyme-
Based Spot Remover CBOOE050-05-S5

Hazardous Reactions

Product will not undergo hazardous polymerization.

Thermal Decomposition

No data

11. TOXICOLOGICAL INFORMATION

Acute Oral Toxicity

DIPROPYLENE GLYCOL MONOBUTYL ETHER	LD 50 Rat: 3,700 mg/kg
---------------------------------------	------------------------

POLYOL ESTER POLYALKOXYLATE	LD 50 Rat: 40,590 mg/kg
--------------------------------	-------------------------

INORGANIC SALT	LD L0 Rat: 4,640 mg/kg
----------------	------------------------

Acute Inhalation Toxicity

Acute Dermal Toxicity

DIPROPYLENE GLYCOL MONOBUTYL ETHER	LD 50 Rabbit: 2,000 mg/kg
---------------------------------------	---------------------------

INORGANIC SALT	LD 50 Rabbit: 4,640 mg/kg
----------------	---------------------------

12. ECOLOGICAL INFORMATION

Aquatic Toxicity

Acute and Prolonged Toxicity to Fish

No data

Acute Toxicity to Aquatic Invertebrates

No data

Environmental Fate and Pathways

No data

CAR BRITE® BRITE SPOT Enzyme-
Based Spot Remover CBOOE050-05-S5

13. DISPOSAL CONSIDERATIONS

Waste Disposal Methods Dispose of in accordance with all applicable local, state and federal regulations. Do not discharge effluent containing this product into lakes, streams, ponds or estuaries, oceans, or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit, and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance, contact your State Water Board or Regional Office of the EPA. For assistance with your waste management needs - including disposal, recycling and waste stream reduction, contact Ashland Distribution's Environmental Services Group at 800-637-7922.

14. TRANSPORT INFORMATION

Dangerous goods descriptions (if indicated above) may not reflect package size, quantity, end-use or region-specific exceptions that can be applied. Consult shipping documents for descriptions that are specific to the shipment.

15. REGULATORY INFORMATION

California Prop. 65

WARNING! This product contains a chemical known in the State of California to cause cancer.

ARSENIC

LEAD

NICKEL

COBALT

1,4-DIOXANE

ETHYLENE OXIDE

WARNING! This product contains a chemical known in the State of California to cause birth defects or other reproductive harm.

LEAD

ETHYLENE OXIDE

ASHLAND

SAFETY DATA SHEET

Page: 9
Revision Date: 06/04/2007
Print Date: 6/14/2007
MSDS Number: R0406061
Version: 1.1

CAR BRITE® BRITE SPOT Enzyme-
Based Spot Remover CBOOE050-05-S5

SARA Hazard Classification Acute Health Hazard

SARA 313 Component(s)

ETHYLENE OXIDE 75-21-8 0%

OSHA Hazards Moderate skin irritant
Moderate eye irritant

	Health	Flammability	Reactivity	Other
HMIS	1	0	0	
NFPA				No data

16. OTHER INFORMATION

The information accumulated herein is believed to be accurate but is not warranted to be whether originating with the company or not. Recipients are advised to confirm in advance of need that the information is current, applicable, and suitable to their circumstances. This MSDS has been prepared by Ashland's Environmental Health and Safety Department (1-800-325-3751).