

DE 7495.0200

Material Safety Data Sheet gemäß 91/155/EWG

Art.-Nr. 6.7495.0200

4CR 7495 Lubricant Spray 200ml

1. IDENTIFICATION OF THE PREPARATION AND COMPANY.

Name, full address and tel. of Company:

Wesmar Products, Inc
1440 NW 45th St
Seattle, WA 98107
(206) 782-8186

2. COMPOSITION/INFORMATION ON INGREDIENTS.

Hazardous substances present on their own:

(present in the preparation at a sufficient concentration to give it the toxicological characteristics it would have in a 100% pure state)

This preparation contains no hazardous substance in this category.

Other substances representing a hazard:

INDEX	CAS	EC	Name	Symb.	R: %
601-043-00-3	95-63-6	202-436-9	1,2,4-TRIMETHYLBENZENE	Xn N 10	36/37/38
51/5320 0	0 <= x % < 2.5				
601-052-00-2	91-20-3	202-049-5	NAPHTHALENE	Xn N 50/53	22 0 <= x % < 2.5

Substances present at a concentration below the minimum danger threshold:

INDEX	CAS	EC	Name	Symb.	R: %
010 25265-78-5		246-772-4	DODECYLBENZENE	Xn 36	65 2.5 <= x % < 10
011 94266-48-5		304-455-9	HUILE DE PIN	70 LG Xi 38	2.5 <= x % < 10
603-009-00-3	108-93-0	203-630-6	CYCLOHEXANOL	Xn 20/22	37/38 2.5 <= x % < 10

Other substances with occupational exposure limits:

No known substance in this category present.

Other components:

INDEX	CAS	EC	Name	Symb.	R: %
649-330-00-2	64742-82-1	265-185-4	NAPHTHA (PETROLEUM), HYDRODESULFURIZED HEAVY	Xn 65 25	<= x % < 50
649-423-00-8	64742-81-0	265-184-9	KEROSINE (PETROLEUM), HYDRODESULFURIZED	Xn 65 0	<= x % < 2.5
649-424-00-3	64742-94-5	265-198-5	SOLVENT NAPHTHA (PETROLEUM), HEAVY AROM.	Xn 65 2.5	<= x % < 10
649-465-00-7	64742-52-5	265-155-0	DISTILLATES (PETROLEUM), HYDROTREATED HEAVY NAPHTHENIC		10 <= x % < 25
649-469-00-9	64742-56-9	265-159-2	DISTILLATES (PETROLEUM), SOLVENT-DEWAXED LIGHT PARAFFINIC		0 <= x % < 2.5

3 - IDENTIFICATION OF HAZARDS

This product is not classed as flammable. Refer to the recommendations regarding the other products present on the site. This preparation is not classed as hazardous to health by directive 1999/45/EC.

Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Other data:

4 - FIRST AID MEASURES

As a general rule, in case of doubt or if symptoms persist, always call a doctor.
NEVER induce swallowing in an unconscious person.

Material Safety Data Sheet

According to 91/155 EEC

Date: 08.06.04

Revision Date: 01.06.04

In the event of exposure by inhalation:

If a large quantity is inhaled, move the patient into the fresh air and keep him/her warm and still.

In the event of splashes or contact with eyes:

Wash thoroughly with soft, clean water for 15 minutes holding the eyelids open.

Refer the patient to an ophthalmologist, in particular if there is any redness, pain or visual impairment.

In the event of splashes or contact with skin:

Remove contaminated clothing and wash the skin thoroughly with soap and water or a recognised cleaner. DO NOT use solvents or thinners.

In the event of swallowing:

In the event of swallowing, if the quantity is small (no more than one mouthful), rinse the mouth with water and consult a doctor.

If swallowed accidentally, call a doctor to assess the need for monitoring and subsequent treatment in hospital. Show him the label.

Specific and immediate treatment:

Information for the doctor:

5 - FIRE-FIGHTING MEASURES

Not relevant.

Suitable extinguishing media:

Foam, CO₂, Dry chemical.

Extinguishing media which must not be used for safety reasons:

Keep packages near the fire cool, to prevent pressurised containers from bursting.

Special protective equipment for fire-fighters:

Due to the toxicity of the gas emitted on thermal decomposition of the products,

fire-fighting personnel are to be equipped with autonomous insulating breathing apparatus.

Special exposure hazards arising from the substance or preparation itself, combustion products, resulting gases:

6 - ACCIDENTAL RELEASE MEASURES

Personal precautions:

Consult the safety measures listed under headings 7 and 8.

Environmental precautions:

Contain and control the leaks or spills with non-combustible absorbent materials such as sand, earth, vermiculite, diatomaceous earth in drums for waste disposal.

Prevent any material from entering drains or waterways.

Use drums to dispose of waste recovered in accordance with applicable regulations (see heading 13).

If the product contaminates waterways, rivers or drains, alert the relevant authorities in accordance with statutory procedures

Methods for cleaning up:

Clean preferably with a detergent, do not use solvents.

7 - HANDLING AND STORAGE

The regulations relating to storage premises apply to workshops where the product is handled.

Handling:

Handle in well-ventilated areas.

Keep containers tightly closed.

Avoid getting on skin or in eyes when handling product.

Fire prevention:

Prevent access by unauthorised personnel.

Recommended equipment and procedures:

For personal safety, see §8.

Observe precautions stated on label and also industrial safety regulations

Packages which have been opened must be reclosed carefully and stored in an upright position

Prohibited equipment and procedures:

Smoking, eating and drinking are prohibited in premises where the preparation is used

Material Safety Data Sheet

According to 91/155 EEC

Date: 08.06.04

Revision Date: 01.06.04

Never open the packages under pressure
Do not pierce or burn, even after use.

Storage:

Keep the container tightly closed in a dry place.

Pressurised container: protect from sunlight and do not expose to temperatures exceeding 50°C.
The floor must be impermeable and form a collecting basin so that, in the event of an accidental spillage, the liquid cannot spread beyond this area.

N/A

Specific use(s):

8 - EXPOSURE CONTROLS/PERSONAL PROTECTION

Use personal protection equipment as per Directive 89/686/EEC.

Technical measures:

Ensure adequate ventilation, if possible with extractor fans at work posts and appropriate general extraction.

If this ventilation is insufficient to maintain the concentration of solvent vapors below the exposure limits, wear breathing apparatus

Exposure limit values per INRS ND 2098-174-99 and ND 2114-176-99:

France	VME-ppm:	VME-mg/m3:	VLE-ppm:	VLE-mg/m3:	Notes:	TMP N°:
108-93-0	50	200	75	300	-	84
91-20-3	10	50	-	-	-	-
95-63-6	-	-	-	-	-	-
Germany	Class:	MAK-ppm:	MAK-mg/m3:	Notes:	Notes:	
108-93-0	II,1	50	210	-		
91-20-3	-	Voir tableau A 2.I en annexe -			3	
95-63-6	-	-	-	-		
ACGIH (TLV)	TWA-ppm:	TWA-mg/m3:	STEL-ppm:	STEL-mg/m3:	Notes:	Notes:
108-93-0	50	206	-	-	*	-
91-20-3	10	52	15	79	A4	S
95-63-6	-	-	-	-	-	-

Exposure limit values per 2000/39/EC and 98/24/EC:

EC	VME-ppm:	VME-mg/m3:	VLE-ppm:	VLE-mg/m3:	Notes:
95-63-6	20	100	-	-	-

Exposure limit values (2003):

UK/OES	TWA:	STEL:	Ceiling:	Definition:	Criterion:
108-93-0	50 ppm	-	-	-	-
91-20-3	10 ppm	15 ppm	-	-	-
95-63-6	25 ppm	-	-	-	-

Respiratory protection:

Where workers encounter concentrations higher than the exposure limits, they must wear suitable, approved masks.

Hand protection:

Protective creams may be used for exposed skin, but they should not be applied after contact with the product.

In the event of prolonged or repeated contact with the hands, use appropriate gloves.

Eye and face protection:

Use eye protectors designed to protect against liquid splashes

Skin protection:

For further information, see § 11 of S.D.S. - Toxicological information.

Environmental exposure controls:

9 - PHYSICAL AND CHEMICAL PROPERTIES

General information:

Physical state: fluid liquid

Important health, safety and environmental information:

pH of the substance or preparation: neutral.

When a pH measure is possible, it has a value of: not stated.

Boiling point/boiling range: not relevant.

Material Safety Data Sheet

According to 91/155 EEC

Date: 08.06.04

Revision Date: 01.06.04

Flash point interval:	Flash point: > 61°C
vapour pressure:	not specified.
Density:	< 1
water solubility:	Insoluble.

Other information:

melting point/melting range:	not specified.
Self-ignition temperature:	not relevant.
Decomposition point/decomposition range :	not relevant.

10 - STABILITY AND REACTIVITY

When exposed to high temperatures, the preparation may release dangerous decomposition products such as carbon monoxide and dioxide, smoke and nitrogen oxide

Conditions to avoid:

Materials to avoid:

Hazardous decomposition products:

11 - TOXICOLOGICAL INFORMATION

No data is available regarding the preparation itself.

Exposure to vapors from solvents contained in the preparation beyond the exposure limits stated may produce effects harmful to health, such as:

Irritation of mucous membrane and respiratory system, kidneys, liver and central nervous system. Symptoms produced will include headaches, numbness, dizziness, fatigue, muscular asthenia and, in extreme cases, loss of consciousness. Prolonged or repeated contact with the preparation may strip the skin of its natural oil and thus cause non-allergic dermatitis on contact and absorption through the epidermis.

Splashes in the eyes may cause irritation and reversible damage

In the event of exposure by inhalation:

Refer to §4 "FIRST AID".

In the event of swallowing:

Refer to §4 "FIRST AID".

In the event of splashes or contact with skin:

Refer to §4 "FIRST AID".

In the event of splashes or contact with eyes:

Refer to §4 "FIRST AID".

Other data:

Formula sent to the I.N.R.S.

N/A

12 - ECOLOGICAL INFORMATION

No ecological data on the product itself is available.

The product must not be allowed to run into drains or waterways.

Mobility:

Persistence and degradability:

Bioaccumulative potential:

Ecotoxicity:

Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Other adverse effects:

13 - DISPOSAL CONSIDERATIONS

Do not pour into drains or waterways.

Waste:

Recycle or dispose of waste in compliance with current legislation, preferably via a certified collector or company.

Do not contaminate the ground or water with waste, do not dispose of waste into the environment.

Soiled packaging:

Empty container completely. Keep label(s) on container.

Material Safety Data Sheet

According to 91/155 EEC

Date: 08.06.04

Revision Date: 01.06.04

Give to a certified disposal contractor.

Local arrangements:

Codes of wastes (Decision 2001/573/EC, Directive 75/442/EEC, Directive 91/689/EEC on hazardous waste) :

14 - TRANSPORT INFORMATION

Exempt from transport classification and labelling.

Transport product in compliance with provisions of the ADR for road, RID for rail, IMDG for sea and ICAO/IATA for air transport (ADR 2005 - IMDG 2004 - ICAO/IATA 2005).

15 - STATUTORY INFORMATION

This preparation was classified in compliance with the directive known as <All preparations> 1999/45/EC and its adaptations. In addition directive 2001/59/EC with the 28° adaptation of directive 67/548/EEC (Hazardous substances) have been taken into account.

This preparation is not classed as hazardous to health by directive 1999/45/EC.

This product is not classed as flammable.

Preparation classification:

Contains:

Particular hazards associated with the preparation and safety recommendations:

- | | |
|---------|---|
| R 52/53 | Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
Pressurised container: protect from sunlight and do not expose to temperatures exceeding 50°C.
Do not pierce or burn, even after use. |
| S 2 | Keep out of reach of children. |
| S 23 | Do not breathe gas/fumes/vapour/spray (appropriate wording to be specified by the manufacturer). |
| S 24 | Avoid contact with skin. |
| S 51 | Use only in well ventilated areas. |
| S 62 | If swallowed, do not induce vomiting : seek medical advice immediately and show this container or label. |

Marine Pollutant P.

Particular provisions:

N/A

N/A

16 - OTHER INFORMATION

Since the user's working conditions are not known by us, the information supplied on this safety data sheet is based on our current level of knowledge and on national and community regulations.

The product must not be used for any purposes other than those specified under heading 1 without first obtaining written handling instructions.

It is at all times the responsibility of the user to take all necessary measures to comply with legal requirements and local regulations.

The information given on this safety data sheet must be regarded as a description of the safety requirements relating to our product and not a guarantee of its properties

Full text of risk phrases appearing in section 2:

- | | |
|------------|--|
| R 10 | Flammable. |
| R 20 | Harmful by inhalation. |
| R 20/22 | Harmful by inhalation and if swallowed. |
| R 22 | Harmful if swallowed. |
| R 36 | Irritating to eyes. |
| R 36/37/38 | Irritating to eyes, respiratory system and skin. |
| R 37/38 | Irritating to respiratory system and skin. |
| R 38 | Irritating to skin. |
| R 50/53 | Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. |
| R 51/53 | Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. |
| R 65 | Harmful. may cause lung damage if swallowed. |