



# Material Safety Data Sheet

HMIS Ratings  
Health 2  
Flammability 0  
Reactivity 0  
Protection X

## 1 Chemical Product and Company Identification

**Manufacturer Information** Car Brite, Inc.  
1910 South State Avenue  
Indianapolis, IN 46203

**Phone** (317) 788-9925

**Emergency Phone** CHEMTREC  
1-800-424-9300  
FOR INTERNATIONAL  
CALLS  
703-527-3887

**Date Prepared** 2001-Oct-23

**Product Identity** ALKALINE TFR

**Product Code Number** HE02

**Product Use** Automotive Car Wash Product

**Version #** 1.0

**CAS #** Mixture

## 2 Composition / Information on Ingredients

| Ingredient Name                                                       | CAS Number  | Wgt. % | PEL-OSHA | Exposure Limits |  | Carcinogen |
|-----------------------------------------------------------------------|-------------|--------|----------|-----------------|--|------------|
|                                                                       |             |        |          | TLV-ACGIH       |  |            |
| POTASSIUM HYDROXIDE (K(OH))                                           | 1310-58-3   | 1 - 5  |          |                 |  | No         |
| SILICIC ACID (H <sub>2</sub> SiO <sub>3</sub> ), DISODIUM SALT, PENTA | 6834-92-0   | 1 - 5  |          |                 |  | No         |
| DIPHOSPHORIC ACID, TETRAPOTASSIUM SALT                                | 7320-34-5   | 1 - 5  |          |                 |  | No         |
| ETHYLENEDIAMINETETRAACETIC ACID                                       | 60-00-4     | 1 - 5  |          |                 |  | No         |
| PROPRIETARY SURFACTANT BLEND                                          | Proprietary | 1 - 5  |          |                 |  | No         |
| Non-hazardous and other ingredients below reportable levels           | Proprietary | 85     | N/AP     | N/AP            |  | N/AP       |

## 3 Hazards Identification

### Potential Health Effects

**Skin** This product is severely irritating to the skin and may cause burns.

**Eyes** Contact with liquid may produce severe eye irritation, causing severe conjunctiva irritation, corneal defects and possibly permanent loss of vision.

**Inhalation** This product may cause irritation to the respiratory system.

**Ingestion** Ingestion may produce burns to the lips, oral cavity, upper airway, esophagus and possibly the digestive tract.

**Hazard Statements**  
CORROSIVE

## 4 First Aid Measures

### First Aid

|                   |                                                                                                                                                        |
|-------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Skin</b>       | For skin contact flush with large amounts of water while removing contaminated clothing. If irritation persists, get medical attention.                |
| <b>Eyes</b>       | Immediately flush eyes with water for at least 15 minutes, while holding eyelids open. Seek medical attention at once.                                 |
| <b>Inhalation</b> | Move person to non-contaminated air. If not breathing, give artificial respiration, preferably mouth-to-mouth. If breathing is difficult, give oxygen. |
| <b>Ingestion</b>  | If the material is swallowed, get immediate medical attention or advice -- Give several glasses of water or milk.                                      |

## 5 Fire Fighting Measures

### Hazardous Combustion Products

Carbon monoxide, carbon dioxide and other hydrocarbon fragments.

### Extinguishing Media

Use any media suitable for the surrounding fires.

### General Fire Hazards

Not a fire hazard.

### Fire Fighting Equipment/Instructions

Firefighters should wear full protective gear.

|                    |      |
|--------------------|------|
| <b>Flash Point</b> | N/AP |
|--------------------|------|

|                                                       |      |
|-------------------------------------------------------|------|
| <b>Flammability Limits in Air, Lower, % by Volume</b> | N/AP |
|-------------------------------------------------------|------|

|                                                       |      |
|-------------------------------------------------------|------|
| <b>Flammability Limits in Air, Upper, % by Volume</b> | N/AP |
|-------------------------------------------------------|------|

## 6 Accidental Release Measures

### Containment Procedures

Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb with inert absorbent such as dry clay, sand or diatomaceous earth, commercial sorbents, or recover using pumps.

### Clean-Up Procedures

Absorb spill with inert material. Shovel material into appropriate container for disposal.

## 7 Handling and Storage

### Handling Procedures

Avoid prolonged or repeated skin contact with this material.

### Storage Procedures

Keep the container tightly closed. Do not freeze. Do not store, incinerate, or heat this material above 120 degrees Fahrenheit.

## 8 Exposure Controls / Personal Protection

### Engineering Controls

Use local exhaust ventilation.

### Personal Protective Equipment

#### Eyes/Face

Wear chemical goggles.

## Personal Protective Equipment

### Skin

Use impervious gloves. Use of impervious apron and boots are recommended.

### Respiratory

If ventilation is not sufficient to effectively prevent buildup of vapor/mist/fume/dust, appropriate NIOSH/MSHA respiratory protection must be provided.

### General

Use good hygiene practices when handling this material, including changing and laundering work clothes after use. Discard contaminated shoes and leather goods.

## 9 Physical & Chemical Properties

|                                    |                   |
|------------------------------------|-------------------|
| <b>Boiling Point</b>               | 212 F             |
| <b>Specific Gravity</b>            | 1.05              |
| <b>Vapor Pressure</b>              | < 20 mm/Hg        |
| <b>Evaporation Rate</b>            | Slower than ether |
| <b>Vapor Density</b>               | > 1               |
| <b>Solubility (H<sub>2</sub>O)</b> | Soluble           |
| <b>pH</b>                          | > 13              |
| <b>Freezing Point</b>              | 32 F              |

## 10 Chemical Stability & Reactivity Information

### Chemical Stability

This is a stable material.

### Hazardous Decomposition

Hazardous combustion products may include carbon monoxide, carbon dioxide and hydrocarbon fragments.

### Hazardous Polymerization

Will not occur.

### Incompatibility

This product may react with strong oxidizing agents. This product may react with strong acids.

## 11 Toxicological Information

### Toxicological Information

No data available for this product.

## 12 Ecological Information

### Ecological Information

No data available for this product.

## 13 Disposal Considerations

### Disposal Instructions

Dispose of waste material according to Local, State, Federal, and Provincial Environmental Regulations.

## 14 Transportation Information

**US DOT HMR Information**

|                              |                                                                           |                        |     |
|------------------------------|---------------------------------------------------------------------------|------------------------|-----|
| <b>Proper Shipping Name</b>  | Caustic alkali liquids, n.o.s. (Potassium Hydroxide, Sodium Metasilicate) |                        |     |
| <b>Identification Number</b> | UN1719                                                                    | <b>Packaging Group</b> | III |
| <b>Hazard Class</b>          | 8                                                                         |                        |     |

**15 Regulatory Information****16 Other Information****Disclaimer**

NOTICE: The information presented herein is based on data considered to be accurate as of the date of preparation of this Material Safety Data Sheet. However, MSDS may not be used as a commercial specification sheet of manufacturer or seller, and no warranty or representation, expressed or implied, is made as to the accuracy or comprehensiveness of the foregoing data and safety information, nor is any authorization given or implied to practice any patented invention without a license. In addition, no responsibility can be assumed by vendor for any damage or injury resulting from abnormal use, from any failure to adhere to recommended practices, or from any hazards inherent in the nature of the product.

|                    |                      |
|--------------------|----------------------|
| <b>Prepared By</b> | Technical Department |
| <b>Issue Date</b>  | 23-Oct-2001          |